

**MINUTES OF THE SHADE TREE COMMISSION
OF THE BOROUGH OF SEWICKLEY
January 3, 2022**

The Shade Tree Commission (STC) convened on January 3rd, 2022 in Council Chambers. The meeting was called to order by Chairperson Kathy Brandt at 7:00 p.m.

In attendance were:

Members

Kathy Brandt, Chairperson
Andrew Frishkorn, Secretary
Katie Kirsch, GIS Manager
Dave Parker, Treasurer
Vacant – Open (absent)

Of Council

Cynthia Mullins - Council Representative (absent)

Arborist

Andrew Tomaskovic

Visitors

None

I. APPROVAL OF MINUTES

Dave Parker made a motion to approve the December minutes which was also approved by Andrew Frishkorn. No others had attended the previous meeting.

II. STAFFING UPDATES

- Open position for STC. Cindy now council president. New Council representative to be determined, new council and new solicitor.

STC reelected

- Kathy Brandt – Chairperson
- Dave Parker – Vice Chairperson
- Katie GIS Manager and Treasurer
- Andrew Frishkorn - Secretary

III. OLD BUSINESS AND TREE ACTIVITY SHEET

The updated tree activity list is provided as Attachment A. No new applications.

IV. NEW BUSINESS

Tree Removal/Maintenance Applications

- No Applications

Details of the arborist's recommendations and tree notes are provided in Attachment B. Arborist reviewed trees on Maple Lane and Broad Street. He will be circulating his recommendations after the meeting.

A few trees were highlighted that need monitoring. Tree 742 root damage. Trees 1621 and 1622 on Maple have wounds. Failure seems likely within three years. Maple tree failures considered moderate risk (2). Risk classified 1 low risk, 2 moderate, 3 high, 4 extreme risk.

The Ohio River Blvd. assessment report is authorized and approved for submittal as additional bid package for Tuesdays Council meeting. Andy Frishkorn made a motion to approve the arborist report (a.k.a Tree Notes), approval was seconded by Dave Parker, and unanimously approved.

V. CORRESPONDENCE

- None

VI. BUDGET

The 2021 budget status through December 31th, 2021 is provided as Attachment C. The STC finished the year over budget. It is unclear how so much money hit our account in the past two weeks over Christmas week since we were not expecting any additional charges.

Arborist feels he can review most Borough trees within the existing budget in 2022.

VII. ADMINISTRATIVE

Some issues discussed to date that need further clarification in the STC ordinance include:

OLD

- (1) Clarified language about tree ownership between the sidewalk and curb
- (2) Clarified language about responsibility for tree maintenance in Borough Parks
- (3) Hazard zone definition (distance to right-of-way, power lines and/or to neighboring structures)
- (4) Authority to order removal of dead or dying trees on private property for trees that pose an obvious and imminent danger, as identified by the Borough arborist
- (5) Clear policy related to sidewalk heave related to borough owned tree roots
- (6) How to manage donations for special projects
- (7) Develop standard procedure for Borough and/or Zoning officer communication with STC related to Borough Trees and/or private tree to be removed within the hazard zone identified during building permit applications.
- (8) Develop a policy concerning costs recovery for damages to Borough Trees by vehicles, etc.
- (9) A roll-call vote is required going forward, while voting via Zoom meetings.

- (10) Zoom meetings will be recorded and will remain on-line until the recording can be replaced by the approved meeting minutes.
- (11) Add information to the STC website or to the application for residents who desire a tree be planted in an open space near their home.
- (12) Consider review of example ordinances available via Tree Pittsburgh when the ordinance is updated.
- (13) The ordinance (Section 267-9) needs to be considered for modification. The STC would like to consider removing the requirement for multiple advertisements and council approval of in-budget non-emergency tree plantings and removals, because this requirement can have an adverse impact to scheduling STC approved work (adding up to 2 months to the decision process) for expenditures that are less than or equal to the previously approved STC budget. The requirement for written notices to the adjacent property owners would be retained.
- (14) After the application is approved, a permit should be issued for private removals/planting, similar to a building permit.
- (15) Dave Parker made multiple comments on the ordinance and circulated markup on November 11, 2021.

NEW

- Reiterated need to update the ordinance.

VIII. ACTION ITEMS:

OLD

- Plaque Inventory (Luke Hotchkiss – Eagle Scout Project)
- Develop Informational Post Card using advertising budget to request residents avoid use of lawn herbicides around trees. (Brandt/Mullins)
- Mulch party needs arranged for many trees in the Borough to protect them from mowers and herbicides (TBD)
- Review the GIS dashboard that Kirsch sent around (all).
- Check with construction team about the unauthorized removals of Ginkgoes (Parker).
- Prepare updated Bid Solicitations for recommended removals and pruning (Frishkorn)
- Application Form Update (Parker), Review by all (STC); needs to address Memorial Trees and Pruning in addition to removal. Update pricing for memorial trees. Indicate that Memorial Trees will be performed during other routine plantings that occur once or twice a year, so that people understand that trees will not be planted immediately. and make it clear that trees will be planted during other routine plantings. The cost of transportation and installation of the tree needs to be accounted for in addition to the base cost of the tree. The plaques are ordered through Sewickley Graphics and Design and sent to Franco who puts them in concrete. The actual cost of the plaque and trees vary depending on the verbiage and tree type.
- Develop second/expanded list of removals for 2022 (arborist)

- Identify new member of the STC. (all)

NEW

- Inspect Oaks on Ohio River Blvd (Arborist)

IX. ADJOURNMENT: There being no other business before the STC, on motion from Andy Frishkorn, seconded by Dave Parker, and unanimously approved, Chairperson Kathy Brandt adjourned the meeting at approximately 8:25 p.m.

NEXT MEETING: The next meeting will be held February 7th, 2022, at 7:00 p.m. in Council Chambers.

Respectfully Submitted, Andrew Frishkorn (STC Secretary)

Attachment A
Sewickley Shade Tree Commission
Tree Activity Sheet

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
85	Mar-20	432	Centennial (Locust)	Arborist	O	Tree needs protected from delivery trucks. Tree on Locust Pl.	A	B	N	N/A	N	N/A	N/A		Coordinate with Boro to install protective fencing. Previously Shared fencing concept images with M Marcinko, K Brandt, and STC. 1x6 or 2x4 fencing should be mounted to sidewalk and curb with concrete anchored screws and should have exclusion zone signage.
87	May-20	634	Beaver	Borough Maint.	M	Callery Pear #245 in front of Hyde Travel needs specialty pruning. natural pruning system: goals - weight reduction/ structural pruning to reduce risk of leader/ limb failure and clearance pruning: reduce or remove branches/leads on building side to achieve 30% reduction of length (~4-8ft reduction; branches 1-4"); reduce/remove branches/leads to provide 8-10ft clearance over lawn and sidewalk (cuts 1-4"); reduce no more than 25% overall crown. remove resulting debris.	A	B	N/A	N/A	N	N/A	N/A		Select contractor to perform work. Recommend completion deadline of OCT 2021. Bartlett has been briefed on specialty pruning specifications
102	Jun-20	302	Beaver	Arborist	R	Application pending for removal of 2 damaged/declining trees	P	O	N/A	N	N/A	N/A	N		No action until application received.
104	Aug-20	310	Bank	Resident via Franco	M	Silver Maple - pruning of Dead Branches (no application)	A	B	N/A	N/A	N	N/A	N/A		Scheduled for Fall 2020

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS				REMARKS	
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE		DATE CLOSED
106	Aug-20	220	Bank	Barton & DeForest	R	Bald Cypress (#858); application for removal (although application references Beech). Same tree requested in 2018 (#24) and 2019 (#54), and previously denied. Resident offers to pay for removal but did not offer to pay for replanting as specified during previous years. The cost for tree replacement is typically \$800 to \$1000. The proposed contractor is not licensed in Sewickley. Additional pruning recommended.	D	O	N	N/A	N	N/A	N/A		Pruning recommended: natural pruning system: goals are to promote central leader and improve structure and provide clearance: reduce codominant leader growing towards house by 40-60% of length: final pruning cut should be less than 8inches; reduce or remove low branches to provide 8ft radial clearance from house, 10-12 ft height clearance to sidewalk and 14-15ft height clearance from road. remove resulting debris. Obtain contractor: Bartlett has been briefed. Specialty pruning (structural-maintenance). Can be completed year round. Rec this work be combined with ITEM tracking number 124.
110	Sep-20	56	Beaver	Courtney	R (5)	Requested removal of Five Trees. Replacement with four new trees	A(4)	R	at mtng	Y	N/A	N/A	N		Recommend followup with resident regarding replanting
111	Sep-20	402	Pebbles	Arborist	O/R	Ash Tree #190 damaged. Recommended for routine inspection. Possible removal in 2022 and replacement with smaller tree (redbud, hornbeam, serviceberry, etc.)	A	B	N/A	N	N	N/A	N		Monitor. Recommend tree be removed and replaced with smaller format tree (underwires location) ie service berry, redbud, hopnornbeam, hornbeam,etc
112	Sep-20	205	Bank	Arborist	R(1)	Declining Sugar Maple (#851) recommended for removal. Replace with dogwood or Hornbeam	A(1)	B	N/A	Y	N/A	N/A	N		On removal list. Tall Timber gave price.
114	Sep-20		Borough Wide	Arborist	M	Mulch needed around trees to protect from string trimmers	A	B	N/A	N/A	N	N/A	N/A		Recommend tree tender volunteer force be developed and deployed for regular tree tending events.

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
118	Oct-20	623	Cochran	D'Antonio	R	Callery Pear #1324 -dropping debris and sticky fruit	A	B	Y	N	N/A	N/A	N/A		Not a priority. Other Callery pears in parking areas greater priority like 500 and 600 blocks of Centennial. STC did not accept arborist proposal of removal of all trees in 500 and 600 blocks: desired phased removals be completed over 3-4 years. Tall timbers submitted estimate for removal of all trees on the two blocks.
120	Oct-20	600	Chestnut	Krey	R	Pruning of Honeylocust Natural pruning system: goals-building, sidewalk, and street clearance: building clearance-remove one large ~8inch dia branch/lead that is growing towards building; street clearance--reduce/remove branches as necessary to create 14-15ft height clearance over road.	A	B	Y	N/A	N	N/A	N/A		Combine with clearance pruning of all other honey locusts on block (clearance to building, sidewalk, and street: reduce remove branches as necessary to obtain 4ft ground to sky clearance from building, 10-12 ft height clearance over sidewalk and 14-15ft height clearance over road: all cuts shall be less than 3" dia).
121	Oct-20	884	Thorn	Minn	R	Pruning of Norway Maple #814. Specialty pruning: natural pruning system: goals-establish new central leader and provide clearance to service drop: reduce/remove current leader of tree to provide for 18-24inches radial clearance from service line: final cut 2-3inch dia; select/preserve branch/lead to SW to establish as new leader; prune remaining branches as necessary to provide 18-24 inch radial clearance to service drop: all cuts less than 2inch dia; remove resulting debris.	A	B	Y	N/A	N	N/A	N/A		Obtain contractor: specialty pruning (maintenance). Can be performed year round, tough summer fall or winter best. Bartlett has been briefed.

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
122	Oct-20	320	Peebles	Kenneweg	R	Maintenance Pruning of 4 trees requested. Arborist to inspect on 10/15	TBD	TBD	N	N/A	Y	N/A	N/A	Mar-21	on the list
123	Nov-20	720	Maple	Eakes	M	Structural and Clearance Pruning of #1528 and 1599. Goals--Prune Dogwood and Cherry to promote central leaders and provide clearance over road and sidewalk: natural pruning system: reduce/remove branches/leaders to promote central leader and provide 7-10 ft clearance over sidewalk and 10-12 ft over road: 1-3.5inch dia cuts: remove no more than 20% potential foliage: note--cherry leader over road is too big to remove entirely-- it must be reduced; remove resulting debris.	A	B	Y	N/A	N	N/A	N/A		Obtain contractor: specialty pruning (maintenance). Can be performed year round, tough summer fall or winter best. Bartlett has been briefed.

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS				REMARKS	
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE		DATE CLOSED
124	Nov-20	264	Bank		M	Maintenance Pruning for Bald Cypress. Branches near power drop causing problems and away from houses. Also root knees need removed by resident. Pruning Goals-- clearance to houses, service lines, sidewalk, and street: natural pruning system: reduce or remove branches as necessary to provide 8 ft radial clearance from houses, 3-4ft radial clearance to service lines, 10-12 ft height clearance above sidewalk and yard, 14-15 ft clearance above street: remove resulting debris.	A	B	Y	N/A	N	N/A	N/A		Obtain contractor: clearance pruning (maintenance). Bartlett has been briefed. Recommend be combined with other bank st bald cypress specialty pruning ITEM tracking number 106.
129	Jan-21	847	Thorn	Kubinski	R	Zelkova with structure problems and lifting sidewalk	A (1)	B	Y	Y	N/A	N/A	Y	Nov-21	Stump removed. Replant with Redbud, Serviceberry or Hawthorn in 2022
137	Mar-21	646 and 662	Maple Lane	Arborist	M	Large Sycamores with dead branches need pruned. Goal-- Safety pruning: natural pruning system: remove all dead, broken, and hanging branches 2inches and greater through the crown. Remove resulting debris.	A	B	N/A	N/A	N	N/A	N/A		Obtain contractor. Work can be completed year round though best in winter for visibility and avoidance of hazardous leaf hairs
138	Mar-21	105	Beaver	Arborist	R	Tree Damaged by car accident	A(1)	B	N/A	N	N/A	N/A	N		Removal recommended. Obtain contractor.
142	Mar-21	506	Grove	Sarson	R	Does not like Cyprus in front of yard or Carolina silver bell (#1086)	D	B	Y	N	N/A	N/A	TBD		May consider transplant in fall followed by replanting. Inspect other tree periodically
143	Apr-21	305	Thorn	Luff	M	Requested pruning of trees near service line.	P	TBD	Y	N/A	N	N/A	N/A		Attended meeting. No application submitted

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
144	May-21	822	Thorn	Beddard/Heimann	R	Removal requested to accommodate car port. Approved pending approval of building plans by the Zoning Commission. Second request in August 2021. and Third Sept 2021. Resident wants Borough to pay for removal due to wavy brickwork. STC rejects removal request related to sidewalk issues. Borough will not pay for removal.	A (1) 5/21 R 8/21 R 9/21	O	Y (5/21) N (8/21 or 9/21) Owner at Mtng	N	N/A	N/A	N		Removal at Owners expense. Owner pledges to pay for new tree to be planted elsewhere. Sidewalk repairs are responsibility of the property owner. Excavation work for utility line appears work was performed in Sept or Oct 2021. It appears to have had little impact on tree roots.
146	Jun-21	240	Linden	Slulborski	M	Request for pruning due to low branches.	A	B	Y	N/A	N	N/A	N/A		Prune branches ≤3" to provide 10 feet clearance over sidewalk and 12 to 14' over road. Franco to inspect.
149	Jul-21	611	Broad	Parker	O	Planting area newly paved with bricks. "Randy" Sent letter. Contents of letter unknown.	TBD	O	Y	N	N	N/A	N/A		Discuss with zoning to see if action was permitted by Borough
150	Jul-21	312	Hill	Parker	O	Trees planted in sidewalk area. Removal Required. Letter sent by "Randy".	A	O	Y	N	N/A	N/A	N/A		Discuss with zoning to see if action was permitted by Borough
151	Aug-21	324	Broad	Fetterolf	M	No application. Wants to remove large branch to facilitate delivery trucks during construction. Roots likely damaged. Gravel needs removed and dirt loosened upon conclusion of construction.	D	N/A	V	N/A	N	N/A	N/A		Contact Fetterolf in January or February about commitment to address root injury.
154	Aug-21	650	Academy	Sherry	M	Tree #1038 removal of dead branches	A	B	Y	N/A	N	N/A	N/A		Add to fall pruning list
156	Aug-21	619	Ohio River Blvd	O'Neill	R	Declining Sugar Maple	A	O	Y	N	N/A	N/A	N/A		Needs to identify Licensed Tree Expert
157	Aug-21	230	Thorn	Hartley	C	Dead memorial Tree needs replaced	A (1)	B	Y	N	N/A	N/A	N		Remove dead tree and replace in spring
158	Sep-21	217	Fredrick	Dugan	M	Maintenance Requested	A	B	Y	N/A	N	N/A	N/A		
159	Sep-21	315	Walnut	Reisker	M	Maintenance Requested	A	B	Y	N/A	N	N/A	N/A		
161	Sep-21	322	Centennial	Wrigley	R	Removal Request (private Tree)	A	O	Y	N	N/A	N/A	N/A		
162	Sep-21	822	Thorn	Heilmann	R	See tracking #144	A (1)	O	Y	N	N/A	N/A	N		Borough will not pay

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
163	Sep-21	All	Little	Arborist	M	Pruning recommended multiple trees see September meeting minutes (Attachment B)	A	B	N/A	N	N	N/A	N/A		Also one candidate for removal
164	Sep-21	All	Fredrick	Arborist	M	Pruning recommended multiple trees see September meeting minutes (Attachment B)	A	B	N/A	N	N	N/A	N/A		Also two to three candidates for removal
166	Sep-21	911	Centennial	Urda	M	Tree #578. Pruning of dead Branches overhanging Street. Arborist recommends removal.	A	B	Y	N/A	N	N/A	N/A		Add to removal list. Will this require power outage?
167	Sep-21	905	Thorn	Prem	R	Private Tree - Dead Elm	NJ	O	Y	N	N/A	N/A	N/A		Approval not required for dead tree
168	Sep-21	529	Pine	Shaner	R	Private Tree - Declining Elm right side of property	A/NJ	O	Y	N	N/A	N/A	N/A		Not within the hazard zone
169	Sep-21	237	Walnut	Lucas	R	Tree #1137 - Dead Branches and Declining Tree; Arborist recommends pruning, not removal	D	B	Y	N/A	N	N/A	N/A		Add to pruning List
170	Oct-21	341	Henry	Peluso	M	Tree #985 - Pruning of Dead Branches	A	B	N	N/A	N	N/A	N/A		Add to pruning List
171	Oct-21	527	Hill	Geren	R	Removal Request (private tree); Tree already partially removed	A/P	O	N	N/A	N	N/A	N/A		Trees N Stuff not licensed. Approved pending the use of a licensed tree expert.
172	Oct-21	14	Dickson	Wang	R	Removal or Pruning Request (private tree). Unclear if this is for pruning or removal request.	A/P	O	N	TBD	TBD	N/A	N/A		Approved pending identification of a licensed tree expert to perform the work.
174	Sep-21	TBD	Pine	Arborist	R	Tree #1024 recommended for removal due to trunk decay	A	B	N/A	N	N/A	N/A	N/A		Add to removal list
175	Sep-21	All	Academy	Arborist	M	Pruning recommended multiple trees see October meeting minutes (Attachment B)	A	B	N/A	N	N	N/A	N/A		Also one candidate for removal
176	Sep-21	All	Woodland	Arborist	M	Pruning recommended multiple trees see October meeting minutes (Attachment B)	A	B	N/A	N/A	N	N/A	N/A		
177	Sep-21	All	Pine	Arborist	M	Pruning recommended multiple trees see October meeting minutes (Attachment B)	A	B	N/A	N	N	N/A	N/A		Also one candidate for removal (See tracking No. #174)
178	Sep-21	All	Henry	Arborist	M	Pruning recommended multiple trees see October meeting minutes (Attachment B)	A	B	N/A	N/A	N	N/A	N/A		
179	Nov-21	755	Fleming	Donovan	R	Tree too close to the house. Private Tree	A	O	Y	N	N/A	N/A	N/A		

**SEWICKLEY SHADE TREE COMMISSION
TREE ACTIVITY LIST**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
180	Nov-21	50	Thorn	Ingram	M	Pruning branches near street light	D	B	Y	N/A	N	N/A	N/A		
181	Nov-21	315	Walnut / Henry	Reisker	M	Pin Oak branches over house corner of Walnut and Henry (Tree #987)	A	B	Y	N/A	N	N/A	N/A		
182	Nov-21	411	Peebles	Arborist	M	Tree #383 - Structural pruning	A	B	N/A	N/A	N	N/A	N/A		
183	Nov-21		Pine & Centennial	Arborist	O	Monitor tree for possible removal. 50% decay at base. Small tree #494. Low priority	A	B	N/A	N	N/A	N/A	N/A		
184	Nov-21	126	Logan	Water Dept	R	Tree 1890 potential interference with water line. Low priority removal.	A	B	N/A	N	N/A	N/A	N/A		
186	Jan-22	N/A	Broad	Arborist	M	Pruning recommended multiple trees see January 2022 meeting minutes (Attachment B)	A	B	N/A	N/A	N	N/A	N/A		
187	Jan-22	N/A	Maple	Arborist	M	Pruning recommended multiple trees see January 2022 meeting minutes (Attachment B)	A	B	N/A	N/A	N	N/A	N/A		
188	Jan-22	N/A	Multiple	Arborist	R	Removal List Expanded - See January 2022 meeting Minutes for entire list.	A	B	N/A	N	N/A	N/A	N/A		

Abbreviation key

Request: R = Removal; M = Maintenance; C = Commemorative; O = Other **Letter Issued:** Y = yes; N = No; N/A = not applicable; V = verbal or e-mail communication

Decision: A = Approved; A (LP) = Approved (Lanscaping Plan Requested); AR = Removal Approved/Replanting Required (number of trees);

A(NR) - Removal Approved but not recommended; D - Disapproved; P = Decision Pending; NJ - Not within STC jurisdiction

Responsibility: O = Owner/Applicant; B = Borough **Status:** Y = Yes; N = No; V = Verify; TBD = To be Determined; W = Initial Requirement Waived; P = Response from Owner Pending

 = Action Required

 = New item

Attachment B
Borough of Sewickley Tree Commission
Arborist's Report

Tree Notes: Dec. 21, 2021

Storm Damage Update

Riverfront Park - (Tree ID # N/A) Today I re-staked the tree for Max that was blown over Dec 11, 2021. This tree will be added to the "Retain and Monitor" list, as it should continue to be monitored for future vandalism.



Tree Inventory and Recommendations: Broad St.

Today I completed reviewing every tree on Broad St. See document "Street Tree Recommendations: Broad St"

-Andrew Tomaskovic, ISA Certified Arborist #PD-2452A

Broad St [1]

Dec 21, 2021 [2]

Street Tree Recommendations

Tree ID	Common Name	DBH	Tag Missing?	Candidate for Removal?	Pruning Recommendations
722	Pagodatree-Japanese	12'	no	no	none
721	Pagodatree-Japanese	14'	no	no	none
720	Maple-Norway	12'	no	no	none
719	Cherry	3'	no	no	none
718	Cherry	9'	no	no	none
717	Pagodatree-Japanese	13'	no	yes	'stem canker; ganoderma fruiting bodies on main trunk and flare
716	Pagodatree-Japanese	12'	no	no	street and sidewalk clearance
715	Elm-American	18'	no	no	street and sidewalk clearance; structural prune
714	Elm-American	16'	no	no	street and sidewalk clearance
713	Elm-American	15'	no	no	street and sidewalk clearance
712	Oak-Pin	18'	no	no	none
711	Oak-Pin	15'	no	no	none
710	Pagodatree-Japanese	14'	no	no	none
709	Maple-Red	10'	no	no	none
708	Elm-American	13'	no	no	street and sidewalk clearance
707	Elm-American	10'	no	no	street and sidewalk clearance; structural prune
706	Elm-American	16'	no	no	street and sidewalk clearance
705	Elm-American	12'	no	no	street and sidewalk clearance; retain and monitor [3]
704	Pagodatree-Japanese	25'	no	no	safety prune
703	Elm-American	10'	no	no	none
702	Pagodatree-Japanese	12'	no	no	none
701	Pagodatree-Japanese	9'	no	no	none
700	Pagodatree-Japanese	10'	no	no	none
699	Pagodatree-Japanese	25'	no	yes	tree is unstable and in decline [4]
698	Pagodatree-Japanese	20'	no	no	none
697	Honeylocust-Thornless Common	21'	no	no	street and sidewalk clearance
?	Oak-Burr	3'	yes	no	none [5]
696	Oak-Pin	11'	no	no	street and sidewalk clearance; structural prune
695	Oak-Pin	9'	no	no	street and sidewalk clearance; structural prune
694	Oak-Pin	11'	no	no	street and sidewalk clearance; structural prune
?	Linden-American	3'	yes	no	structural prune
692	Linden-American	4'	no	no	structural prune
?	Redbud	2'	yes	no	street and sidewalk clearance [6]
?	Redbud	2'	yes	no	street and sidewalk clearance
688	Planetree-London	4'	no	no	none [7]
687	Planetree-London	3'	no	no	structural prune
686	Parrotia-Persian	3'	no	no	structural prune
685	Parrotia-Persian	3'	no	no	structural prune
684	Parrotia-Persian	3'	no	no	structural prune
683	Parrotia-Persian	3'	no	no	structural prune
682	Parrotia-Persian	3'	no	no	structural prune
681	Magnolia	6'	no	no	street and sidewalk clearance; structural prune
680	Magnolia	5'	no	no	street and sidewalk clearance; structural prune
679	Elm-American	9'	no	no	street and sidewalk clearance
678	Maple-Miyabei	5'	yes [8]	no	street and sidewalk clearance; structural prune
677 [9]	Serviceberry	2'	no	no	street and sidewalk clearance
676 [10]	Serviceberry	2'	no	no	none
675 [11]	Pagodatree-Japanese	7'	no	no	street and sidewalk clearance
674 [12]	Maple	2'	no	no	none
<i>*NEXT SIDE OF STREET, STARTING AT HOSPITAL</i>					
777 [13]	Mountain Ash-Korean	3'	no	no	street and sidewalk clearance; structural prune
775	Parrotia-Persian	2'	no	no	structural prune
774	Parrotia-Persian	3'	no	no	structural prune
773	Parrotia-Persian	3'	no	no	structural prune [14]
772	Parrotia-Persian	3'	no	no	structural prune
771	Parrotia-Persian	3'	no	no	structural prune

770	Parrotia-Persian	2'	no	no	structural prune [15]
769	Parrotia-Persian	3'	no	no	structural prune
768	Planetree-London	4'	no	yes	tree is dead [16]
767	Planetree-London	4'	no	no	street and sidewalk clearance; structural prune
766?	Planetree-London	2'	yes	no	retain and monitor [17]
765?	Planetree-London	5'	yes [18]	no	street and sidewalk clearance; structural prune
?	Coffeetree-Kentucky	2'	no	no	none
762	Planetree-London	4'	no	no	street and sidewalk clearance; structural prune
?	Sycamore-American	4'	yes	no	street and sidewalk clearance; structural prune
760	Filbert-Turkish	4'	no	no	street and sidewalk clearance; structural prune
759	Filbert-Turkish	5'	no	no	street and sidewalk clearance; structural prune
758	Filbert-Turkish	5'	no	no	street and sidewalk clearance; structural prune
757	Filbert-Turkish	5'	no	no	deadwood prune
?	Filbert-Turkish	4'	yes	no	street and sidewalk clearance
755	Oak-Pin	21'	no	no	clearance prune to building and street; structural prune
754	Filbert-Turkish	3'	no	no	street and sidewalk clearance
753	Oak-Pin	13'	no	no	structural prune [19]
752	Oak-Pin	12'	no	no	deadwood prune; street and sidewalk clearance; structural prune
751	Pear-Callery	7'	no	no	safety prune
750	Pear-Callery	6'	no	no	none
749	Oak-Pin	10'	no	no	clearance prune to building and street; structural prune [20]
748?	Oak-Pin	14'	yes	no	clearance prune to building and street; structural prune
747	Pagodatree-Japanese	22'	no	no	safety prune
746	Pagodatree-Japanese	12'	no	no	safety prune; street and sidewalk clearance
745? [21]	Elm-American	13'	yes	no	structural prune [22]
744	Pagodatree-Japanese	10'	no	no	none
743	Pagodatree-Japanese	16'	no	no	none
742 [23]	Elm-Red	5'	no	no	street and sidewalk clearance; structural prune
741	Elm-American	14'	no	no	street and sidewalk clearance; structural prune
740	Pagodatree-Japanese	14'	no	no	none
739	Elm-American	4'	no	no	structural prune
738	Pagodatree-Japanese	16'	no	no	none
737	Elm-American	13'	no	no	structural prune
736	Pagodatree-Japanese	15'	no	no	safety prune
735	Pagodatree-Japanese	14'	no	no	none
734	Pagodatree-Japanese	16'	no	yes	large canker on trunk; tree is structurally unsound
733	Pagodatree-Japanese	25'	no	no	none
732	Pagodatree-Japanese	7'	no	no	none
731?	Elm-American	16'	yes	no	structural prune
730	Elm-American	15'	no	no	structural prune
729	Pagodatree-Japanese	19'	no	no	retain and monitor; evident history of failures
728?	Pagodatree-Japanese	18'	yes	no	none
727	Elm-American	6'	no	no	structural prune
726	Elm-American	18'	no	no	street and sidewalk clearance; structural prune
725	Elm-American	13'	no	no	structural prune
724	Pagodatree-Japanese	23'	no	no	none
723	Pagodatree-Japanese	10'	no	no	none

[1] starting at Bank St near the Art Center

[2] Updated 01/03/2021

[3] This tree suffered critical root zone disturbance from Fetterolf construction crews in 2021; this included piling gravel into the tree well at the base of the tree for triaxles to drive upon because the curb cut wasn't wide enough for the big trucks to get in

[4] decay on trunk near base, tip dieback throughout, significant decay on top side of remaining limb over road, tree is in decline

[5] memorial tree for Helen Case Korb

[6] only very light pruning needed

[7] trunk damage on street side, lowest 4' of main trunk

[8] tag is grown over

[9] observed species identification doesn't match previous records

[10] observed species identification doesn't match previous records

[11] observed species identification doesn't match previous records

[12] observed species identification doesn't match previous records

[13] observed species identification doesn't match previous records

[14] this tree had landscape cloth and bricks pressed against its root collar

[15] buried root collar; excess mulch

[16] memorial tree for Leonard A. Bobincheck

[17] tree appears to be in decline

[18] tag is grown over

[19] reduction prune to subordinate competing laterals with a greater than 1/3 aspect ratio

[20] reduction prune to competing lateral to reduce stress on branch union

[21] tag #745 was found affixed to opposite side of tree #747

[22] select for leader, reduce codominant leads and competing lateral limbs

*this tree also had severe root damage within the critical root zone, apparently during new sidewalk installation

[23] observed species identification doesn't match previous records

Tree Notes: Dec. 23, 2021

Tree Inventory and Recommendations: Maple Ln.

Today I visited every tree on Maple Ln.. See document “Street Tree Recommendations: Maple Ln.”

-Andrew Tomaskovic, ISA Certified Arborist #PD-2452A

Tree Notes: Jan. 03, 2022

Tree Inventory and Recommendations: Maple Ln. and Broad St.

Today I re-visited a few key trees on Maple Ln and Broad St, to address issues that arose after my previous visit. On Broad St, there are six trees whose species appear to have been misidentified during the previous tree inventory (ID #s 674, 675, 767, 677, 742, 777). This has been noted in my “Street Tree Recommendations: Broad St” document. Additionally, elm #745 in front of 333 Broad St has had all the roots severed within the last few years, apparently when a portion of the sidewalk was replaced.



On Maple Ln, there are two large-diameter maples of concern: ID #s 1621 and 1622 in front of 723 Maple Ln. Each of these trees have large-diameter (between 16” and 26”) leads that are not only weakly attached, but infected with a canker that has killed the tissue on the tension (top) side of the lead right at the point of attachment. Today I re-visited them to perform a Level 2 Basic Risk Assessment.



(1622 and 1621, respectively)

In my professional opinion, it is probable that those leads will fail within the next three years, and the risk that each of the trees poses to the residents in the home and the pedestrians on the street is moderate.

On a final note, there are of course a few missing tags on the trees on each of these streets. Some of them are grown over, some may have fallen out or been removed, and some trees have been planted since the last inventory, and are yet to receive a tag and ID#. These trees are all noted in the “...Recommendations” documents.

-Andrew Tomaskovic, ISA Certified Arborist #PD-2452A

Maple Ln [1]

Dec 23, 2021 [2]

Street Tree Recommendations

Tree ID	Common Name	DBH	Tag Missing?	Candidate for Removal?	Pruning Recommendations
1611?	Maple-Tatarian	5'	yes	no	street and sidewalk clearance
1610?	Maple-Tatarian	9'	yes	no	street and sidewalk clearance
1609	Maple-Norway	12'	no	no	street and sidewalk clearance
1608?	Maple-Red	27'	yes	no	street and sidewalk clearance
1607	Maple-Norway	8'	no	no	street and sidewalk clearance
1606?	Maple-Red	31'	yes	no	clearance to basketball court
1605	Maple-Tatarian	5'	no	no	street and sidewalk clearance
1604	Maple-Hedge	5'	no	no	street and sidewalk clearance; structural prune
1603	Maple-Paperbark	4'	no	no	street and sidewalk clearance
1602	Dogwood-Flowering	6'	no	no	deadwood prune; street and sidewalk clearance
1601	Cherry	11'	no	no	street and sidewalk clearance
1600	Cherry	9'	no	no	street and sidewalk clearance
1599	Cherry	5'	no	no	street and sidewalk clearance; structural prune
1598	Dogwood-Kousa	4'	no	no	street and sidewalk clearance; structural prune
1597	Maple-Norway	9'	no	no	street and sidewalk clearance
1596	Maple-Norway	7'	no	no	street and sidewalk clearance
1595	Dogwood-Kousa	4'	no	no	street and sidewalk clearance; structural prune
1594	Maple-Hedge	9'	no	no	street and sidewalk clearance; structural prune
1593?	Dogwood-Kousa	6'	yes	no	street and sidewalk clearance
1592	Maple-Red	25'	no	no	safety prune
1591?	Maple-Red	19'	yes	no	street and sidewalk clearance
1590	Planetree-London [3]	44'	no	no	safety prune; street and sidewalk clearance
1589	Maple-Red	11'	no	no	street and sidewalk clearance; structural prune
1946	Maple [4]	3'	no	no	none
1587	Maple-Sugar	8'	no	no	street and sidewalk clearance; structural prune
1586	Sycamore-American	55'	no	no	safety prune; street and sidewalk clearance
1585	Maple, Three-Flowered	6'	no	no	street and sidewalk clearance; structural prune
1584	Maple-Sugar	9'	no	no	street and sidewalk clearance; structural prune
1583	Maple-Sugar	5'	no	no	none
1582	Maple-Silver	31'	no	no	safety prune
1581	Maple-Sugar	7'	no	no	street and sidewalk clearance
1580	Maple-Sugar	10'	no	no	safety prune; street and sidewalk clearance; structural prune
1579	Maple-Red	18'	no	no	structural prune [5]
1578	Maple-Red	20'	no	no	structural prune [6]
1577	Maple-Red	18'	no	no	structural prune [7]
1576	Maple-Red	17'	no	no	structural prune [8]
?	Dogwood-Flowering	2'	yes	no	structural prune
?	Dogwood-Flowering	2'	yes	no	structural prune
1642?	Maple-Red	16'	yes	no	retain and monitor [9]
1641	Cherry	18'	no	no	retain and monitor [10]
1640	Maple-Norway	20'	no	no	retain and monitor [11]
1639?	Maple-Red	14'	yes	no	street and sidewalk clearance
1638	Cherry	15'	no	no	street and sidewalk clearance
1637	Cherry	10'	no	no	street and sidewalk clearance
1636	Maple-Norway	18'	no	no	street and sidewalk clearance
1635	Maple-Miyabei	5'	no	no	street and sidewalk clearance; structural prune
1634	Maple-Tatarian	8'	no	yes	evidence of stem cankers; branch unions significantly compromised
1633	Maple-Miyabei	4'	no	no	structural prune
1945	Maple-Red	4'	no	no	structural prune
1631	Cherry	15'	no	no	street and sidewalk clearance
1630	Maple-Tatarian	12'	no	no	none
1629	Zelkova	6'	no	no	street and sidewalk clearance; structural prune
1628	Maple-Sugar	10'	no	no	none
1947	Maple-Sugar	3'	no	no	structural prune
1627	Maple-Norway	17'	no	no	structural prune
1626	Oak-Pin	37'	no	no	safety prune; street and sidewalk clearance; clearance to service lines

1625	Oak-Pin	33'	no	no	<i>safety prune; street and sidewalk clearance</i>
1624	Maple-Red	12'	no	no	<i>street and sidewalk clearance; clearance to service lines</i>
1623	Maple-Red	19'	no	no	<i>street and sidewalk clearance; clearance to service lines</i>
1622	Maple-Red	39'	no	no	<i>retain and monitor; stem canker present [12]</i>
1621	Maple-Red	34'	no	no	<i>safety prune; retain and monitor; stem canker present [13]</i>
1620	Cherry	15'	no	no	<i>street and sidewalk clearance</i>
?	Maple-Red	3'	yes	no	<i>structural prune</i>
1618	Pear-Callery	9'	no	no	<i>street and sidewalk clearance</i>
1617	Maple, Three-Flowered	7'	no	no	<i>street and sidewalk clearance; structural prune</i>
1616	Maple-Norway	15'	no	no	<i>street and sidewalk clearance; clearance to service lines</i>
1615	Maple-Norway	15'	no	no	<i>street and sidewalk clearance; clearance to service lines</i>
1614	Maple-Red	6'	no	no	<i>street and sidewalk clearance; structural prune</i>
1613	Maple-Tatarian	11'	no	no	<i>street and sidewalk clearance</i>
1612	Maple-Norway	13'	no	no	<i>street and sidewalk clearance</i>

[1] Starting at Dippold, on the river side

[2] Updated 01/03/2021

[3] double-check this one; observed species identification doesn't match previous records

[4] double-check this one; observed species identification is inadequate, and record of this specimen is unavailable

[5] reduce codominant leaders

[6] reduce codominant leaders

[7] reduce codominant leaders

[8] reduce codominant leaders

[9] recent severe "v-cutting" by utility company

[10] recent severe "v-cutting" by utility company

[11] recent severe "v-cutting" by utility company

[12] Level 2 Risk Assessment recommended; performed 01/03/2021

[13] Level 2 Basic Risk Assessment recommended: performed 01/03/2021

Tree Notes: January 7 & 16, 2022

An update to the tree removal recommendations along Ohio River Blvd:

On Jan 13 I was able to visit the remaining borough trees along Ohio River Blvd. Unfortunately, five more trees were added to the list of removals, due to evidence of root-decay fungus at the base of the trees. Attached is the updated list.

Thanks,
Andrew

On Friday, January 7, 2022, 11:27:40 AM EST, Andrew Tomaskovic <andrewthearborist@yahoo.com> wrote:

Good morning everyone,

On Tuesday, January 4, at the request of the Shade Tree Commission, I walked Ohio River Blvd from Boundary St to Walnut St, performing a Limited Visual Inspection of the tagged borough trees. The recent snowfall is delaying inspection of the remaining trees between Walnut St and the Borough of Edgeworth (about 8-10 trees remaining). I will inspect these trees at the next available opportunity.

I recommend removing four trees in particular, as there is evidence of decay at the root collar: ID #1662 (43" DBH pin oak at 788 Ohio River Blvd), ID #1678 (38" DBH pin oak at 736 Ohio River Blvd), ID #1699 (35" DBH pin oak at 320 Ohio River Blvd), and ID #1701 (31" DBH pin oak also at 320 Ohio River Blvd). The decay at the roots has compromised the stability of the trees, which results in an increased likelihood of failure. Given their proximity to a state highway with near-constant occupancy, these would be considered high-priority removals.

For safety reasons, all remaining oaks 20" DBH and larger (which is most of the borough's trees on Ohio River Blvd) should be pruned to remove all dead branches 3" in diameter and larger. This pruning work must be done during the dormant season, from November to March, to prevent the spread of Oak Wilt Disease. I also recommend inspecting these trees at least three times yearly: in May, August, and November, for signs and symptoms of disease that are present at different times of year.

Attached is my updated list of trees recommended for removal in the borough. They are ranked roughly in order of priority. The trees on Ohio River Blvd can be found at the top of the list.

-Andrew Tomaskovic, ISA Certified Arborist #PD-2452A

Trees Recommended for Removal: last updated 01/07/2022

- #1662 pin oak at 788 Ohio River Blvd: ganoderma found at base on sidewalk side
- #1678 pin oak at 736 Ohio River Blvd: extensive inonotus fruiting bodies around base
- #1699 pin oak at 320 Ohio River Blvd: inonotus around 50% of root collar on tension side
- #1701 pin oak at 320 Ohio River Blvd: tip dieback, fungal fruiting bodies at base
- # 578 maple at 911 Centennial Ave: extensive sapwood rot and basal decay on tension side
- #1024 oak at 640 Pine Rd: ganoderma fruiting bodies present at base and on main trunk; tip dieback throughout
- #1621 and #1622 maples at 723 Maple Ln: stem cankers present at main unions, large trees with greatly increased likelihood of failure
- # 734 pagoda tree on Broad St near Frederick: large canker on trunk; structurally compromised
- # 699 pagoda tree at 334 Broad st: decay on trunk near base, tip dieback throughout, significant decay on top side of remaining limb over road, tree is in decline
- # 717 pagoda tree at 222 Broad St: trunk canker present, currently around over 30% of trunk circumference, will continue to spread
- # 363 maple at 406 Peebles St: half the crown is gone, decay and trunk cankers on tension side, likely to fail within 5 years
- #1280 and #1281 maples on Cochran St at Beaver St: root damage and decay, general decline symptoms
- #1341 and #1342 tree lilacs also on Cochran St: general decline symptoms
- # 814 maple at 706 Harbaugh St: general decline symptoms
- #1634 maple tree at 639 Maple Lane: stem and trunk cankers, branch unions very weak
- # 86 small cherry at 230 Thorn St: dead (Robert Hartley memorial tree)
- #1891 small cherry on Logan St (by Copelands): mostly dead

-Andrew Tomaskovic, ISA Board Certified Master Arborist #PD-2452B

ATTACHMENT C

Run: 1/03/2022 at 5:13 PM

**Revenue/Appropriation Analysis Report
Borough of Sewickley
For 12/31/2021**

Page:

General Fund

	Prior Year Budget	Prior Year Actual	Estimated Budget (Adopted)	Y-T-D Actual	M-T-D Actual	Budget Remaining
Revenue Analysis						
Total Revenue Analysis	0.00	0.00	0.00	0.00	0.00	0.00
Appropriation Analysis						
01 455 211 Materials & Supplies	0.00	0.00	0.00	2,506.50	2,400.50	(2,506.50)
01 455 450 Tree Trim/Removal	45,000.00	32,920.00	46,000.00	33,145.00	16,650.00	12,855.00
01 455 451 Tree Maintenance	18,000.00	4,542.50	5,000.00	1,840.00	0.00	3,160.00
01 455 452 Tree Maint-Mun&Parks	5,000.00	3,080.00	5,000.00	14,780.00	5,480.00	(9,780.00)
01 455 455 Plantings	11,000.00	8,711.72	24,000.00	20,876.54	265.36	3,123.46
01 455 457 Arborist Services	6,000.00	0.00	6,000.00	17,750.00	3,000.00	(11,750.00)
01 455 459 Advertising & Mailings	600.00	182.00	600.00	914.05	0.00	(314.05)
Total Appropriation Analysis	85,600.00	49,436.22	86,600.00	91,812.09	27,795.86	(5,212.09)

Run: 1/03/2022 at 5:14 PM

**Revenue/Appropriation Analysis Report
Borough of Sewickley
For 12/31/2021**

Page:

General Fund

	Prior Year Budget	Prior Year Actual	Estimated Budget (Adopted)	Y-T-D Actual	M-T-D Actual	Budget Remaining
Revenue Analysis						
01 321 620 Tree Expert License	200.00	275.00	300.00	350.00	0.00	50.00
Total Revenue Analysis	200.00	275.00	300.00	350.00	0.00	50.00
Appropriation Analysis						
Total Appropriation Analysis	0.00	0.00	0.00	0.00	0.00	0.00

Run: 1/03/2022 at 5:14 PM

**Revenue/Appropriation Analysis Report
Borough of Sewickley
For 12/31/2021**

Page:

General Fund

	Prior Year Budget	Prior Year Actual	Estimated Budget (Adopted)	Y-T-D Actual	M-T-D Actual	Budget Remaining
Revenue Analysis						
01 367 500 Tree Plaques & Donations	2,500.00	1,535.00	2,000.00	3,549.00	0.00	1,549.00
Total Revenue Analysis	2,500.00	1,535.00	2,000.00	3,549.00	0.00	1,549.00
Appropriation Analysis						
Total Appropriation Analysis	0.00	0.00	0.00	0.00	0.00	0.00