

**MINUTES OF THE SHADE TREE COMMISSION  
OF THE BOROUGH OF SEWICKLEY  
May 17, 2021**

The Shade Tree Commission (STC) convened on May 17th, 2021 via a recorded Zoom Meeting due to COVID 19 social distancing requirements. The meeting was called to order by Chairperson Kathy Brandt at 6:30 p.m.

In attendance were:

**Members**

Kathy Brandt, Chairperson  
Brian Finley, Vice Chairperson  
Andrew Frishkorn, Secretary  
Katie Kirsch, GIS Manager (absent)  
Dave Parker, Treasurer

**Of Council**

Cynthia Mullins - Council Representative (absent)

**Arborist**

Burlton Griffith

**Visitor**

Andrew Tomaskovic (interested in arborist position)  
Kristen (Beddard) Heimann (removal applicant)

**I. APPROVAL OF MINUTES**

Brian Finley made a motion to approve the April minutes which was seconded by Dave Parker and unanimously approved.

**II. STAFFING UPDATES**

The Arborist indicated he intends to resign his position on or before July 1<sup>st</sup>, 2021 due to a life status change. He recommended Andrew Tomaskovic, Certified Arborist, as his replacement. The process for arborist applicants needs to be discussed with the Borough Manager.

**III. OLD BUSINESS AND TREE ACTIVITY SHEET**

The tree activity list was updated to reflect the new application and will be updated by the Arborist to reflect completed actions. The updated checklist is provided as Attachment A.

**IV. NEW BUSINESS**

Arborist Report

The arborist reviewed his report.

The application for removal of a street tree at 822 Thorn St was approved subject to approval of the car port building plans by the zoning commission. The removal would be at the applicant's expense. The application was submitted by Kristen (Beddard) and Philip Heimann. Ms Heimann indicated her intention was to purchase a replacement tree to be planted in the Borough at another location.

The remaining items in the report are being tabled until formal applications are prepared by Franco Verbene and Larry Rice. Kathy is going to discuss missing applications with Marla and the need to follow the process and also discuss who would be required to fund the verbally requested removals at the sewage plant, should that application be submitted/approved.

The arborist was requested to contact Mazarella to enquire about the unpermitted tree removal, prior to a formal letter being sent.

Dave Parker made a motion to approve the arborist report (as qualified above) which was seconded by Brian Finley. The arborist report was subsequently unanimously approved (as qualified) and is provided in Attachment B.

### Spring Tree Planting

The spring planting is scheduled to be completed June 7<sup>th</sup> to 10<sup>th</sup>, 2021. Planting will come to about \$600 per tree. The tree that was to be planted at 650 Academy is being relocated to a different location due to a residential complaint about the proposed planting.

## **V. CORRESPONDENCE**

Diane Vierling communicated the outcome of April meeting to applicants for 530 Academy Ave and 14 Beaver Street related to tree removal application decisions via e-mail.

## **VI. BUDGET**

The current budget status is provided as Attachment C.

## **VII. ADMINISTRATIVE**

Some issues discussed to date that need further clarification in the STC ordinance include:

### **OLD**

- (1) Clarified language about tree ownership between the sidewalk and curb
- (2) Clarified language about responsibility for tree maintenance in Borough Parks
- (3) Hazard zone definition (distance to right-of-way, power lines and/or to neighboring structures)
- (4) Authority to order removal of dead or dying trees on private property for trees that pose an obvious and imminent danger, as identified by the Borough arborist
- (5) Clear policy related to sidewalk heave related to borough owned tree roots
- (6) How to manage donations for special projects
- (7) Develop standard procedure for Borough and/or Zoning officer communication with STC related to Borough Trees and/or private tree to be removed within the hazard zone identified during building permit applications.
- (8) Develop a policy concerning costs recovery for damages to Borough Trees by vehicles, etc.

- (9) A roll-call vote is required going forward, while voting via Zoom meetings
- (10) Zoom meetings will be recorded and will remain on-line until the recording can be replaced by the approved meeting minutes.
- (11) Add information to the STC website or to the application for residents who desire a tree be planted in an open space near their home.
- (12) Consider review of example ordinances available via Tree Pittsburgh when the ordinance is updated.
- (13) The ordinance (Section 267-9) needs to be considered for modification. The STC would like to consider removing the requirement for multiple advertisements and council approval of in-budget non-emergency tree plantings and removals, because this requirement can have an adverse impact to scheduling STC approved work (adding up to 2 months to the decision process) for expenditures that are less than or equal to the previously approved STC budget. The requirement for written notices to the adjacent property owners would be retained.

**NEW**

None

**VIII. ACTION ITEMS:**

**OLD**

- Determine responsibility for approval of pruning requests in Borough Parks (TBD)
- Plaque Inventory (Luke Hotchkiss – Eagle Scout Project)
- Develop Informational Post Card using advertising budget to request residents avoid use of lawn herbicides around trees. (Brandt/Mullins)
- Mulch party needs arranged for many trees in the Borough to protect them from mowers and herbicides (TBD)
- 816 Hill Street - Need Code enforcement to tell them they need to remove the tree. We will send a letter telling them to go to code enforcement. (Brandt)
- Review the GIS dashboard that Kirsch sent around (all).
- Check with construction team about the unauthorized removals of Ginkgos (Parker).
- Inspect trees at corner of Little and Thorn Streets (Arborist)

**NEW**

- Communications with Borough Manager are required for multiple issues (Brandt)
- Hire new Arborist (STC, Council and Borough Manager)

**IX. ADJOURNMENT:** There being no other business before the STC, on motion from Andrew Frishkorn and seconded by Brian Finley and unanimously approved, Chairperson Kathy Brandt adjourned the meeting at approximately 7:45 p.m.

**NEXT MEETING:** June 21, 2021, 6:30 p.m. via Zoom. ID: 834 1640 5019; Passcode: STC

*Respectfully Submitted, Andrew Frishkorn (STC Secretary)*

**Attachment A**  
**Sewickley Shade Tree Commission**  
**Tree Activity Sheet**

**SEWICKLEY SHADE TREE COMMISSION  
TREE ACTIVITY SHEET**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
40	Dec-18	700/702	Washington	Ferguson / Evans	R	Arborist inspected, one spruce tree under STC oversight. Landscape plan to be submitted.	A	O	Jan-19	Y	N/A	Y	N		Landscape Plan to be submitted. Eisler Landscaping working on it
83	Mar-20	306-310	Henry	Arborist	R	Decling tree #978 - structurally deficient. Replace with black gum	A(1)	B	N/A	Y	N/A	N/A	N		Removal complete 7/17; Replanting Scheduled for Spring 2021
85	Mar-20	432	Centennial (Locust)	Arborist	O	Tree needs protected from delivery trucks. Tree on Locust Pl.	A	B	N	N/A	N	N/A	N/A		Coordinate with Boro to install protective fencing
86	Apr-20	Ball-field	Chadwick	J.Davis	R	J. Davis of QVRA requested removal of #1399 and 1400 due to interference with ballfield lighting. Bartlett directed to remove 1399 by M Marcinko.	A	B	V	Y	Y 1399 N 1400	N/A	N/A		Tree 1399 removed 4/7/2020. Pruning Elm recommended for #1400. To be performed in the winter.
87	May-20	634	Beaver	Borough Maint.	M	Callery Pear #245 in front of Hyde Travel needs pruning	A	B	N/A	N/A	N	N/A	N/A		Add to fall/winter 2020 pruning list
89	May-20	224	Thorn	J Platt	R	Dead Tree - removal requested and approved. Replanting recommended	A (1)	B	Y	Y	N/A	N/A	N		Add to 2021 replanting lists.
90	May-20	615	Nevin	No App	O	Inspection of tree requested of potentially dangerous trees. #1454 squeaking/declining. Tree approved for removal.	A (1)	B	Feb-21	Y	N/A	N/A	N		recommendation changed from pruning to removal on 6/8/20. Replanting in Spring 2021
95	May-20	703	Harbaugh	No App	R	Decling Hardy Rubber Tree #807. Tree pruned by Bartlett following resident complaint. Arborist recommends removal in next bid package.	A (1)	B	Feb-21	Y	N/A	N/A	N		

**SEWICKLEY SHADE TREE COMMISSION  
TREE ACTIVITY SHEET**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
98	May-20	--	Walnut St	Grapevine Garden Club	R	Removal of Norway Spruce #1762, hew and pruning of Oak in parklet. Plans for replanting provided, including planting 1 new deciduous tree and shrubs.	A (1)	B	V	Y	N/A	N/A	N		Pruning should be performed between Nov 1 and Apr 1. Soil test and nutrient application recommended. Council approved plan and Club will take care of expenses.
100	Jun-20	509	Grove	Arborist	R	Norway Maple (#1075); Declining/Storm Damaged	A (1)	B	N/A	Y	N/A	N/A	N		Removal completed 3/21
101	Jun-20	136	Centennial	Arborist	R	Hose Chestnut (#472), Declining/Storm Damaged	A (1)	B	N/A	Y	N/A	N/A	N		Removal completed 3/21, Replanting Scheduled for Spring 2021
102	Jun-20	302	Beaver	Arborist	R	Application pending for removal of 2 damaged/declining trees	P	O	N/A	N	N/A	N/A	N		No action until application received.
103	Jul-20		Varies	Arborist	R	Eleven (11) small caliper dead trees need removed: #691, 763, tree at 544 Centennial, 517 Broad, and about 7 others. Lawn care herbicide use is suspected for several of these trees.	A (11)	B	N/A	Partial	N/A	N/A	N		Bartlett can remove some but slow. Unlikely that Borough Maintenance can remove these. May need to hire an open end contractor to handle removal of small trees on a more timely basis (3 days to one week).
104	Aug-20	310	Bank	Resident via Franco	M	Silver Maple - pruning of Dead Branches (no application)	A	B	N/A	N/A	N	N/A	N/A		Scheduled for Fall 2020
105	Aug-20	340-342	Henry	Resident via Franco	M	Norway Maple (#984) and Sugar Maple (3985) - pruning of Dead Branches (no application)	A	B	N/A	N/A	N	N/A	N/A		Scheduled for Fall 2020

**SEWICKLEY SHADE TREE COMMISSION  
TREE ACTIVITY SHEET**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
106	Aug-20	220	Bank	Barton & DeForest	R	Bald Cypress (#858); application for removal (although application references Beech). Same tree requested in 2018 (#24) and 2019 (#54), and previously denied. Resident offers to pay for removal but did not offer to pay for replanting as specified during previous years. The cost for tree replacement is typically \$800 to \$1000. The proposed contractor is not licensed in Sewickley. Additional pruning recommended.	D	O	N	N/A	N	N/A	N/A		Pruning Scheduled for Fall 2020
107	Aug-20	310-316	Peebles	Rice	R	Declining Freeman Maple (#369), impacted by bleeding canker disease. Non-urgent removal recommended	A (1)	B	N/A	Y	N/A	N/A	N		Replanting scheduled for Spring 2021
108	Sep-20	248	Linden Ct	Borough Maint.	R	Emergency Removal. Replacement with Blackgum recommended Tree #1278.	A(1)	B	N/A	Y	N/A	N/A	N		Scheduled for replanting Spring 2021.
109	Sep-20	727	Thorn	Borough Maint.	R	Autumn Flowing Cherry (#183) - Dead tree removal. Stump grinding needed. Recommend replacement with Redbud	A(1)	B	N/A	Y	N/A	N/A	N		Stump grinding required. Scheduled for replanting Spring 2021.
110	Sep-20	56	Beaver	Courtney	R (5)	Requested removal of Five Trees. Replacement with four new trees	A(4)	R	at meeting	N	N/A	N/A	N		

**SEWICKLEY SHADE TREE COMMISSION  
TREE ACTIVITY SHEET**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
111	Sep-20	402	Pebbles	Arborist	O/R	Ash Tree #190 damaged. Recommended for routine inspection. Possible removal in 2022 and replacement with smaller tree (redbud, hornbeam, serviceberry, etc.)	A	B	N/A	N/A	N	N/A	N/A		Monitor
112	Sep-20	205	Bank	Arborist	R(1)	Declining Sugar Maple (#851) recommended for removal. Replace with dogwood or Hornbeam	A(1)	B	N/A	N	N/A	N/A	N		On removal list. Tall Timber gave price
114	Sep-20		Borough Wide	Arborist	M	Mulch needed around trees to protect from string trimmers	A	B	N/A	N/A	N	N/A	N/A		
115	Oct-20	318	Grant	Pollino	R	Maple with Dead Branches	A	R	N	N	N/A	N/A	N/A		Other trees on side of property are marked for removal
118	Oct-20	623	Cochran	D'Antonio	R	Callery Pear #1324 -dropping debris and sticky fruit	A	B	N	N	N/A	N/A	N/A		Not a priority. Other Callery pears in parking areas greater priority like 500 and 600 blocks of Centennial
120	Oct-20	600	Chestnut	Krey	R	Pruning of Honeylocust	A	B	N	N/A	N	N/A	N/A		on the list
121	Oct-20	884	Thorn	Minn	R	Pruning of Norway Maple #814	A	B	N	N/A	N	N/A	N/A		on the list
123	Nov-20	720	Maple	Eakes	M	Structural and Clearance Pruning of #1528 and 1599	A	B	N	N/A	N	N/A	N/A		on the list
124	Nov-20	264	Bank		M	Maintenance Pruning for Bald Cypress. Branches near power drop causing problems and away from houses. Also root knees need removed.	A	B	N	N/A	N	N/A	N/A		on the list
127	Jan-21	818	Hill	Burrelli	R	Arborist observed 2 dead spruces in hazard zone. Recommends resident be requested to remove them.	A	O	Y	N	N/A	N/A	N/A		



**SEWICKLEY SHADE TREE COMMISSION  
TREE ACTIVITY SHEET**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
128	Jan-21	607	Maple	Schaerli	R	Removal of dead and dying Hemlocks. Recommend that resident decide how to proceed.	A	O	N	N	N/A	N/A	N/A		
129	Jan-21	847	Thorn	Kubinski	R	Zelkova with structure problems and lifting sidewalk	A (1)	B	Y	N	N/A	N/A	N/A		Replant with Redbud, Serviceberry or Hawthorn
131	Mar-21	540	Academy	Simonsen	R	Multiple trees, white pines in back, unspecified trees in front. Originally denied because owner did not apply. Later approved after transaction completed.	A	O	Y	N	N/A	N/A	N/A	Apr-21	March Resident in attendance at meeting
132	Feb-21	312	Ohio River	N/A	N/A	Failure of Pin Oak - Tree #1702	N/A	TBD	N/A	Y	N/A	N/A	N		Inspect other nearby trees, Scheduled for replanting Spring 2021
133	Feb-21	515	Bank	N/A	R	Dead Tree #820 Scheduled for removal	N/A	B	Feb-21	Y	N/A	N/A	N		Letter issued. Scheduled for replanting Spring 2021.
134	Feb-21	904	Beaver	Bergman	R	Removal of mature private pines requested. Arborist recommends pruning to 4 feet from house to reduce impacts to gutters.	D	O	Y	N/A	N	N/A	N/A		
135	Feb-21	318	Broad	O'Loughlin	R	Removal requested due to sidewalk damage.	D	B	Y	N/A	N/A	N/A	N/A	Mar-21	Sidewalk repair responsibility of homeowner
136	Mar-21	540	Academy	Simonsen	R	Home demolition and new construction. Removals by licensed tree expert proposed.	A	O	Y	N	N/A	N/A	N/A	Mar-21	

**SEWICKLEY SHADE TREE COMMISSION  
TREE ACTIVITY SHEET**

APPLICATION SUMMARY						SHADE TREE COMMISSION ACTIONS				STATUS					REMARKS
TRACKING NUMBER	REQUEST DATE	APPLICANT ADDRESS No.	APPLICANT STREET	APPLICANT NAME	REQUEST TYPE	TREE DESCRIPTION & STC RECOMMENDATION	DECISION	RESPONSIBILITY	LETTER ISSUED? (DATE)	REMOVAL COMPLETE	MAINTENANCE COMPLETE	LANDSCAPING PLAN PROVIDED	REPLANTING COMPLETE	DATE CLOSED	
137	Mar-21	646 and 662	Maple Lane	Arborist	M	Large Sycamores with dead branches need pruned	A	B	N/A	N/A	N	N/A	N/A		
138	Mar-21	105	Beaver	Arborist	R	Tree Damaged by car accident	A(1)	B	N/A	N	N/A	N/A	N		
139	Mar-21	819	Centennial	Arborist	R	Dead Tree Recommended for removal	A	O	Y	N	N/A	N/A	N/A		Letter from Borough Manager
140	Mar-21	14	Beaver	Optima Trade & Investment	R	Norway Maple, Pin Oak and Blue Spruces. Recommend saving the Oak if possible.	A	O	Verbal by Veirling	N	N/A	N/A	N/A	Apr-21	
141	Mar-21	530	Academy	Simmons	O	Sidewalk repair requested. Repair denied. Arborist recommends tree removal due to rotting base.	D	B	N	N	N/A	N/A	N		
142	Mar-21	506	Grove	Sarson	R	Does not like Cyprus in front of yard or Carolina silver bell (#1086)	D	B	N	N	N/A	N/A	TBD		May consider transplant in fall followed by replanting. Inspect other tree periodically
143	Apr-21	305	Thorn	Luff	M	Requested pruning of trees near service line.	P	TBD	N	N/A	N	N/A	N/A		Attended meeting. No application submitted

**Abbreviation key**

**Request:** R = Removal; M = Maintenance; C = Commemorative; O = Other **Letter Issued:** Y = yes; N = No; N/A = not applicable; V = verbal or e-mail communication

**Decision:** A = Approved; A (LP) = Approved Landscaping Plan Requested; AR = Removal Approved/Replanting Required (number of trees); D - Disapproved; P = Decision Pending;

**Responsibility:** O = Owner/Applicant; B= Borough **Status:** Y = Yes; N = No; V = Verify; TBD = To be Determined; W = Initial Requirement Waived; P = Response from Owner Pending

= Action Required

**Attachment B**  
**Borough of Sewickley Tree Commission**  
**Arborist's Report**  
**5/17/2021**

Beddard, 822 Thorn St, Borough Tree: Sugar Maple #22

Sugar maple #22 has 22" dbh trunk, is ~70ft tall with a very narrow cylindrical (~26ft dia) crown, maintains a single leader until about 50 ft, but displays ~20% thinning of upper crown. The aerial structure of this tree is superb, though the upper crown decline indicates problems at the roots. The tree lawn is 40" wide and the large aspect root plate is in contact with the cut sandstone curb. The sidewalk is brick and is slightly uneven due to root expansion. Previous infrastructure work severely damaged all large aspect roots on the northern side of the tree 36" from the trunk. This damage will eventually compromise structural integrity of this tree, though with more than 60% of roots intact, this tree is currently viable.

Resident wants to remove tree to create front right parking area, as house does not have off-street parking. **Recommend that removal of this fine specimen be permitted, at resident's expense using licensed/approved tree expert.** Replanting will not be possible.

An exquisitely sited and healthy Flowering Dogwood (10-12" dbh, 22-25ft tall) is located on private property at the front left house foundation; this tree is large enough to fall under STC purview. Removal of this tree would require STC approval. If tree is to be preserved during home renovation, precautions will have to be taken.

No Application, Franco Verbene Notification, 136 Centennial, Borough Street Tree: Horse Chestnut #471

Horse Chestnut #471 is 30" dbh, 40 ft tall, triple (formerly quadruple) leader tree with very visible opening in trunk. Remaining leaders are ~18" dia, 16" dia and 8" dia at points of attachment. Removal of leader damaged by 2010 snowstorm has led to complete loss of subordinate wood column on northern side of tree. Loss of wood has made apparent the hollow interior of trunk. 16" leader on eastern/street side has lost significant (more than 40%) diameter of interior trunk, notably on the tension side of lean. Tree was recently through pruned for electric line clearance.

Small length of leaders relative to diameter means that failure is improbable within the next year or two under normal weather patterns; however 5 year failure likelihood is probable, and with storm loading failure is possible within the next year or two. As leader most likely to fail is over street where cars may park all days of the week, failure could result in road blockage, vehicle damage and possibly human injury. **Benefits of remaining tree are outweighed by**

**potential repercussions of failure, therefore recommend this tree be removed very soon, as Franco Verbene has expressed urgent concerns.**

No Application, Franco Verbene Notification, 238 Little St, borough street tree sugar maple #1238

**8" dbh, 18ft tall. 40% basal circumference girdled by mower damage; Significant decline; removal recommended. Also recommend that all Street trees be mulched to limit grass growth and mowing injury to basal tissues.** Mulching could be done with donated leaf compost and volunteer labor as part of citizen participant tree tending. Will add this tree to upcoming removal list

No Application, Larry Rice Notification, 230 Thorn Street, Robert Hartley Memorial Tree – Autumn Flowering Cherry ('Accolade'?) #86, request for removal and replacement

Cherry in question is less than 6" dbh, under 16 ft tall and is now dead. Basal examination revealed string trimmer injury and graft incompatibility, which likely severely stressed/destabilized tree, and ambrosia and bark beetle infestation, which likely killed crown. Mulch could have prevented some of these problems while minimizing use of grafted trees could limit others. Recommend this tree be removed and replaced in fall 2021 or spring of 2022. Recommend redbud, tall gray dogwood (*Cornus drummondii*), or American Hornbeam for replacement.

Delayed Application, Mazarella, 710 Thorn St, (2) private American Holly

Vince Nadji of Davey applied to have these trees removed in January, however Davey Tree was not on Licensed Tree Expert list for the year, though they year in 2020. Mr. Nadji waited for all permitting before proceeding. Davey is now on approved list, with licensure secured by late April. Unfortunately, one American Holly has since been removed, and the other pruned (branches removed from trunk to height of 4-6 ft—an acceptable preservation practice). Mr. Nadji has told me his company did not perform this work. He suggested that the resident was impatient to have the work completed. The remaining Holly is less than 20 ft tall and STC purview is a technicality due to proximity of plants to public right of way and American Hollies being 'trees' even when shrub sized. Google street view indicates removed holly was of similar size. **Technically an unpermitted removal. Thank you to Mr Nadji and Davey Tree for respecting our rules.**

No Application, Franco Verbene and Chad O'Donnel notification, Sewickley Waste Water Treatment Plant, Chadwick Street, Request for Pruning of Lindens and Hornbeams and Potential Removal of Zelkova

5 Zelkova trees adjacent physical plant and parking areas for waste water treatment plant are outgrowing their space (they get 50-80 ft tall) and their autumn dropped leaves are causing major problems by falling into settling pools. Mr. O'Donnel has requested that these trees be severely pruned to reduce their height by one half. **However, I instead recommend that they be removed: their continued presence creates a maintenance problem and extreme height reduction destroys a trees form and dignity; they are the wrong plants for the site. Perhaps a Garden Club could volunteer a low maintenance herbaceous landscape planting as an alternative way to green the space.**

**Also recommend that 3 Little Leaf Lindens (#1877-1879) at corner of Ferry and Chadwick should be pruned to promote strong central leaders and to provide 4-6 ft clearance from buildings. This pruning should be performed in July.**

**Also recommend that 18 Hornbeams (group #1880) along Ferry St be pruned by shearing to develop and maintain intended aerial hedge. These trees should have height reduced by 3-5 feet and with reduced by 1ft on all four sides. This pruning/shearing should be performed in July.**

Street Tree Planting and 650 Academy site

35 Trees are delivered and being cared for at secure Water treatment facility. Contractor is to begin installation in first week of June. Following resident notification process it was determined that some species were not desired in at least one location. "Oaks" are not favored for planting in 6ft strip at 650 Academy avenue, due to association with sidewalk lift and damage. The very fast growing Oaks associated with sidewalk damage are in Sewickley are Pin Oaks (and Shingle Oaks at other sites), amongst the shallowest rooted and fastest growing of the oaks. Both Pin and Shingle oaks are in the red oak group. The quite slow growing and deeply rooted Chinquapin Oak, of the white oak group, had been specified for the site in question. Calculations suggest that it would take more than 30-40 years post planting for a 2" caliper chinquapin oak's large aspect roots to begin to encroach on vicinity of sidewalk plate located at a radius of 3ft from trunk, with potential impact unlikely until more than 50 or 60 years post installation. Thus, damage is not likely in most of our lifetimes. **However, to ease resident concerns, a tall gray dogwood (Cornus drummondii), a very small statured tree, will be substituted in this site for 2021 spring planting. It is my recommendation that Pin Oak usage as a street be limited. Their requirements of very acid, preferably wet, soils, combined with shallow roots, and very fast growth make them ill-suited to most sidewalk applications.**

Life Status Change for Borough Arborist

It is an honor to serve Sewickley Borough and the Shade Tree Commission. A life status change is mandating that I redirect a considerable amount of time elsewhere for the foreseeable future. As such I would like to resign from my current position as Sewickley Borough Arborist at the Shade Tree Commission's and Borough Council's earliest convenience, preferably before July 1, 2021. I would like the Commission and Council to consider the appointment of Andrew Tomaskovic, Certified Arborist, as my replacement. Andrew is an incredibly talented arborist who is seeking tree consultation opportunities in the area. I had the honor of mentoring Andrew in the Arboriculture Field many years ago. He has gone on to become a singularly talented tree expert. It is with great pleasure that I can name him as peer and potential replacement. He can be contacted at 412-397-7783 and/or through his website:

[www.andrewthearborist.com](http://www.andrewthearborist.com)

Respectfully Submitted,  
Burlton Griffith  
Sewickley Borough Arborist

**ATTACHMENT C**

**Revenue/Appropriation Analysis Report  
Borough of Sewickley  
For 4/30/2021**

Run: 5/17/2021 at 11:29 AM

Page: 1

**General Fund**

	Prior Year Budget	Prior Year Actual	Estimated Budget (Adopted)	Y-T-D Actual	M-T-D Actual	Budget Remaining
<u>Revenue Analysis</u>						
Total Revenue Analysis	0.00	0.00	0.00	0.00	0.00	0.00
<u>Appropriation Analysis</u>						
01 455 450 Tree Trim/Removal	45,000.00	32,920.00	46,000.00	7,895.00	4,480.00	38,105.00
01 455 451 Tree Maintenance	18,000.00	4,542.50	5,000.00	1,840.00	1,840.00	3,160.00
01 455 452 Tree Maint-Mun&Parks	5,000.00	3,080.00	5,000.00	4,500.00	500.00	500.00
01 455 455 Plantings	11,000.00	8,711.72	24,000.00	0.00	0.00	24,000.00
01 455 457 Arborist Services	6,000.00	0.00	6,000.00	5,600.00	0.00	400.00
01 455 459 Advertising & Mailings	600.00	182.00	600.00	0.00	0.00	600.00
Total Appropriation Analysis	85,600.00	49,436.22	86,600.00	19,835.00	6,820.00	66,765.00

**Revenue/Appropriation Analysis Report  
Borough of Sewickley  
For 4/30/2021**

Run: 5/17/2021 at 11:25 AM

Page: 1

**General Fund**

	Prior Year Budget	Prior Year Actual	Estimated Budget (Adopted)	Y-T-D Actual	M-T-D Actual	Budget Remaining
<u>Revenue Analysis</u>						
01 321 620 Tree Expert License	200.00	275.00	300.00	325.00	75.00	25.00
Total Revenue Analysis	200.00	275.00	300.00	325.00	75.00	25.00
<u>Appropriation Analysis</u>						
Total Appropriation Analysis	0.00	0.00	0.00	0.00	0.00	0.00

**Revenue/Appropriation Analysis Report  
Borough of Sewickley  
For 4/30/2021**

Run: 5/17/2021 at 11:26 AM

Page: 1

**General Fund**

	Prior Year Budget	Prior Year Actual	Estimated Budget (Adopted)	Y-T-D Actual	M-T-D Actual	Budget Remaining
<u>Revenue Analysis</u>						
01 367 500 Tree Plaques & Donations	2,500.00	1,535.00	2,000.00	0.00	0.00	(2,000.00)
Total Revenue Analysis	2,500.00	1,535.00	2,000.00	0.00	0.00	(2,000.00)
<u>Appropriation Analysis</u>						
Total Appropriation Analysis	0.00	0.00	0.00	0.00	0.00	0.00