

# Borough of Sewickley Tree Inventory and Management Plan | 2018



Submitted by:  
Bartlett Tree Experts

**Sean Dingess, Regional Inventory Arborist**  
ISA Certified Arborist #PD-2637A, ISA Tree Risk Assessment Qualified

**Jim Edson, Arborist Representative**  
ISA Board Certified Master Arborist #PD-0022B, ISA Tree Risk Assessment Qualified



**Bartlett Tree Experts**  
McDonald Office  
P.O. Box 54  
109 Kelso Road, Imperial PA 15057  
724-695-1660  
[www.bartlett.com](http://www.bartlett.com)

## TABLE OF CONTENTS

MAKING THE MOST OF YOUR INVENTORY MANAGEMENT PLAN .....	1
Who's Who.....	1
Subject Trees.....	2
Definitions & Bolded Terms.....	2
How This Document is Organized.....	2
EXECUTIVE SUMMARY .....	4
INTRODUCTION .....	6
GOALS & OBJECTIVES .....	6
GOALS & OBJECTIVES TABLE.....	7
DATA COLLECTION & TREE INSPECTION METHODOLOGY .....	7
Data Collection Equipment & Attribute Data.....	7
Specifications/Definitions.....	8
Age Class .....	8
Height Class.....	9
Condition Class .....	9
Tree and Shrub Care Priority .....	9
Pruning.....	10
Tree Risk Assessments, Limitations & Glossary.....	10
Limitations of Tree Risk Assessments.....	10
Glossary .....	11
ISA RISK TABLE 1 .....	11
ISA RISK TABLE 2 .....	12
STAND DYNAMICS RESULTS .....	14
Tree Risk Assessment Report and Mitigation .....	15
TREE RISK TABLE.....	15
TREE RISK MAP.....	24
Stand Dynamics .....	25
Tree Species Identified .....	25
SPECIES BREAKDOWN TABLE .....	25
2018 TREE INVENTORY MAP.....	28
Tree Groupings .....	29
TREE GROUPINGS TABLE.....	29

TREE GROUPINGS MAP .....	30
Condition Class .....	31
CONDITION CLASS TABLE .....	31
CONDITION CLASS MAP .....	32
Age Class .....	33
AGE CLASS TABLE .....	33
AGE CLASS MAP .....	34
Tree Size (DBH) .....	35
Tree Asset Value .....	36
TOP TEN HIGHEST ESTIMATED VALUE TREES TABLE .....	36
TOP TEN HIGHEST ESTIMATED VALUE TREES MAP .....	37
RECOMMENDATIONS .....	39
Soil Care and Fertilization .....	40
Soil Sampling .....	40
Bulk Density .....	40
Soil Rx® .....	40
Root Invigoration™ .....	41
Mulch Application .....	41
SOIL MANAGEMENT TABLE .....	42
SOIL MANAGEMENT MAP .....	49
Root Collar Excavation .....	50
Girdling Roots .....	51
ROOT COLLAR EXCAVATION TABLE .....	52
ROOT COLLAR EXCAVATION MAP .....	53
Plant Health Care .....	54
PEST OR DISEASE TABLE .....	55
PEST OR DISEASE MAP .....	56
Tree Pruning .....	57
Improper Pruning Practices .....	57
Correct Pruning Practices .....	59
PRUNING TABLE .....	62
PRUNING MAP .....	75
Structural Support Systems .....	76
Cabling .....	76

Bracing .....	76
Guying.....	76
Propping.....	76
STRUCTURAL SUPPORT TABLE.....	77
STRUCTURAL SUPPORT MAP .....	78
Lightning Protection Systems.....	79
Tree Removal.....	80
TREE REMOVAL TABLE.....	81
TREE REMOVAL MAP .....	84
Tree Risk <i>Advanced Assessments (Level 3)</i> .....	85
ADVANCED ASSESSMENT TABLE.....	86
ADVANCED ASSESSMENT MAP .....	90
DEDICATED OR MEMORIAL TREES .....	91
DEDICATED OR MEMORIAL TREES .....	92
DEDICATED OR MEMORIAL TREES MAP .....	95
DEFECTS OR OBSERVATIONS .....	96
DEFECTS OR OBSERVATIONS TABLE .....	98
DEFECTS OR OBSERVATIONS MAP.....	139
ENTIRE INVENTORY .....	140
ENTIRE INVENTORY TABLE .....	141
BIBLIOGRAPHY.....	206
ADDITIONAL RESOURCES.....	206
GLOSSARY OF TERMS.....	207

## Borough of Sewickley Tree Inventory and Management Plan

### **MAKING THE MOST OF YOUR INVENTORY MANAGEMENT PLAN**

Those who operate a large business or institution understand how inventory impacts operations and budgeting. One must know what's there, how much or how many, and where it all is. But the task doesn't end there. To obtain the greatest benefit from inventory, owners or their designees must manage it. Are a company's tools, for example, old and defective, in need of repair, in short supply, or useless and taking up space that could be better occupied? A good management plan will address these issues and keep the inventory current, in good condition, and functioning for the benefit and safety of those involved.

Managing trees on a large property can seem like an overwhelming task, but the same principles of inventory management apply. This inventory and management plan should provide managers the data they need to develop realistic budgets for their tree maintenance needs, and it will help make the Borough of Sewickley a safer and more beautiful environment.

The following tips will assist you in making the most of this document:

#### **Who's Who**

Those who conducted the inventory and prepared this document are members of the Bartlett Inventory Solutions team. They are also employees of Bartlett Tree Experts. The Bartlett Inventory Solutions team is overseen by four technical advisors out of the Bartlett Tree Research Laboratories in Charlotte, North Carolina. The advisors are primarily charged with client support, coordination, quality control, and documentation of inventories and the related data. Extensively trained Regional Inventory Arborists from local Bartlett Tree Experts offices are the primary data collectors and authors of the management plans. Readers may interpret the terms "Bartlett Tree Experts," "Bartlett," "the Inventory Team," "the team," "we," and "our" as the Bartlett company and those who conducted the inventory and prepared this management plan. In addition to the primary author(s) listed on the cover page, Team Member(s) involved in this project included:

#### **Technical Advisor**

##### **Kevin R. Weber, Bartlett Inventory Solutions Technical Advisor**

Registered Consulting Arborist #636, ISA Board Certified Master Arborist PD-2030B,  
ISA Tree Risk Assessment Qualified, Certified Treecare Safety Professional #732

#### **Data Collection**

##### **Sean Dingess, Regional Inventory Arborist**

ISA Certified Arborist #PD-2367A, ISA Tree Risk Assessment Qualified

##### **Chris Conway, Regional Inventory Arborist**

ISA Certified Arborist #NY-5834A, ISA Tree Risk Assessment Qualified

## Subject Trees

In this document, the term "subject trees" refers (depending on context) to some or all of the 1,940 trees (some of them groupings of trees) included in the inventory.

## Definitions & Bolded Terms

Some definitions or specifications are detailed within a given section to explain how readers should interpret certain terms or classifications. We have also appended a Glossary for other terms that appear throughout the document. The first reference to each of these terms appears in **bold** for the reader's convenience.

## How This Document is Organized

An outline appears below that introduces the order in which the sections of the management plan will appear. The management plan layout is as follows:

- **Table of Contents**
  - Road map for the management plan
- **Making the Most of Your Inventory Management Plan**
  - Explanations for how to efficiently and effectively understand and navigate this management plan document
- **Executive Summary**
  - Synopsis of the major findings and recommendations
- **Introduction**
  - Brief explanation of the inventory and what was included
- **Goals & Objectives**
  - Explanation of the specific goals and objectives for this inventory
- **Data Collection & Tree Inspection Methodology**
  - Lists, explanations, and definitions of all data collected during the inventory
- **Stand Dynamics Results**
  - Summary information for the entire tree population inventoried including risk ratings assigned during the inventory with corresponding table and map displays with figures if applicable
- **Recommendations**
  - Summary of all recommendations made during the inventory including associated table and map displays, explanations and examples, and figures if applicable
- **Dedicated or Memorial Trees**
  - List of all dedicated or memorial trees observed during the inventory in a table and map display with corresponding figures if applicable

- **Defects or Observations**
  - List of all trees observed to have defects in the field in a table view with associated descriptive figures and maps if applicable
- **Entire Inventory**
  - List of all trees collected in a table display
- **Additional Resources**
  - Listing of all appended items for this management plan

## EXECUTIVE SUMMARY

In March 2018, the Bartlett Inventory Solutions (BIS) Team from Bartlett Tree Experts conducted an inventory of trees throughout the Borough of Sewickley. We identified 1,940 trees, including 2 groupings, which included 87 species. The attributes that we collected include tree latitude and longitude, size, age and condition class, and a visual assessment of tree structure, health, and **vigor**.

We conducted the attribute collection using a sub-meter accuracy Global Positioning Satellite Receiver (GPSr) device with an error-in-location potential of not greater than three meters. Our recommendations for the subject trees over the next 3-year period are outlined below. All tree work activities will comply with current American National Standards Institute (ANSI) Z133.1 requirements for safety.

### **Tree Risk Assessments and Mitigation**

Perform the recommended tree risk mitigation activities for the 81 trees (4%) which we found defects or concerns that prompted the need to use the International Society of Arboriculture's (ISA) risk matrices in the field. Risk mitigation activities will comply with current ANSI A300 standard practices. Please see the Tree Risk Assessments, Limitations & Glossary section for more information.

### **Soil Sampling**

Taking soil samples throughout planting beds and actively managed areas. Soil analysis provides information on the presence of soil nutrients, pH, organic matter, and cation exchange capacity.

### **Bulk Density Sampling**

Taking bulk density samples throughout planting beds and actively managed areas to determine the amount of soil compaction.

### **Mulching**

Wherever possible, apply 2-4 inches of mulch within the root zone to help moderate soil temperatures, reduce soil moisture loss, reduce soil compaction, provide nutrients, improve soil structure, and keep mowers and string trimmers away from tree trunks. The best mulch materials are wood chips, bark nuggets, composted leaves, or pine needles. To avoid potential disease problems, mulch should not be placed directly against the trunk.

### **Root Collar Excavations**

Perform **root collar** excavations to 7 trees (< 1%) to lower risk of damaging conditions such as **girdling roots**, basal cankers, masking of root decay and lower-stem decay, and predisposing trees to various insect and disease pests.

### **Plant Health Care (PHC)**

Implement Bartlett's PHC program to monitor pests and diseases on the subject trees. Treatments are therapeutic and preventive, and treatment timing is based on pest life cycle.

**Pruning**

Prune 452 trees (23%) for safety, health, structure, and appearance. Pruning will comply with current ANSI A300 standard practices for pruning.

**Structural Support**

There are structural support system recommendations for 28 trees (1%) to reduce risk of branch or whole tree failure. All structural support systems will comply with current ANSI A300 standard practices for supplemental support systems.

**Lightning Protection**

At the time of inventory, no trees were recommended for lightning protection systems. However, as trees continue to grow and site changes occur, we recommend continual consultation with your local Bartlett Arborist Representative to determine if lightning protection systems are warranted in the future.

**Removals**

Remove 42 trees (2%) due to condition or because of their location in relation to other trees to try and prevent competition or damage to infrastructure.

**Tree Risk *Advanced Assessments (Level 3)***

Provide tree risk *advanced assessments* for 31 trees (2%) to evaluate the impact of wood decay that shows potential for failure.

## INTRODUCTION

In January 2018, the Borough of Sewickley in Sewickley, PA retained Bartlett Tree Experts to perform an inventory of trees throughout the Borough of Sewickley. Team members Sean Dingess and Chris Conway visited the site on March 5<sup>th</sup>-9<sup>th</sup> and March 14<sup>th</sup>-16<sup>th</sup> to conduct the inventory.

The inventory included:

- identifying trees and assigning a Tree ID number (Tree ID numbers ranging from 1 to 1940);
- identifying the trees' condition, health, and vigor;
- recommending risk evaluations and removals of appropriate trees;
- recommending tree care, soil care and fertilization, structural support, and pest management treatments to promote tree safety, health, appearance, and longevity; and
- mapping the trees using GPSr hardware and Geographic Information System (GIS) software, and Bartlett Tree Experts' ArborScope™ web-based management system

The methods and procedures we used to make the above determinations and recommendations are detailed in the following sections.

## GOALS & OBJECTIVES

An effective management plan communicates clear goals and the specific objectives designed to carry out those goals. We intend "goal" to mean the overall aim or result we expect to achieve for the client in producing the inventory and management plan. The objectives are the specific actions taken or recommended to support goal completion. The table below describes each goal and its corresponding objective(s).

## GOALS & OBJECTIVES

GOAL	OBJECTIVES TO ACCOMPLISH GOAL
<b>Establish the tree inventory (per numbers agreed) throughout the Borough of Sewickley</b>	<ul style="list-style-type: none"> <li>• Using Trimble® Geo GPSr hardware and ArborScope™ Inventory Management Tools, collect data such as tree name, location, size, age class, and condition class.</li> <li>• Assign a Tree ID number to each tree or group of trees inventoried.</li> </ul>
<b>Provide mechanism for managing inventory, recommendations, and related budget planning.</b>	<ul style="list-style-type: none"> <li>• Provide map or maps of the inventoried trees and tree groupings to assist the client in managing property areas.</li> <li>• Submit a comprehensive management plan that documents and organizes findings and provides other resources to assist the client in efficient use of the information.</li> </ul>
<b>Maximize client understanding and implementation of management plan.</b>	<ul style="list-style-type: none"> <li>• Include in management plan specific explanations and visuals related to plan recommendations.</li> <li>• Provide appended resources that address health, procedures, and standards related to tree care.</li> <li>• Make periodic contact with client to follow up and answer any questions about the management plan's contents.</li> </ul>
<b>Maximize immediate and long-term tree health and aesthetics.</b>	Implement recommended plant-health-care program that uses <ul style="list-style-type: none"> <li>• integrated pest management</li> <li>• soil care and fertilization</li> <li>• maintenance pruning</li> </ul>
<b>Manage immediate and long-term risk associated with trees in high-use areas.</b>	Implement recommended risk-management measures that include <ul style="list-style-type: none"> <li>• risk-reduction pruning</li> <li>• required removals</li> <li>• tree structure evaluations</li> </ul>

## DATA COLLECTION & TREE INSPECTION METHODOLOGY

In conducting the inventory, we used specialized equipment and software and followed specific procedures to determine tree characteristics, risk evaluations, and recommendations. The following explanation will assist the reader in interpreting the findings of this management plan.

### Data Collection Equipment & Attribute Data

The Inventory Team used Trimble® Geo GPSr hardware units, TerraSync® and GPS Pathfinder® Office GIS software, and Bartlett Tree Experts' ArborScope™ web-based

management system to inventory the trees. The attribute data we collected on site are listed below.

- botanical name and regional common name according to local ISA Chapter Tree Species List
- tree location based on GPS coordinate system
- tree ID number
- diameter at breast height (**DBH**)
- canopy radius
- age class
- height class
- condition class
- root zone infringement, based on **dripline** and estimated **grayscale** (e.g., sidewalks) impact on root zone
- infrastructure interaction (between trees and grayscale that may cause an undesirable condition)
- documented *basic assessment (Level 2)* of tree risk where defects or concerns were observed that prompted the need to use the ISA risk matrices in the field resulting in an *overall risk rating*
- priority of tree and shrub work (based on 3-year management plan)
- pruning
- need for and inspection of existing structural support systems
- need for and inspection of existing lightning protection systems
- need for *advanced assessments (Level 3)*
- tree removals
- soil care and fertilization recommendations
- plant health care recommendations
- noted defects/observations
- observed pests/diseases

## Specifications/Definitions

### Age Class

<b>New Planting</b>	Tree not yet established
<b>Young</b>	Established tree but not in the landscape for many years
<b>Semi-mature</b>	Established tree but has not yet reached full growth potential
<b>Mature</b>	Tree within its full growth potential
<b>Over-mature</b>	Tree that is declining or beginning to decline due to its age

## Height Class

<b>Small</b>	Less than 15 feet
<b>Medium</b>	15 to 40 feet
<b>Large</b>	Greater than 40 feet

## Condition Class

### Dead

**Poor** Most of the canopy displays dieback and undesirable leaf color, inappropriate leaf size or inadequate new growth. Tree or parts of tree are in the process of failure.

**Fair** Parts of canopy display undesirable leaf color, inappropriate leaf size, and inadequate new growth. Parts of the tree are likely to fail.

**Good** Tree health and condition are acceptable.

## Tree and Shrub Care Priority

Priority class recommendations are based on a 3-year management plan that takes into consideration tree species, condition, location, age, and proximity to infrastructure. We intend that this rating system assist decision makers in prioritizing tree pruning, cabling and bracing, and tree lightning protection recommendations. *Trees with a priority of 1 and an Overall Risk Rating of Extreme or High (see definitions in the next section) should be addressed immediately.* Prioritization does not take into account any budgetary or financial considerations.

Recommendations for Priorities 1, 2, and 3 are all based on observations by the inventory arborist. The following additional information clarifies each priority class:

**Priority 1** To be addressed in years 1 or 2 of the management cycle. Priority 1 may include trees with large dead wood, structural defects, located in exposed sites, high aesthetic value, and/or parts that are currently negatively interacting with infrastructure, such as branches that touch buildings, interfere with signage or lighting, or obstruct pathways.

**Priority 2** To be addressed in years 2 or 3 of the management cycle. Priority 2 may include trees with small dead wood, developing structural defects, located in semi-exposed sites, moderate esthetic value, and/or parts that are anticipated to negatively interact with infrastructure, such as branches that touch buildings, interfere with signage or lighting, or obstruct pathways.

**Priority 3** To be addressed in year 3 of the management cycle. Priority 3 may include trees with small dead wood, developing structural defects, located in lesser used sites, and/or parts that are anticipated to negatively interact with infrastructure, such as branches that rub on buildings, interfere with signage or lighting, or obstruct pathways.

## Pruning

Each of the following is a selective pruning technique to achieve the pruning goal described:

<b>Clean</b>	Remove one or more of dead, diseased, and/or broken branches
<b>Raise</b>	Provide vertical clearance
<b>Thin</b>	Reduce height or spread, sometimes for a particular branch (overextended or co-dominant)
<b>Reduce</b>	Reduce height or spread
<b>Structural</b>	Select live branches and stems to influence orientation, spacing, growth rate, strength of attachment, and ultimate size of branches and stems; possibly to reduce defects or space main branches on mature trees.
<b>Vista</b>	A combination of thinning and reduction pruning to enhance the view from a vantage point to an area of interest while minimizing negative impacts on tree structure and health.

## Tree Risk Assessments, Limitations & Glossary

In accordance with industry standards, tree risk ratings are derived from a combination of three factors: the *likelihood of failure*, the *likelihood of the failed tree part impacting a target*, and the *consequences* of the target being struck. The guidelines used to classify each of these factors are presented in the *ISA's BMP for Tree Risk Assessment* and guidelines developed by the Bartlett Tree Research Laboratories. *These factors are then used to categorize tree risk as Extreme, High, Moderate or Low.* The factors used to define your risk ratings are identified in this report. An explanation of terms used in this report appears in the glossary located in the appendix. The information provided in this report is based on the conditions identified at the time of inspection. Tree conditions do change over time so reassessment is recommended annually and after major storm events.

### Limitations of Tree Risk Assessments

It is important for the tree owner or manager to know and understand that all trees pose some degree of risk from failure or other conditions. The information and recommendations within this report have been derived from the level of tree risk assessment identified in this report, using the information and practices outlined in the *International Society of Arboriculture's Best Management Practices for Tree Risk Assessment*, as well as the information available at the time of the inspection. However, the overall risk rating, the mitigation recommendations, or any other conclusions do not preclude the possibility of failure from undetected conditions, weather events, or other acts of man or nature. Trees can unpredictably fail even if no defects or other conditions are present. It is the responsibility of the tree owner or manager to schedule repeat or *advanced assessments*, determine actions, and implement follow up recommendations, monitoring and/or mitigation.

Bartlett Tree Experts can make no warranty or guarantee whatsoever regarding the safety of any tree, trees, or parts of trees, regardless of the level of tree risk assessment provided, the risk rating, or the residual risk rating after mitigation. The information in this report

should not be considered as making safety, legal, architectural, engineering, landscape architectural, land surveying advice or other professional advice. This information is solely for the use of the tree owner and manager to assist in the decision making process regarding the management of their tree or trees. Tree risk assessments are simply tools which should be used in conjunction with the owner or tree manager's knowledge, other information and observations related to the specific tree or trees discussed, and sound decision making.

## Glossary

Tree risk assessment has a unique set of terms with specific meanings. Definitions of all specific terms may be found in the International Society of Arboriculture's *Best Management Practice for Tree Risk Assessment*. Definitions of some of these terms used in this report are as follows:

The *likelihood of failure* may be categorized as imminent meaning that failure has started or could occur at any time; probable meaning that failure may be expected under normal weather conditions within the next 3 years; possible meaning that failure could occur, but is unlikely under normal weather conditions during that time frame; and improbable meaning that failure is not likely under normal weather conditions, and may not occur in severe weather conditions during that time frame.

The *likelihood of the failed tree part impacting a target* may be categorized as high meaning that a failed tree or tree part will most likely impact a target; medium meaning that a failed tree or tree part may or may not impact a target with equal likelihood; low meaning that the failed tree or tree part is not likely to impact a target; and very low meaning that the chance of a failed tree or tree part impacting the target is remote.

The *likelihood of failure and impact* is defined by the Likelihood Matrix below.

### LIKELIHOOD OF FAILURE AND IMPACT

Likelihood of Failure	Likelihood of Impacting Target			
	Very Low	Low	Medium	High
Imminent	Unlikely	Somewhat likely	Likely	Very Likely
Probable	Unlikely	Unlikely	Somewhat likely	Likely
Possible	Unlikely	Unlikely	Unlikely	Somewhat likely
Improbable	Unlikely	Unlikely	Unlikely	Unlikely

The *consequences* of a known target being struck may be categorized as severe meaning that impact could involve serious personal injury or death, damage to high value property, or disruption to important activities; significant meaning that the impact may involve personal injury, property damage of moderate to high value, or considerable disruption; minor meaning that impact could cause low to moderate property damage, small disruptions to traffic or a communication utility, or minor injury; and negligible meaning that impact may involve low value property damage, disruption that can be replaced or repaired, and do not involve personal injury.

Targets are people, property, or activities that could be injured, damaged or disrupted by a tree failure.

*Levels of assessment* 1) *Limited visual assessments* are conducted to identify obvious defects. 2) *Basic assessments* are visual inspections done by walking around the tree looking at the site, buttress roots, trunk and branches. It may include the use of simple tools to gain information about the tree or defects. 3) *Advanced assessments* are performed to provide detailed information about specific tree parts, defects, targets of site conditions. Drilling to detect decay is an advanced assessment technique.

*Tree Risk Ratings* are terms used to communicate the level of risk rating. They are defined in defined in the Risk Matrix below as a combination of Likelihood and Consequences:

#### ISA RISK MATRIX

Likelihood of Failure & Impact	Consequences of the Tree Failure			
	Negligible	Minor	Significant	Severe
Very Likely	Low	Moderate	High	Extreme
Likely	Low	Moderate	High	High
Somewhat likely	Low	Low	Moderate	Moderate
Unlikely	Low	Low	Low	Low

*Overall tree risk rating* is the highest individual risk identified for the tree. The *residual risk* is the level of risk the tree should pose after the recommended mitigation.

# STAND DYNAMICS RESULTS



## STAND DYNAMICS RESULTS

In reviewing the results and recommendations, the reader will find useful the specifications and definitions detailed in the preceding methodology above. We used the following categories to organize the stand dynamics results, which are displayed in tables:

- **Tree Risk Assessment Report and Mitigation**
- **Subject Trees Summarized According to:**
  - Tree Species Identified
  - Tree Groupings
  - Condition Class
  - Age Class
  - Tree Size per DBH
  - Tree Asset Value

Where appropriate, we have included explanations, photos, drawings, or other information to illuminate the table contents.

## Tree Risk Assessment Report and Mitigation

As part of the inventory process, the Inventory Team conducts a *basic assessment (Level 2)* from the ground. While every tree poses a risk, typically *Low*, the trees in the following table were assigned *likelihood of failure, likelihood of the failed tree part impacting a target, and consequences* ratings in the field. The Inventory Team found conditions with these trees that posed a hazardous situation, prompting the arborists to go through the steps outlined in the Tree Risk Assessments, Limitations, and Glossary section of this plan. *Overall risk ratings* were then assigned to these trees.

The Tree Risk Table below summarizes the inventoried trees that were observed posing a hazardous situation during the course of the inventory. The table is organized first by *Overall Risk Rating* (highest to lowest), then by Tree Care Priority (ascending order), and finally by Tree ID (ascending order).

**TREE RISK ASSESSMENT REPORT AND MITIGATION (81 Trees)**

Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
1129	Yellowwood	13	Dead	High	Street	1	...	Remove	...	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Wound-stem</li> <li>• Cavity-stem</li> </ul>
1230	Planetree-London	44	Good	High	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Overextended branch</li> </ul>
1264	Sycamore-American	32	Fair	High	Street	1	<ul style="list-style-type: none"> <li>• Stem</li> </ul>	Clean	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &gt;2</li> <li>• Dieback</li> </ul>
474	Horsechestnut-Common	26	Poor	Moderate	Street	1	...	Remove	...	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
506	Horsechestnut-Common	27	Poor	Moderate	Street	1	...	Remove	...	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>

Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
785	Maple-Red	18	Fair	Moderate	Sidewalk	1	...	Clean, Raise	...	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &gt;2</li> </ul>
1229	Planetree-London	25	Poor	Moderate	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Wound-stem</li> <li>• Cavity-Suspected</li> <li>• Cavity-branch</li> </ul>
1292	Yellowwood	15	Fair	Moderate	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Crack-branch</li> <li>• Lean</li> <li>• Dead branches &gt;2</li> </ul>
1441	Planetree-London	28	Poor	Moderate	Overhead lines	1	• Stem	Remove	...	<ul style="list-style-type: none"> <li>• Cavity-root flare</li> <li>• Cavity-stem</li> <li>• Lean</li> <li>• Rib</li> <li>• Seam</li> </ul>
1730	Oak-Pin	33	Good	Moderate	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1733	Oak-Pin	29	Fair	Moderate	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1734	Oak-Pin	37	Good	Moderate	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Dead branches &gt;2</li> </ul>
513	Planetree-London	34	Fair	Moderate	Street	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Sidewalk lifting-minor</li> </ul>
872	Maple-Silver	36	Fair	Moderate	Overhead lines	...	...	...	...	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Co-dominant leaders</li> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> </ul>
904	Oak-Pin	30	Good	Moderate	Building	...	...	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Fungi/conks</li> <li>• Decay-Root</li> </ul>

Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
1312	Yellowwood	9	Fair	Moderate	Street	...	...	...	...	• Wound-root flare
276	Oak-Pin	27	Good	Low	Sidewalk	1	...	Clean	...	• Broken branch(s) • Dead branches >2 • Pavement/curbing damage
381	Maple-Red	36	Poor	Low	Overhead lines	1	...	Remove	...	• Crack-stem • Dead branches >2 • Dieback
446	Pear-Callery	18	Poor	Low	Overhead lines	1	...	Remove	...	• Cavity-stem • Cavity-root flare
458	Pear-Callery	9	Fair	Low	Street	1	...	Clean	...	• Broken branch(s) • Poor branch structure
466	Planetree-London	36	Fair	Low	Sidewalk	1	...	Clean	...	• Topping/heading cuts • Broken branch(s)
471	Horsechestnut-Common	30	Poor	Low	Street	1	...	Remove	...	• Cavity-stem
1140	Planetree-London	32	Good	Low	Sidewalk	1	...	Clean	...	• Hanger • Dead branches >2
1149	Maple-Red	18	Good	Low	Sidewalk	1	...	Clean	Cable	• Dead branches >2 • Co-dominant stems
1150	Maple-Red	17	Good	Low	Street	1	...	Clean	...	• Co-dominant leaders • Dead branches <=2
1225	Planetree-London	39	Good	Low	Street	1	...	Clean	...	• Dead branches >2 • Rib • Seam • Hanger • Sidewalk lifting-minor

Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
1226	Planetree-London	37	Fair	Low	Sidewalk	1	• Stem	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Cavity-Suspected</li> <li>• Seam</li> <li>• Rib</li> </ul>
1227	Planetree-London	32	Good	Low	Street	1	• Stem	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Cavity-Suspected</li> </ul>
1231	Planetree-London	37	Good	Low	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> <li>• Overextended branch</li> </ul>
1233	Planetree-London	32	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Hanger</li> <li>• Seam</li> </ul>
1260	Sycamore-American	32	Good	Low	Street	1	• Stem	Clean	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &gt;2</li> </ul>
1261	Sycamore-American	26	Fair	Low	Street	1	• Stem	Clean	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &lt;=2</li> <li>• Dieback (moderate)</li> </ul>
1278	Linden-Littleleaf	21	Fair	Low	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Dead branches &gt;2</li> <li>• Sidewalk lifting-major</li> <li>• Cavity-Suspected</li> </ul>
1289	Maple-Sugar	29	Good	Low	Street	1	...	Clean	Cable	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1331	Maple-Norway	21	Fair	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1586	Sycamore-American	58	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> <li>• Sidewalk lifting-major</li> <li>• Hanger</li> </ul>
1590	Sycamore-American	44	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Hanger</li> <li>• Cavity-Suspected</li> </ul>

Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
1632	Maple-Sugar	13	Dead	Low	Sidewalk	1	...	Remove	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Topping/heading cuts</li> </ul>
1643	Maple-Norway	26	Poor	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> <li>• Dead branches &gt;2</li> <li>• Uneven crown</li> <li>• Sidewalk lifting-major</li> </ul>
1660	Oak-Pin	37	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
1669	Oak-Pin	37	Good	Low	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Dead branches &gt;2</li> </ul>
1676	Oak-Pin	36	Good	Low	Street	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1677	Oak-Pin	34	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Sidewalk lifting-major</li> </ul>
1678	Oak-Pin	38	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
1699	Oak-Pin	34	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Decay-Root flare</li> <li>• Dead branches &gt;2</li> </ul>
1717	Oak-Pin	28	Good	Low	Playground	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1722	Oak-Pin	43	Good	Low	Sidewalk	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1778	Oak-Pin	41	Good	Low	Path	1	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1103	Yellowwood	15	Good	Low	Street	2	<ul style="list-style-type: none"> <li>• Stem</li> </ul>	Clean	...	<ul style="list-style-type: none"> <li>• Crack-branch</li> <li>• Dead branches &lt;=2</li> <li>• Cavity-root flare</li> </ul>
1186	Oak-Pin	29	Good	Low	Street	2	<ul style="list-style-type: none"> <li>• Stem</li> </ul>	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Cavity-Suspected</li> </ul>
1276	Linden-Littleleaf	17	Fair	Low	Street	2	...	Clean, Raise	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &lt;=2</li> </ul>
1661	Oak-Pin	35	Good	Low	Sidewalk	2	...	Clean	...	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>


Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
1172	Oak-Pin	31	Good	Low	Street	3	• Stem	Clean	...	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Seam</li> <li>• Dead branches &lt;=2</li> </ul>
1271	Linden-Littleleaf	22	Good	Low	Street	3	• Stem	Clean	...	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> <li>• Wound-stem</li> <li>• Cavity-Suspected</li> </ul>
143	Planetree-London	32	Good	Low	Street	...	• Stem	...	...	• Cavity-stem
265	Planetree-London	23	Fair	Low	Street	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Dieback</li> </ul>
277	Oak-Pin	28	Good	Low	Sidewalk	...	...	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Dead branches &gt;2</li> <li>• Broken branch(s)</li> <li>• Seam</li> </ul>
286	Planetree-London	26	Fair	Low	Overhead lines	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Topping/heading cuts</li> </ul>
304	Planetree-London	41	Fair	Low	Overhead lines	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Decay-Stem</li> <li>• Seam</li> </ul>
338	Planetree-London	32	Good	Low	Street	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> </ul>
527	Planetree-London	36	Good	Low	Building	...	...	...	...	• Cavity-stem
704	Pagodatree-Japanese	25	Fair	Low	Street	...	...	Clean	...	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &gt;2</li> </ul>
717	Pagodatree-Japanese	13	Fair	Low	Sidewalk	...	...	Clean	...	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Wound-stem</li> <li>• Wound-root flare</li> </ul>

Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
810	Sycamore-American	42	Good	Low	Building	...	...	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Girdling roots present</li> </ul>
851	Maple-Sugar	30	Good	Low	Overhead lines	...	<ul style="list-style-type: none"> <li>• Stem</li> </ul>	...	...	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Co-dominant leaders</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> </ul>
966	Oak-Pin	32	Fair	Low	Building	...	...	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> <li>• Girdling roots present</li> <li>• Sidewalk lifting-minor</li> </ul>
967	Oak-Pin	29	Good	Low	Building	...	<ul style="list-style-type: none"> <li>• Stem</li> </ul>	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Wound-root</li> </ul>
973	Oak-Pin	28	Good	Low	Building	...	<ul style="list-style-type: none"> <li>• Stem</li> </ul>	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Wound-root flare</li> <li>• Co-dominant leaders</li> </ul>
987	Oak-Pin	26	Good	Low	Building	...	<ul style="list-style-type: none"> <li>• Stem</li> </ul>	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Girdling roots present</li> <li>• Cavity-Suspected</li> </ul>

Tree ID	Common Name	DBH	Condition	Overall Risk Rating	Primary Target	Tree Care Priority	Advanced Assessment	Pruning	Structural Support	Defect(s) or Observation(s)
1012	Oak-Pin	26	Good	Low	Building	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> <li>• Seam</li> <li>• Rib</li> <li>• Cavity-Suspected</li> </ul>
1018	Oak-Pin	37	Good	Low	Building	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1026	Oak-Pin	36	Fair	Low	Building	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> <li>• Pavement/curbing damage</li> <li>• Wound-root flare</li> <li>• Cavity-root flare</li> <li>• Wound-stem</li> </ul>
1040	Oak-Pin	29	Good	Low	Building	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> </ul>
1047	Oak-Pin	28	Good	Low	Building	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> <li>• Pavement/curbing damage</li> <li>• Wound-stem</li> <li>• Seam</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Condition</b>	<b>Overall Risk Rating</b>	<b>Primary Target</b>	<b>Tree Care Priority</b>	<b>Advanced Assessment</b>	<b>Pruning</b>	<b>Structural Support</b>	<b>Defect(s) or Observation(s)</b>
1052	Oak-Pin	21	Good	Low	Street	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> </ul>
1182	Oak-Pin	34	Good	Low	Street	...	<ul style="list-style-type: none"> <li>• Stem</li> <li>• Root</li> </ul>	...	...	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Sidewalk lifting-minor</li> <li>• Cavity-Suspected</li> </ul>
1262	Sycamore-American	26	Fair	Low	Street	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dieback</li> </ul>
1263	Sycamore-American	27	Fair	Low	Street	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Fungi/conks</li> <li>• Dieback</li> <li>• Low live crown ratio</li> <li>• Cavity-Suspected</li> </ul>
1443	Planetree-London	39	Fair	Low	Overhead lines	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Rib</li> <li>• Cavity-Suspected</li> </ul>
1455	Sycamore-American	32	Fair	Low	Overhead lines	...	• Stem	...	...	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-major</li> <li>• Wound-root</li> </ul>
1715	Oak-Pin	32	Good	Low	Street	...	...	...	...	<ul style="list-style-type: none"> <li>• Decay-Root flare</li> <li>• Fungi/conks</li> </ul>

# INVENTORIED TREES ASSIGNED RISK RATINGS AT THE TIME OF DATA COLLECTION



**Overall Risk Rating:** ● Low ● Moderate ● High

## Stand Dynamics

### Tree Species Identified

Our inventory revealed 87 species of trees, as detailed in the following table:


#### TREE SPECIES IDENTIFIED

Genus	Species	Common Name	Count	% Distribution Total
<b>Acer</b>	<i>campestre</i>	Maple-Hedge	5	< 1%
	<i>griseum</i>	Maple-Paperbark	1	< 1%
	<i>miyabei</i>	Maple-Miyabei	8	< 1%
	<i>platanoides</i>	Maple-Norway	74	4%
	<i>rubrum</i>	Maple-Red	102	5%
	<i>saccharinum</i>	Maple-Silver	2	< 1%
	<i>saccharum</i>	Maple-Sugar	49	3%
	<i>tataricum</i>	Maple-Tatarian	23	1%
	<i>triflorum</i>	Maple-Three Flower	2	< 1%
	<i>x freemanii</i>	Maple-Freeman's	1	< 1%
<b>Acer Total</b>			<b>267</b>	<b>14%</b>
<b>Aesculus</b>	<i>hippocastanum</i>	Horsechestnut-Common	38	2%
	sp.	Buckeye/Horsechestnut	22	1%
<b>Aesculus Total</b>			<b>60</b>	<b>3%</b>
<b>Amelanchier</b>	<i>canadensis</i>	Serviceberry	3	< 1%
<b>Amelanchier</b>	sp.	Serviceberry	33	2%
<b>Amelanchier Total</b>			<b>36</b>	<b>2%</b>
<b>Betula</b>	<i>nigra</i>	Birch-River	3	< 1%
	<i>papyrifera</i>	Birch-Paper	3	< 1%
<b>Betula Total</b>			<b>6</b>	<b>&lt; 1%</b>
<b>Carpinus</b>	<i>betulus</i>	Hornbeam-European	18	1%
	<i>caroliniana</i>	Hornbeam-American	14	1%
<b>Carpinus Total</b>			<b>32</b>	<b>2%</b>
<b>Catalpa</b>	<i>speciosa</i>	Catalpa-Northern	1	< 1%
<b>Celtis</b>	<i>occidentalis</i>	Hackberry	9	< 1%
<b>Cercidiphyllum</b>	<i>japonicum</i>	Katsuratree	16	1%
<b>Cercis</b>	<i>canadensis</i>	Redbud-Eastern	9	< 1%
<b>Chionanthus</b>	<i>retusus</i>	Fringetree-Chinese	4	< 1%
<b>Cladrastis</b>	<i>kentukeya</i>	Yellowwood	60	3%
	<i>lutea</i>	Yellowwood-American	2	< 1%
<b>Cladrastis Total</b>			<b>62</b>	<b>3%</b>
<b>Cornus</b>	<i>florida</i>	Dogwood-Flowering	1	< 1%
	<i>kousa</i>	Dogwood-Kousa	7	< 1%
	<i>mas</i>	Dogwood-Corneliancherry	7	< 1%
<b>Cornus Total</b>			<b>15</b>	<b>1%</b>

Genus	Species	Common Name	Count	% Distribution Total
<i>Corylus</i>	<i>colurna</i>	Filbert-Turkish	15	1%
<i>Cotinus</i>	<i>coggygria</i>	Smoketree-Common	4	< 1%
<i>Crataegus</i>	sp.	Hawthorn	58	3%
<i>Eucommia</i>	<i>ulmoides</i>	Rubber Tree-Hardy	1	< 1%
<i>Fagus</i>	<i>sylvatica</i>	Beech-European	3	< 1%
<i>Fraxinus</i>	<i>pennsylvanica</i>	Ash-Green	49	3%
<i>Ginkgo</i>	<i>biloba</i>	Ginkgo	23	1%
<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	Honeylocust-Thornless Common	46	2%
<i>Gymnocladus</i>	<i>dioicus</i>	Coffeetree-Kentucky	2	< 1%
<i>Halesia</i>	<i>carolina</i>	Silverbell-Carolina	5	< 1%
<i>Koelreuteria</i>	<i>paniculata</i>	Goldenraintree-Panicled	19	1%
<i>Liquidambar</i>	<i>styraciflua</i>	Sweetgum	7	< 1%
<i>Liriodendron</i>	<i>tulipifera</i>	Tuliptree	10	1%
<i>Maackia</i>	<i>amurensis</i>	Maackia-Amur	5	< 1%
<i>Magnolia</i>	sp.	Magnolia	60	3%
<i>Malus</i>	sp.	Crabapple	48	2%
<i>Metasequoia</i>	<i>glyptostrobooides</i>	Redwood-Dawn	1	< 1%
<i>Nyssa</i>	<i>sylvatica</i>	Tupelo-Black	7	< 1%
<i>Ostrya</i>	<i>virginiana</i>	Hophornbeam-American	10	1%
<i>Parrotia</i>	<i>persica</i>	Parrotia-Persian	46	2%
<i>Picea</i>	<i>abies</i>	Spruce-Norway	1	< 1%
	<i>pungens</i>	Spruce-Colorado Blue	2	< 1%
<b>Picea Total</b>			<b>3</b>	<b>&lt; 1%</b>
<i>Pinus</i>	<i>strobus</i>	Pine-Eastern White	2	< 1%
	<i>thunbergiana</i>	Pine-Japanese Black	3	< 1%
	<i>thunbergii</i>	Pine-Japanese Black	1	< 1%
<b>Pinus Total</b>			<b>6</b>	<b>&lt; 1%</b>
<i>Platanus</i>	<i>occidentalis</i>	Sycamore-American	23	1%
	<i>x acerifolia</i>	Planetree-London	78	4%
<b>Platanus Total</b>			<b>101</b>	<b>5%</b>
<i>Prunus</i>	<i>serotina</i>	Cherry-Black	1	< 1%
	<i>serrulata</i>	Cherry-Flowering	2	< 1%
	sp.	Cherry	124	6%
<b>Prunus Total</b>			<b>127</b>	<b>7%</b>
<i>Pyrus</i>	<i>calleryana</i>	Pear-Callery	101	5%
<i>Quercus</i>	<i>acutissima</i>	Oak-Sawtooth	2	< 1%
	<i>alba</i>	Oak-White	1	< 1%
	<i>bicolor</i>	Oak-Swamp White	9	< 1%
	<i>coccinea</i>	Oak-Scarlet	9	< 1%
	<i>imbricaria</i>	Oak-Shingle	10	1%
	<i>macrocarpa</i>	Oak-Bur	2	< 1%
	<i>muehlenbergii</i>	Oak-Chinkapin	4	< 1%
	<i>palustris</i>	Oak-Pin	180	9%
	<i>rubra</i>	Oak-Northern Red	30	2%

Genus	Species	Common Name	Count	% Distribution Total
<i>Quercus</i>	sp.	Oak	2	< 1%
<b>Quercus Total</b>			<b>249</b>	<b>13%</b>
<i>Sophora</i>	<i>japonica</i>	Pagodatree-Japanese	35	2%
<i>Sorbus</i>	<i>alnifolia</i>	Mountain Ash-Korean	8	< 1%
<i>Styrax</i>	<i>japonicus</i>	Snowbell-Japanese	1	< 1%
	<i>obassia</i>	Snowbell-Fragrant	2	< 1%
	sp.	Snowbell	1	< 1%
<b>Styrax Total</b>			<b>4</b>	<b>&lt; 1%</b>
<i>Syringa</i>	<i>reticulata</i>	Lilac-Japanese Tree	93	5%
<i>Taxodium</i>	<i>distichum</i>	Baldcypress-Common	10	1%
<i>Taxus</i>	sp.	Yew	1	< 1%
<i>Tilia</i>	<i>americana</i>	Linden-American	16	1%
	<i>cordata</i>	Linden-Littleleaf	34	2%
	sp.	Linden	13	1%
	<i>tomentosa</i>	Linden-Silver	6	< 1%
<b>Tilia Total</b>			<b>69</b>	<b>4%</b>
<i>Tsuga</i>	<i>canadensis</i>	Hemlock-Canadian	4	< 1%
<i>Ulmus</i>	<i>americana</i>	Elm-American	4	< 1%
	<i>parvifolia</i>	Elm-Chinese	7	< 1%
	sp.	Elm	78	4%
<b>Ulmus Total</b>			<b>89</b>	<b>5%</b>
<i>Zelkova</i>	<i>serrata</i>	Zelkova-Japanese	102	5%
<sup>x</sup> <i>Cupressocyparis</i>	<i>leylandii</i>	Cypress-Leyland	2	< 1%
<b>Grand Total</b>			<b>1940</b>	<b>100%</b>

## 2018 TREE INVENTORY




## Tree Groupings

The following table displays inventoried trees that were recorded as groupings. Throughout the management plan, those trees recorded as groupings will be displayed with the number of plantings in parentheses after the common name.

### TREE GROUPINGS

Tree ID	Common Name	Total Plants
1837	Horsechestnut-Common	5
1880	Hornbeam-European	18

## INVENTORIED TREES RECORDED AS GROUPINGS




## Condition Class


The breakdown of tree condition follows:

### CONDITION CLASS BREAKDOWN

Condition Class	Quantity	% of Total
Good	1654	85%
Fair	193	10%
Poor	81	4%
Dead	12	1%



## INVENTORIED TREES BY CONDITION CLASS ENTIRE INVENTORY




**Condition:** ● Good ● Fair ● Poor ● Dead

## Age Class


The breakdown of tree age class follows:

### AGE CLASS BREAKDOWN

Age Class	Quantity	% of Total
Over-mature	2	< 1%
Mature	719	37%
Semi-mature	584	30%
Young	629	32%
New planting	6	< 1%




# INVENTORIED TREES BY AGE CLASS



## Tree Size (DBH)

The following chart illustrates numbers of trees according to size per DBH:



## Tree Asset Value

As part of the Bartlett inventory process, we have included a Tree Asset Value for each tree and a cumulative total for all trees inventoried. To calculate the Tree Asset Value, we use a modified version\* of the Trunk Formula Method published by the Council of Tree and Landscape Appraisers in The Guide for Plant Appraisal, 9th Edition (CTLA, 2000).

The following data fields are used in this formula:

Data Field	Description
<b>Size</b>	Based on tree DBH (4.5 feet above grade)
<b>Species Factor</b>	Relative species desirability based on 100% for the tree in that geographical location. In most cases, species desirability ratings, published by the International Society of Arboriculture, are used for adjustment.
<b>Condition Factor</b>	Rating of the tree's structure and health based on 100%
<b>Location Factor</b>	Average rating for the site and the tree's contribution and placement, based on 100%

$$\text{Tree Asset Value} = \text{Size} * \text{Species Factor} * \text{Condition Factor} * \text{Location Factor}$$


The estimated cumulative total value for all trees inventoried is **\$5,052,809.79**. The following table lists the ten trees with the highest Tree Asset Values:

### TOP TEN TREES - HIGHEST TREE ASSET VALUE

Tree ID	Common Name	Genus	Species	DBH	Tree Asset Value
1586	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	58	\$36,903.60
1778	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	41	\$28,453.95
1682	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	49	\$25,668.23
1775	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	\$24,329.06
1808	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	37	\$24,329.06
1020	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	39	\$24,158.64
1230	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	44	\$22,413.98
1018	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	\$22,243.71
1773	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	\$22,170.59
1662	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	43	\$21,728.84

\*This version does not consider cost of purchase and installation of the largest available "like tree."

## TOP TEN TREES - HIGHEST TREE ASSET VALUE



**Condition:** ● Good

# RECOMMENDATIONS



## RECOMMENDATIONS

In reviewing the results and recommendations, the reader will find useful the specifications and definitions detailed in the preceding methodology. We used the following categories to organize the results and recommendations, which are displayed in tables:

### Recommendations

- Soil Care and Fertilization
- Plant Health Care
- Tree Pruning
- Structural Support Systems
- Lightning Protection Systems
- Tree Removal
- Tree Risk *Advanced Assessments (Level 3)*

## **Soil Care and Fertilization**

Healthy soil is critical to the health and longevity of trees. Soil provides trees with the essential nutrients required for their growth. Many secondary problems such as reduced vigor, inadequate growth, branch dieback, and pest or disease concerns are related to the primary stress of poor soil conditions. Undisturbed, native forest soils generally contain adequate levels of organic matter, soil microbes, and nutrients. Urban, suburban, and landscape soils (as opposed to forest soils) usually lack these qualities, and are often compacted. In many cases, trees in a landscaped environment suffer from inadequate soil fertility, soil compaction, root zone competition with turf grasses, and inadequate total soil volume. Soil care recommendations are intended to correct these concerns and improve or maintain overall plant health.

Bartlett Tree Experts recommends several procedures and treatments that address soil quality. Taking soil samples is perhaps the most important. Proper tree care cannot be initiated unless it is known what type of soil environment the trees are growing in. Soil testing results can help to create a path forward for improved tree health. We address some of these below.

### **Soil Sampling**

Collecting soil samples and having them tested helps determine nutrients that may be lacking, unfavorable soil pH values, and adequacy of soil organic matter. Laboratory tests and analyses can determine the need for soil amendments.

### **Bulk Density**

Compacted soils are regrettably common in the urban setting. A bulk density test, which requires an undisturbed core sample, measures the level of soil compaction. Arborists can use the results to diagnose problems or to determine what size holes to dig for planting. If soil density exceeds a measured threshold for a given soil type and tree species, we recommend Bartlett's Root Invigoration™ program.

### **Soil Rx®**

Bartlett's Soil Rx® program, which is a prescription fertilization program, aims to correct nutrient deficiencies and optimize soil conditions for designated trees

## **Root Invigoration™**

The aim of Bartlett's patented Root Invigoration™ Program is to improve soil conditions by addressing soil compaction and promoting efficient root growth, especially for high-value trees in disturbed areas. The process includes taking soil samples to determine what nutrients are deficient, performing a root collar excavation, "air-tilling" a portion of the root zone to find fine roots, incorporating organic matter, fertilizing (based on soil sample), and applying mulch. The area of the root system treated can vary by tree. For the Root Invigoration™ Program to be successful, proper watering techniques must be employed after the process is complete.

## **Mulch Application**


Proper mulching (top left and bottom left) provides many benefits to trees and shrubs. It moderates soil temperatures, reduces soil moisture loss, reduces soil compaction, provides nutrients, and improves soil structure. This practice results in more root growth and healthier plants. The image on the top right illustrates root growth density under grass versus mulch. Mulch is frequently applied incorrectly (bottom right), so we recommend that readers inspect the technical report on mulch application guidelines that appears in the Appendix.



Example of how mulch should be installed, 2-4 inches thick and not against the trunk.



Example of root density under grass versus mulch.



Example of how mulch should be applied from the trunk to the dripline.



Example of improper mulch application, known as "volcano mulch".

The following inventoried trees are recommended for soil management because of possible nutrient deficiencies, soil compaction, or inadequate soil conditions:

**INVENTORIED TREES RECOMMENDED FOR SOIL MANAGEMENT (229 Trees)**

Tree ID	Common Name	DBH	Soils Management Type	Mulch Recommended
6	Hawthorn	2	...	Yes
213	Zelkova-Japanese	5	...	Yes
214	Hawthorn	2	...	Yes

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Soils Management Type</b>	<b>Mulch Recommended</b>
224	Cherry	3	...	Yes
225	Cherry	5	...	Yes
226	Cherry	5	...	Yes
227	Magnolia	6	...	Yes
229	Magnolia	6	...	Yes
237	Magnolia	7	...	Yes
238	Magnolia	3	...	Yes
239	Magnolia	3	...	Yes
240	Magnolia	3	...	Yes
279	Magnolia	6	...	Yes
282	Magnolia	3	...	Yes
284	Magnolia	4	...	Yes
287	Magnolia	6	...	Yes
288	Magnolia	2	...	Yes
303	Magnolia	3	...	Yes
308	Linden-Littleleaf	8	...	Yes
321	Planetree-London	2	...	Yes
326	Magnolia	7	...	Yes
328	Magnolia	9	...	Yes
331	Magnolia	1	...	Yes
334	Magnolia	8	...	Yes
335	Magnolia	2	...	Yes
336	Magnolia	4	...	Yes
347	Maple-Red	2	...	Yes
362	Elm	6	...	Yes
374	Oak-Swamp White	2	...	Yes
376	Parrotia-Persian	4	...	Yes
380	Cherry	5	...	Yes
386	Oak-Northern Red	6	...	Yes
387	Oak-Northern Red	7	...	Yes
392	Hackberry	5	...	Yes
393	Oak-Shingle	2	...	Yes
394	Parrotia-Persian	2	...	Yes
413	Honeylocust-Thornless Common	2	...	Yes
414	Cherry	3	...	Yes
415	Cherry	4	...	Yes
416	Cherry	4	...	Yes
417	Cherry	4	...	Yes
418	Hophornbeam-American	3	...	Yes
419	Hophornbeam-American	3	...	Yes
421	Cherry	4	...	Yes
422	Parrotia-Persian	3	...	Yes
423	Smoketree-Common	3	...	Yes
424	Parrotia-Persian	3	...	Yes

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Soils Management Type</b>	<b>Mulch Recommended</b>
425	Hophornbeam-American	1	...	Yes
426	Lilac-Japanese Tree	2	...	Yes
427	Lilac-Japanese Tree	2	...	Yes
428	Lilac-Japanese Tree	2	...	Yes
429	Pear-Callery	7	...	Yes
430	Pear-Callery	9	...	Yes
431	Pear-Callery	7	...	Yes
432	Pear-Callery	8	...	Yes
434	Pear-Callery	6	...	Yes
435	Pear-Callery	5	...	Yes
436	Cherry	3	...	Yes
441	Pear-Callery	5	...	Yes
442	Pear-Callery	5	...	Yes
443	Parrotia-Persian	2	...	Yes
444	Pear-Callery	5	...	Yes
445	Pear-Callery	7	...	Yes
453	Pear-Callery	8	...	Yes
456	Pear-Callery	13	...	Yes
457	Planetree-London	25	...	Yes
458	Pear-Callery	9	...	Yes
459	Planetree-London	29	...	Yes
464	Cherry-Flowering	4	...	Yes
465	Pear-Callery	10	...	Yes
482	Cherry	5	...	Yes
483	Horsechestnut-Common	5	...	Yes
484	Horsechestnut-Common	9	...	Yes
485	Lilac-Japanese Tree	3	...	Yes
487	Horsechestnut-Common	6	...	Yes
489	Horsechestnut-Common	6	...	Yes
490	Horsechestnut-Common	5	...	Yes
491	Horsechestnut-Common	4	...	Yes
492	Horsechestnut-Common	7	...	Yes
494	Horsechestnut-Common	4	...	Yes
495	Horsechestnut-Common	7	...	Yes
497	Horsechestnut-Common	10	...	Yes
498	Horsechestnut-Common	12	...	Yes
501	Horsechestnut-Common	2	...	Yes
516	Elm	8	...	Yes
528	Elm	8	...	Yes
529	Lilac-Japanese Tree	3	...	Yes
530	Pear-Callery	13	...	Yes
535	Pear-Callery	12	...	Yes
536	Katsuratree	5	...	Yes
537	Pear-Callery	18	...	Yes
541	Katsuratree	12	...	Yes


<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Soils Management Type</b>	<b>Mulch Recommended</b>
542	Pear-Callery	7	...	Yes
545	Katsuratree	8	...	Yes
546	Maple-Red	2	...	Yes
547	Maple-Red	2	...	Yes
548	Maple-Miyabei	2	...	Yes
549	Maple-Miyabei	1	...	Yes
550	Maple-Red	2	...	Yes
551	Maple-Red	2	...	Yes
552	Maple-Miyabei	2	...	Yes
554	Linden-American	2	...	Yes
555	Linden-American	2	...	Yes
556	Linden-American	3	...	Yes
562	Oak	3	...	Yes
566	Sweetgum	3	...	Yes
567	Lilac-Japanese Tree	3	...	Yes
568	Cherry	2	...	Yes
569	Cherry	2	...	Yes
591	Dogwood-Corneliancherry	1	...	Yes
593	Dogwood-Corneliancherry	2	...	Yes
594	Dogwood-Corneliancherry	2	...	Yes
596	Honeylocust-Thornless Common	12	...	Yes
627	Buckeye/Horsechestnut	3	...	Yes
628	Buckeye/Horsechestnut	3	...	Yes
629	Buckeye/Horsechestnut	4	...	Yes
630	Buckeye/Horsechestnut	5	...	Yes
631	Buckeye/Horsechestnut	6	...	Yes
632	Buckeye/Horsechestnut	6	...	Yes
633	Buckeye/Horsechestnut	4	...	Yes
634	Buckeye/Horsechestnut	3	...	Yes
635	Buckeye/Horsechestnut	3	...	Yes
637	Buckeye/Horsechestnut	8	...	Yes
638	Buckeye/Horsechestnut	6	...	Yes
639	Buckeye/Horsechestnut	6	...	Yes
640	Buckeye/Horsechestnut	7	...	Yes
641	Buckeye/Horsechestnut	5	...	Yes
642	Buckeye/Horsechestnut	6	...	Yes
643	Buckeye/Horsechestnut	8	...	Yes
653	Smoketree-Common	4	...	Yes
664	Crabapple	4	...	Yes
674	Parrotia-Persian	2	...	Yes
682	Parrotia-Persian	2	...	Yes
683	Parrotia-Persian	2	...	Yes
684	Parrotia-Persian	2	...	Yes
685	Parrotia-Persian	3	...	Yes

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Soils Management Type</b>	<b>Mulch Recommended</b>
686	Parrotia-Persian	3	...	Yes
718	Cherry	8	...	Yes
719	Cherry	4	...	Yes
769	Parrotia-Persian	2	...	Yes
771	Parrotia-Persian	2	...	Yes
772	Parrotia-Persian	2	...	Yes
777	Parrotia-Persian	3	...	Yes
778	Maple-Red	4	...	Yes
779	Maple-Red	4	...	Yes
780	Maple-Red	4	...	Yes
784	Maple-Red	5	...	Yes
789	Cherry	9	...	Yes
800	Cherry	4	...	Yes
803	Oak-Swamp White	6	...	Yes
804	Oak-Scarlet	8	...	Yes
806	Goldenraintree-Panicled	7	...	Yes
808	Tuliptree	4	...	Yes
811	Goldenraintree-Panicled	12	...	Yes
812	Goldenraintree-Panicled	6	...	Yes
815	Maple-Tatarian	9	...	Yes
818	Maple-Tatarian	6	...	Yes
819	Maple-Tatarian	9	...	Yes
820	Maple-Tatarian	7	...	Yes
821	Hackberry	3	...	Yes
822	Maple-Tatarian	6	...	Yes
823	Maple-Tatarian	5	...	Yes
824	Maple-Tatarian	5	...	Yes
825	Maple-Tatarian	8	...	Yes
826	Maple-Tatarian	8	...	Yes
828	Maple-Tatarian	7	...	Yes
829	Maple-Tatarian	5	...	Yes
834	Cherry	3	...	Yes
835	Cherry	2	...	Yes
841	Elm-Chinese	8	...	Yes
842	Elm-Chinese	10	...	Yes
843	Elm-Chinese	8	...	Yes
846	Crabapple	5	...	Yes
847	Crabapple	3	...	Yes
848	Dogwood-Corneliancherry	2	...	Yes
849	Maple-Hedge	6	...	Yes
850	Maple-Hedge	5	...	Yes
913	Filbert-Turkish	9	...	Yes
925	Yellowwood	2	...	Yes
926	Cherry	8	...	Yes
927	Cherry	5	...	Yes

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Soils Management Type</b>	<b>Mulch Recommended</b>
930	Cherry	7	...	Yes
932	Yellowwood-American	5	...	Yes
933	Cherry	5	...	Yes
934	Cherry	4	...	Yes
935	Cherry	5	...	Yes
936	Cherry	5	...	Yes
937	Cherry	6	...	Yes
938	Cherry	2	...	Yes
939	Cherry	2	...	Yes
940	Cherry	6	...	Yes
943	Serviceberry	4	...	Yes
946	Serviceberry	4	...	Yes
947	Serviceberry	4	...	Yes
948	Magnolia	2	...	Yes
950	Serviceberry	4	...	Yes
951	Cherry	7	...	Yes
953	Pear-Callery	6	...	Yes
955	Serviceberry	3	...	Yes
958	Hophornbeam-American	2	...	Yes
959	Filbert-Turkish	6	...	Yes
960	Serviceberry	6	...	Yes
965	Serviceberry	2	...	Yes
968	Lilac-Japanese Tree	2	...	Yes
969	Lilac-Japanese Tree	2	...	Yes
970	Lilac-Japanese Tree	2	...	Yes
972	Maple-Red	6	...	Yes
982	Hornbeam-American	4	...	Yes
983	Hornbeam-American	3	...	Yes
986	Hornbeam-American	6	...	Yes
988	Lilac-Japanese Tree	2	...	Yes
990	Hornbeam-American	2	...	Yes
993	Hornbeam-American	2	...	Yes
995	Hornbeam-American	2	...	Yes
996	Linden	3	...	Yes
998	Horsechestnut-Common	4	...	Yes
1000	Maple-Red	3	...	Yes
1001	Maple-Sugar	22	...	Yes
1031	Oak-Northern Red	2	...	Yes
1032	Oak-Northern Red	2	...	Yes
1106	Parrotia-Persian	2	...	Yes
1108	Parrotia-Persian	2	...	Yes
1109	Parrotia-Persian	2	...	Yes
1112	Parrotia-Persian	3	...	Yes
1115	Parrotia-Persian	4	...	Yes
1138	Cherry	2	...	Yes

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Soils Management Type</b>	<b>Mulch Recommended</b>
1144	Yellowwood	4	...	Yes
1216	Oak-Chinkapin	2	...	Yes
1690	Oak-Pin	3	...	Yes

## INVENTORIED TREES RECOMMENDED FOR SOIL MANAGEMENT



**Soil:** ● Micronutrient ● Mulch Needed

**Root Collar Excavation**

Excavating the root collar is necessary for trees whose buttress roots are covered by excess soil or mulch. Buried root collars can contribute to tree health problems, including girdling roots, basal cankers, and masking root and lower stem decay.

The top image shows a buried root collar and the bottom image shows an exposed root collar.



**Example of a buried root collar.**



**Example of an exposed root collar.**

**Girdling Roots**

Girdling roots (top left and right) restrict water and nutrient movement throughout the tree. If left untreated they can cause the tree to decline, fail (bottom), and eventually die in severe cases. Girdling roots should be removed as soon as possible, unless removal will significantly impact the condition of the tree. In some cases, the presence of significant or severe girdling roots may cause the tree to be recommended for removal.



**Examples of girdling roots.**




**Example of tree failure from girdling roots.**

The following trees are recommended for a root collar excavation:

**INVENTORIED TREES RECOMMENDED FOR A ROOT COLLAR EXCAVATION (7 Trees)**

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Girdling Roots</b>
23	Zelkova-Japanese	6	...
241	Cherry	4	...
287	Magnolia	6	Girdling roots present
406	Yellowwood	17,13	...
499	Horsechestnut-Common	12	Girdling roots present
583	Serviceberry	1	...
1184	Lilac-Japanese Tree	6	Girdling roots present

## INVENTORIED TREES RECOMMENDED FOR A ROOT COLLAR EXCAVATION



## Plant Health Care

The Inventory Team also recommends Plant Health Care (PHC) programs for trees in the formal landscape. In addition, an Integrated Pest Management (IPM) program monitors for potentially damaging insects, diseases and cultural problems that are often seasonal and may not have been evident during our inventory visit. These pests and diseases include, but are not limited to, the following:

- Anthracnose - on a variety of species
- Aphids - on a variety of species
- Bacterial Leaf Scorch - on trees within red oak group
- Bagworms - on a variety of tree species
- Boring Insects - on a variety of tree species
- Caterpillar Defoliators - on a variety of tree species, especially oak
- Gall Insects - on a variety of species
- Lacebugs - on a variety of species
- Scab and Rust Fungi - on crabapple and apple species.
- Suspected Phytophthora Root Rot and Canker - on a variety of tree species, especially beech species
- Scale Insects - on a variety of tree species, especially oak
- Spider Mites - on a variety of tree species




**Tree #1579 with cankers present.**

We identified pests or diseases on the following inventoried trees at the time of the inventory:

**INVENTORIED TREES IDENTIFIED WITH PESTS OR DISEASES (19 Trees)**

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Pest(s) or Disease(s)</b>
220	Magnolia	2	• Scale
339	Magnolia	2	• Scale
341	Magnolia	2	• Scale
406	Yellowwood	17,13	• Cankers
704	Pagodatree-Japanese	25	• Slime flux
822	Maple-Tatarian	6	• Scale
823	Maple-Tatarian	5	• Scale
824	Maple-Tatarian	5	• Scale
825	Maple-Tatarian	8	• Scale
826	Maple-Tatarian	8	• Scale
827	Maple-Tatarian	7	• Scale
828	Maple-Tatarian	7	• Scale
829	Maple-Tatarian	5	• Scale
830	Maple-Tatarian	6	• Scale
1579	Maple-Red	15	• Cankers
1587	Maple-Sugar	6	• Cankers
1621	Maple-Red	34	• Cankers
1622	Maple-Red	34	• Cankers
1643	Maple-Norway	26	• Cankers

## INVENTORIED TREES IDENTIFIED WITH PESTS OR DISEASES



## Tree Pruning

A commonly offered service among tree companies, pruning trees is one of the most poorly executed practices by tree workers who lack training in the basics of tree biology. "Lion's tailing," topping, and flush cuts are a few examples, and these can lead to hazardous conditions over time.

Because this practice is so misunderstood, and because specific standards exist to perform pruning correctly, the Inventory Team decided to include some explanation in the main body of this management plan.

Tree owners and tree-care practitioners should always keep in mind that any pruning cut is a wound. Informed tree-care professionals have learned to manage that wounding to preserve the health, safety, and integrity of the tree.

### Improper Pruning Practices

A few of the most common pruning abuses are

- Lion's Tailing - pruning that removes interior branches along the stem and scaffold branches. This encourages poor branch taper, poor wind load distribution, and risk of branch failure. It also deprives the tree of foliage it needs to produce **photosynthates**. See next page, top left
- Topping - pruning cuts that reduce a tree's size by using heading cuts that shorten branches to a predetermined size. Topping substantially reduces the functional benefits a tree is capable of providing and predisposes trees to structural defects that can contribute to failures in the future. It also reduces the value of the trees substantially and deprives the tree of adequate foliage. See next page, top right.
- Flush Cuts - pruning cut through the **branch collar**, flush against the trunk or parent stem, causing unnecessary injury. See next page, bottom.
- Using Climbing Spikes Inappropriately - Using climbing spikes on a healthy tree, for example, wounds healthy stem tissues and can lead to infection by fungal pathogens.



**Example of Lion's tailing.**



**Examples of topping.**



**Examples of flush cuts.**

## Correct Pruning Practices

We have included below some key pruning categories and diagrams to illuminate the goal of each.

### *Cleaning*

Selective pruning to remove one or more of the following parts: dead, diseased, and/or broken branches.




Illustration of crown cleaning.

### *Raising*

Selectively pruning to provide vertical clearance.




Illustration of crown raising.

***Thinning***

Selective pruning to reduce density of live branches.



Illustration of thinning.

***Reducing (Reduction Pruning)***

Selective pruning to reduce height or spread.



Illustration of reduction pruning.

**Structural**

Selective pruning of live branches and stems to influence orientation, spacing, growth rate, strength of attachment, and ultimate size of branches and stems.




Illustration of structural pruning.

**Vista Pruning**

Vista pruning is a combination of thinning and reduction pruning to enhance the view from a vantage point to an area of interest while minimizing negative impacts on tree structure and health.

We recommended pruning on the following trees:

**INVENTORIED TREES RECOMMENDED FOR PRUNING (452 Trees)**

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1230	Planetree-London	44	High	1	• Clean
1264	Sycamore-American	32	High	1	• Clean
785	Maple-Red	18	Moderate	1	• Clean • Raise: Pole/post
1229	Planetree-London	25	Moderate	1	• Clean
1292	Yellowwood	15	Moderate	1	• Clean
1730	Oak-Pin	33	Moderate	1	• Clean
1733	Oak-Pin	29	Moderate	1	• Clean
1734	Oak-Pin	37	Moderate	1	• Clean
276	Oak-Pin	27	Low	1	• Clean
458	Pear-Callery	9	Low	1	• Clean
466	Planetree-London	36	Low	1	• Clean
1140	Planetree-London	32	Low	1	• Clean
1149	Maple-Red	18	Low	1	• Clean
1150	Maple-Red	17	Low	1	• Clean
1225	Planetree-London	39	Low	1	• Clean
1226	Planetree-London	37	Low	1	• Clean
1227	Planetree-London	32	Low	1	• Clean
1231	Planetree-London	37	Low	1	• Clean
1233	Planetree-London	32	Low	1	• Clean
1260	Sycamore-American	32	Low	1	• Clean
1261	Sycamore-American	26	Low	1	• Clean
1278	Linden-Littleleaf	21	Low	1	• Clean
1289	Maple-Sugar	29	Low	1	• Clean
1331	Maple-Norway	21	Low	1	• Clean
1586	Sycamore-American	58	Low	1	• Clean
1590	Sycamore-American	44	Low	1	• Clean
1643	Maple-Norway	26	Low	1	• Clean
1660	Oak-Pin	37	Low	1	• Clean
1669	Oak-Pin	37	Low	1	• Clean
1676	Oak-Pin	36	Low	1	• Clean
1677	Oak-Pin	34	Low	1	• Clean
1678	Oak-Pin	38	Low	1	• Clean
1699	Oak-Pin	34	Low	1	• Clean
1717	Oak-Pin	28	Low	1	• Clean
1722	Oak-Pin	43	Low	1	• Clean
1778	Oak-Pin	41	Low	1	• Clean
1103	Yellowwood	15	Low	2	• Clean

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1186	Oak-Pin	29	Low	2	• Clean
1276	Linden-Littleleaf	17	Low	2	• Clean • Raise: Street
1661	Oak-Pin	35	Low	2	• Clean
1172	Oak-Pin	31	Low	3	• Clean
1271	Linden-Littleleaf	22	Low	3	• Clean
2	Maple-Red	4	...	1	• Clean
8	Elm-American	33	...	1	• Clean
42	Maple-Red	20	...	1	• Structural
112	Zelkova-Japanese	18	...	1	• Structural
136	Zelkova-Japanese	12	...	1	• Clean • Structural
153	Zelkova-Japanese	17	...	1	• Clean
257	Honeylocust-Thornless Common	11	...	1	• Clean
266	Planetree-London	33	...	1	• Clean
273	Oak-Pin	33	...	1	• Clean
274	Oak-Scarlet	27	...	1	• Clean
316	Honeylocust-Thornless Common	9	...	1	• Clean
346	Magnolia	6	...	1	• Raise: Sidewalk
350	Planetree-London	33	...	1	• Clean
351	Magnolia	7	...	1	• Raise: Sidewalk
365	Maple-Sugar	27	...	1	• Clean
368	Tupelo-Black	21	...	1	• Clean
378	Maple-Norway	15	...	1	• Clean
412	Planetree-London	29	...	1	• Clean
512	Maple-Norway	14	...	1	• Clean
650	Maple-Norway	24	...	1	• Clean
753	Oak-Pin	13	...	1	• Clean
755	Oak-Pin	20	...	1	• Clean
805	Linden	12	...	1	• Raise: Building • Structural
962	Maple-Norway	17	...	1	• Clean
963	Maple-Norway	17	...	1	• Clean
985	Maple-Sugar	24	...	1	• Clean
1003	Maple-Norway	24	...	1	• Clean
1048	Oak-Pin	26	...	1	• Clean
1049	Oak-Pin	28	...	1	• Clean
1059	Oak-Pin	33	...	1	• Clean
1062	Oak-Pin	38	...	1	• Clean
1099	Elm	10	...	1	• Clean • Structural

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1367	Ash-Green	14	...	1	• Clean
1401	Maple-Norway	13	...	1	• Clean • Structural
1402	Maple-Norway	14	...	1	• Clean • Structural
1404	Cherry	20	...	1	• Structural
1437	Sycamore-American	34	...	1	• Clean
1438	Sycamore-American	30	...	1	• Clean
1439	Sycamore-American	26	...	1	• Clean
1445	Maple-Sugar	7	...	1	• Clean
1449	Sycamore-American	30	...	1	• Clean
1450	Linden-Silver	11	...	1	• Clean
1480	Serviceberry	3	...	1	• Clean
1714	Oak-Pin	41	...	1	• Clean
1732	Oak-Pin	32	...	1	• Clean
3	Maple-Red	8	...	2	• Structural
4	Maple-Red	7	...	2	• Structural
14	Zelkova-Japanese	4	...	2	• Structural
30	Maple-Red	17	...	2	• Structural
60	Pear-Callery	6	...	2	• Structural
100	Zelkova-Japanese	15	...	2	• Structural
111	Zelkova-Japanese	12	...	2	• Structural
149	Zelkova-Japanese	16	...	2	• Raise: Sidewalk
164	Zelkova-Japanese	5	...	2	• Structural
178	Pear-Callery	4	...	2	• Structural
181	Cherry	4	...	2	• Structural
182	Cherry	4	...	2	• Structural
183	Cherry	5	...	2	• Structural
258	Pear-Callery	5	...	2	• Reduce: Sign blockage
313	Pear-Callery	9	...	2	• Structural
318	Linden-Littleleaf	3	...	2	• Structural
319	Honeylocust-Thornless Common	17	...	2	• Clean • Reduce: Street
320	Maple-Red	9	...	2	• Clean
333	Magnolia	6	...	2	• Clean • Raise: Street
352	Magnolia	5	...	2	• Reduce: Lighting • Structural
380	Cherry	5	...	2	• Raise: Sidewalk
418	Hophornbeam-American	3	...	2	• Reduce: Overhead lines

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
419	Hophornbeam-American	3	...	2	• Reduce: Overhead lines
420	Parrotia-Persian	3	...	2	• Structural
421	Cherry	4	...	2	• Structural
422	Parrotia-Persian	3	...	2	• Structural
468	Planetree-London	30	...	2	• Clean
502	Horsechestnut-Common	38	...	2	• Reduce: Street
515	Katsuratree	23	...	2	• Clean
526	Planetree-London	27	...	2	• Clean
577	Sweetgum	16	...	2	• Clean
588	Pear-Callery	14	...	2	• Thin
601	Honeylocust-Thornless Common	20	...	2	• Clean
658	Crabapple	7	...	2	• Raise: Street
668	Maple-Norway	29	...	2	• Clean
679	Elm	7	...	2	• Structural
697	Honeylocust-Thornless Common	20	...	2	• Clean • Raise: Pole/post
730	Elm	12	...	2	• Raise: Sidewalk
737	Elm	11	...	2	• Raise: Street
745	Elm	10	...	2	• Raise: Sidewalk • Structural
748	Oak-Pin	14	...	2	• Clean
749	Oak-Pin	10	...	2	• Raise: Building • Thin
752	Oak-Pin	11	...	2	• Clean
780	Maple-Red	4	...	2	• Raise: Pole/post
787	Elm	10	...	2	• Raise: Street, Sidewalk
811	Goldenraintree-Panicked	12	...	2	• Clean
923	Pear-Callery	15	...	2	• Structural
1025	Oak-Pin	28	...	2	• Clean
1102	Planetree-London	26	...	2	• Clean
1112	Parrotia-Persian	3	...	2	• Raise: Sidewalk
1117	Ash-Green	12	...	2	• Clean
1119	Ash-Green	12	...	2	• Clean
1121	Ash-Green	12	...	2	• Clean
1122	Elm	13	...	2	• Clean • Structural
1125	Ash-Green	13	...	2	• Clean
1126	Ash-Green	14	...	2	• Clean
1127	Yellowwood	13	...	2	• Clean

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1135	Maple-Red	8	...	2	• Raise: Sidewalk
1137	Yellowwood	12	...	2	• Clean
1139	Yellowwood	18	...	2	• Clean
1141	Yellowwood	12	...	2	• Clean
1146	Sweetgum	19	...	2	• Clean
1174	Oak-Pin	25	...	2	• Clean
1175	Oak-Pin	23	...	2	• Clean
1179	Lilac-Japanese Tree	4	...	2	• Raise: Street
1185	Lilac-Japanese Tree	8	...	2	• Raise: Sidewalk, Street
1187	Lilac-Japanese Tree	7	...	2	• Clean • Raise: Street
1191	Oak-Pin	13	...	2	• Raise: Street
1196	Cherry	11	...	2	• Clean • Raise: Sidewalk, Pole/post
1204	Cherry	4	...	2	• Raise: Sidewalk
1205	Cherry	8	...	2	• Raise: Sidewalk, Street
1206	Cherry	6	...	2	• Thin
1208	Cherry	8	...	2	• Raise: Sidewalk
1209	Cherry	9	...	2	• Raise: Sidewalk
1220	Maple-Norway	19	...	2	• Clean
1238	Maple-Sugar	8	...	2	• Raise: Street
1243	Katsuratree	10	...	2	• Raise: Street
1267	Serviceberry	7	...	2	• Raise: Street
1277	Linden-Littleleaf	16	...	2	• Clean
1279	Linden-Littleleaf	17	...	2	• Raise: Sidewalk
1280	Maple-Norway	10	...	2	• Clean
1281	Maple-Norway	20	...	2	• Clean
1294	Maple-Red	16	...	2	• Clean
1304	Yellowwood	17	...	2	• Clean
1305	Yellowwood	16	...	2	• Clean
1354	Ash-Green	17	...	2	• Clean
1356	Ash-Green	14	...	2	• Clean
1358	Ash-Green	16	...	2	• Clean
1362	Ash-Green	13	...	2	• Clean
1364	Ash-Green	19	...	2	• Clean
1365	Ash-Green	20	...	2	• Clean
1366	Ash-Green	17	...	2	• Clean
1369	Ash-Green	14	...	2	• Clean
1370	Ash-Green	14	...	2	• Clean
1371	Ash-Green	17	...	2	• Clean

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1372	Ash-Green	14	...	2	• Clean
1375	Ash-Green	18	...	2	• Clean
1377	Ash-Green	16	...	2	• Clean
1378	Ash-Green	16	...	2	• Clean • Raise: Street
1381	Ash-Green	16	...	2	• Clean
1384	Maple-Red	4	...	2	• Clean
1388	Ash-Green	5	...	2	• Raise: Street
1389	Ash-Green	6	...	2	• Raise: Street
1390	Ash-Green	7	...	2	• Raise: Street
1394	Redbud-Eastern	4	...	2	• Raise: Street
1395	Redbud-Eastern	5	...	2	• Raise: Street
1396	Redbud-Eastern	5	...	2	• Raise: Street
1533	Cherry	9	...	2	• Raise: Street
1535	Fringetree-Chinese	3	...	2	• Raise: Street
1538	Crabapple	5	...	2	• Raise: Street
1539	Crabapple	7	...	2	• Raise: Street
1540	Honeylocust-Thornless Common	9	...	2	• Reduce: Pole/post
1541	Crabapple	8	...	2	• Raise: Street
1544	Honeylocust-Thornless Common	15	...	2	• Clean
1545	Crabapple	7	...	2	• Raise: Street
1546	Honeylocust-Thornless Common	12	...	2	• Clean • Raise: Street
1548	Crabapple	12	...	2	• Raise: Street
1549	Honeylocust-Thornless Common	13	...	2	• Clean • Raise: Street
1550	Crabapple	10	...	2	• Reduce: Pole/post
1551	Honeylocust-Thornless Common	14	...	2	• Clean
1552	Crabapple	11	...	2	• Raise: Street
1554	Honeylocust-Thornless Common	15	...	2	• Clean • Reduce: Pole/post
1556	Crabapple	8	...	2	• Raise: Street
1557	Honeylocust-Thornless Common	13	...	2	• Clean • Reduce: Pole/post
1558	Crabapple	8	...	2	• Raise: Street
1559	Honeylocust-Thornless Common	8	...	2	• Raise: Street
1560	Honeylocust-Thornless Common	14	...	2	• Clean
1572	Honeylocust-Thornless Common	15	...	2	• Clean

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1573	Honeylocust-Thornless Common	15	...	2	• Clean
1575	Honeylocust-Thornless Common	16	...	2	• Clean
1587	Maple-Sugar	6	...	2	• Clean
1619	Maple-Tatarian	5	...	2	• Clean
1623	Maple-Red	18	...	2	• Clean • Structural
1626	Oak-Pin	37	...	2	• Clean
1630	Maple-Tatarian	10	...	2	• Raise: Street
1631	Cherry	14	...	2	• Clean
1634	Maple-Tatarian	7	...	2	• Raise: Sidewalk
1637	Cherry	9	...	2	• Raise: Sidewalk
1638	Cherry	12	...	2	• Clean
1639	Maple-Red	13	...	2	• Clean
1646	Cherry	17	...	2	• Clean • Raise: Street
1647	Cherry	11	...	2	• Raise: Street
1648	Cherry	10	...	2	• Raise: Sidewalk • Reduce: Pole/post
1649	Cherry	17	...	2	• Clean • Raise: Street
1652	Zelkova-Japanese	17	...	2	• Clean • Reduce: Pole/post • Structural
1655	Zelkova-Japanese	16	...	2	• Clean • Raise: Street • Reduce: Pole/post • Structural
1657	Maple-Sugar	6	...	2	• Raise: Sidewalk, Street
1670	Oak-Pin	37	...	2	• Clean
1693	Oak-Pin	31	...	2	• Clean
1694	Oak-Pin	37	...	2	• Clean
1712	Oak-Pin	38	...	2	• Clean
1716	Oak-Pin	33	...	2	• Clean
1723	Oak-Pin	39	...	2	• Clean
1731	Oak-Pin	33	...	2	• Clean
1736	Oak-Pin	28	...	2	• Clean
1763	Oak-Pin	28	...	2	• Clean
1765	Honeylocust-Thornless Common	15	...	2	• Clean
1769	Ginkgo	6	...	2	• Clean
1809	Maple-Norway	15	...	2	• Clean

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1892	Cherry	8	...	2	• Raise: Street
1896	Pear-Callery	12,15	...	2	• Raise: Street • Reduce: Building
1912	Parrotia-Persian	7	...	2	• Reduce: Pole/post
19	Zelkova-Japanese	10	...	3	• Structural
33	Zelkova-Japanese	9	...	3	• Structural
40	Pear-Callery	4	...	3	• Structural
325	Planetree-London	30	...	3	• Reduce: Overhead lines
413	Honeylocust-Thornless Common	2	...	3	• Structural
415	Cherry	4	...	3	• Structural
416	Cherry	4	...	3	• Structural
424	Parrotia-Persian	3	...	3	• Structural
430	Pear-Callery	9	...	3	• Thin
432	Pear-Callery	8	...	3	• Thin
433	Pear-Callery	9	...	3	• Thin
434	Pear-Callery	6	...	3	• Thin
435	Pear-Callery	5	...	3	• Raise: Sidewalk, Street
437	Cherry	4	...	3	• Raise: Street
439	Pear-Callery	8	...	3	• Thin
440	Pear-Callery	7	...	3	• Thin
442	Pear-Callery	5	...	3	• Thin
444	Pear-Callery	5	...	3	• Thin
447	Pear-Callery	8	...	3	• Thin
448	Pear-Callery	6	...	3	• Thin
449	Pear-Callery	7	...	3	• Raise: Street • Thin
453	Pear-Callery	8	...	3	• Thin
455	Cherry-Flowering	4	...	3	• Structural
460	Pear-Callery	8	...	3	• Thin
465	Pear-Callery	10	...	3	• Thin
469	Pear-Callery	16	...	3	• Thin
482	Cherry	5	...	3	• Clean
504	Horsechestnut-Common	24	...	3	• Clean
517	Planetree-London	16	...	3	• Clean
519	Planetree-London	11	...	3	• Clean
528	Elm	8	...	3	• Reduce: Building • Structural
530	Pear-Callery	13	...	3	• Structural
531	Pear-Callery	11	...	3	• Structural

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
532	Lilac-Japanese Tree	3	...	3	• Reduce: Sign blockage
535	Pear-Callery	12	...	3	• Thin
540	Pear-Callery	5	...	3	• Structural
541	Katsuratree	12	...	3	• Thin
544	Oak-Shingle	28	...	3	• Thin
545	Katsuratree	8	...	3	• Raise: Street
554	Linden-American	2	...	3	• Raise: Sidewalk
562	Oak	3	...	3	• Structural
563	Oak	3	...	3	• Structural
587	Pear-Callery	13	...	3	• Thin
595	Honeylocust-Thornless Common	11	...	3	• Clean
596	Honeylocust-Thornless Common	12	...	3	• Clean • Raise: Building
597	Honeylocust-Thornless Common	10	...	3	• Clean
598	Honeylocust-Thornless Common	11	...	3	• Raise: Building
599	Honeylocust-Thornless Common	13	...	3	• Thin
607	Crabapple	5	...	3	• Raise: Sidewalk
617	Crabapple	17	...	3	• Clean
622	Crabapple	12	...	3	• Clean
659	Pear-Callery	12	...	3	• Thin
672	Honeylocust-Thornless Common	13	...	3	• Thin
673	Honeylocust-Thornless Common	11	...	3	• Thin
705	Elm	10	...	3	• Structural
706	Elm	13	...	3	• Thin
707	Elm	7	...	3	• Structural
714	Elm	12	...	3	• Structural
715	Elm	13	...	3	• Structural
725	Elm	10	...	3	• Thin
726	Elm	15	...	3	• Thin
741	Elm	11	...	3	• Structural
751	Pear-Callery	7	...	3	• Clean
786	Elm	11	...	3	• Clean
789	Cherry	9	...	3	• Structural
794	Cherry	8	...	3	• Thin
797	Yellowwood	10	...	3	• Clean
798	Yellowwood	10	...	3	• Clean


<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
813	Goldenraintree-Paniced	13	...	3	<ul style="list-style-type: none"> <li>• Clean</li> <li>• Structural</li> </ul>
860	Mountain Ash-Korean	10	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
874	Linden-American	16	...	3	<ul style="list-style-type: none"> <li>• Clean</li> <li>• Raise: Sidewalk, Street</li> <li>• Structural</li> </ul>
875	Linden-American	18	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
891	Crabapple	13	...	3	<ul style="list-style-type: none"> <li>• Clean</li> <li>• Structural</li> </ul>
892	Crabapple	10	...	3	<ul style="list-style-type: none"> <li>• Clean</li> <li>• Structural</li> </ul>
893	Crabapple	8	...	3	<ul style="list-style-type: none"> <li>• Clean</li> <li>• Structural</li> </ul>
896	Crabapple	6	...	3	<ul style="list-style-type: none"> <li>• Clean</li> <li>• Structural</li> </ul>
953	Pear-Callery	6	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
960	Serviceberry	6	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
976	Hophornbeam-American	4	...	3	<ul style="list-style-type: none"> <li>• Raise: Sign blockage</li> </ul>
1093	Linden-Silver	17	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1094	Mountain Ash-Korean	16	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1095	Linden-Silver	9	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1096	Pear-Callery	8	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1097	Pear-Callery	11	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1107	Parrotia-Persian	7	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1111	Parrotia-Persian	9	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1136	Cherry	5	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1142	Maple-Red	17	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1145	Yellowwood	8	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1157	Maple-Red	4	...	3	<ul style="list-style-type: none"> <li>• Raise: Sidewalk</li> </ul>
1160	Oak-Pin	25	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1170	Oak-Pin	23	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1207	Cherry	3	...	3	<ul style="list-style-type: none"> <li>• Raise: Pole/post</li> </ul>
1239	Maple-Sugar	12	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1240	Maple-Sugar	10	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1247	Maple-Red	13	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1256	Lilac-Japanese Tree	3	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1259	Pear-Callery	6	...	3	<ul style="list-style-type: none"> <li>• Structural</li> </ul>
1266	Cherry	4	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1273	Linden-Littleleaf	17	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1274	Linden-Littleleaf	20	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>
1275	Linden-Littleleaf	16	...	3	<ul style="list-style-type: none"> <li>• Clean</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1286	Linden-Littleleaf	6	...	3	• Raise: Sidewalk
1288	Linden-Littleleaf	5	...	3	• Raise: Street, Sidewalk • Structural
1301	Yellowwood	9	...	3	• Clean
1329	Yellowwood	9	...	3	• Clean
1336	Lilac-Japanese Tree	6	...	3	• Clean
1337	Lilac-Japanese Tree	9	...	3	• Clean
1340	Lilac-Japanese Tree	6	...	3	• Clean
1345	Sweetgum	15	...	3	• Clean • Raise: Street
1346	Sweetgum	15	...	3	• Clean
1349	Ash-Green	9	...	3	• Clean
1351	Ash-Green	10	...	3	• Clean
1357	Ash-Green	11	...	3	• Clean
1359	Ash-Green	13	...	3	• Clean
1363	Ash-Green	15	...	3	• Clean
1368	Ash-Green	14	...	3	• Clean
1376	Ash-Green	16	...	3	• Clean
1380	Ash-Green	16	...	3	• Clean
1383	Ash-Green	16	...	3	• Clean
1387	Ash-Green	7	...	3	• Raise: Street
1391	Ash-Green	9	...	3	• Clean
1393	Linden-American	4	...	3	• Structural
1406	Maple-Sugar	12	...	3	• Structural
1453	Pear-Callery	9	...	3	• Structural
1463	Pear-Callery	10	...	3	• Structural
1486	Maackia-Amur	12	...	3	• Structural
1487	Maackia-Amur	10	...	3	• Structural
1488	Maackia-Amur	6	...	3	• Structural
1489	Maackia-Amur	9	...	3	• Structural
1529	Elm	8	...	3	• Structural
1542	Honeylocust-Thornless Common	12	...	3	• Clean
1553	Crabapple	12	...	3	• Clean
1562	Honeylocust-Thornless Common	10	...	3	• Clean
1563	Crabapple	8	...	3	• Clean
1566	Maple-Red	13	...	3	• Clean
1583	Maple-Sugar	2	...	3	• Clean
1592	Maple-Red	23	...	3	• Clean
1599	Cherry	3	...	3	• Structural
1609	Maple-Norway	10	...	3	• Raise: Street

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1611	Maple-Tatarian	4	...	3	• Raise: Street
1613	Maple-Tatarian	10	...	3	• Clean • Raise: Sidewalk, Street
1615	Maple-Norway	12	...	3	• Raise: Sidewalk
1618	Pear-Callery	5	...	3	• Structural
1620	Cherry	13	...	3	• Clean • Structural
1622	Maple-Red	34	...	3	• Clean
1628	Maple-Sugar	9	...	3	• Clean • Reduce: Pole/post
1629	Cherry	3	...	3	• Reduce: Pole/post
1645	Cherry	16	...	3	• Clean
1651	Zelkova-Japanese	17	...	3	• Clean • Structural
1662	Oak-Pin	43	...	3	• Clean
1665	Oak-Pin	25	...	3	• Clean
1668	Oak-Pin	35	...	3	• Clean
1672	Oak-Pin	6	...	3	• Structural
1674	Oak-Pin	34	...	3	• Clean
1680	Maple-Red	29	...	3	• Clean
1681	Oak-Pin	37	...	3	• Clean
1682	Oak-Pin	49	...	3	• Clean
1684	Maple-Norway	33	...	3	• Clean
1685	Oak-Pin	39	...	3	• Clean
1689	Oak-Pin	37	...	3	• Clean
1691	Oak-Pin	38	...	3	• Clean
1692	Oak-Pin	30	...	3	• Clean
1695	Oak-Pin	41	...	3	• Clean
1696	Oak-Pin	40	...	3	• Clean
1700	Oak-Pin	29	...	3	• Clean
1702	Oak-Pin	38	...	3	• Clean
1704	Oak-Pin	39	...	3	• Clean
1705	Oak-Pin	41	...	3	• Clean
1707	Oak-Pin	30	...	3	• Clean
1708	Oak-Pin	34	...	3	• Clean
1710	Oak-Pin	35	...	3	• Clean
1711	Oak-Pin	36	...	3	• Clean
1726	Oak-Pin	41	...	3	• Clean
1728	Oak-Pin	29	...	3	• Clean
1729	Oak-Pin	29	...	3	• Clean
1735	Oak-Pin	27	...	3	• Clean
1739	Oak-Pin	41	...	3	• Clean

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Pruning Recommended</b>
1742	Oak-Pin	32	...	3	• Clean
1743	Oak-Pin	26	...	3	• Clean
1755	Elm	13	...	3	• Clean
1764	Honeylocust-Thornless Common	18	...	3	• Clean • Reduce: Pole/post
1772	Cherry	22	...	3	• Clean
1774	Oak-Pin	23	...	3	• Raise: Path
1775	Oak-Pin	37	...	3	• Clean
1777	Oak-Pin	25	...	3	• Clean
1781	Birch-Paper	8,6,7	...	3	• Clean
1786	Pine-Japanese Black	9	...	3	• Reduce: Pole/post
1787	Pine-Japanese Black	10	...	3	• Clean
1793	Lilac-Japanese Tree	8,11	...	3	• Clean
1802	Linden-Littleleaf	30	...	3	• Clean
1808	Planetree-London	37	...	3	• Clean
1815	Hornbeam-American	13	...	3	• Clean
1816	Hornbeam-American	11	...	3	• Clean
1826	Cypress-Leyland	10	...	3	• Reduce: Pole/post
1830	Elm	5	...	3	• Structural
1842	Serviceberry	5	...	3	• Reduce: Pole/post
1844	Redbud-Eastern	7	...	3	• Clean
1845	Redbud-Eastern	9	...	3	• Clean
1886	Maple-Red	13	...	3	• Raise: Street
1887	Maple-Red	16	...	3	• Raise: Street
1906	Oak-Pin	23	...	3	• Clean
1910	Parrotia-Persian	6	...	3	• Clean

## INVENTORIED TREES RECOMMENDED FOR PRUNING



**Tree Care Priority:** ● 1 ● 2 ● 3

## **Structural Support Systems**

Structural support systems can reduce risk of tree or tree part(s) failure by limiting movement of stems or branches in certain situations. Examples include co-dominant stems or overextended branches with heavy foliage loads.

### **Cabling**

Cabling is the process of connecting two or more upright stems or leaders to one another to add stability and reduce the likelihood of failure. In some instances, a lateral branch may be secured to the central leader using a cabling system to support the weight of the branch.

### **Bracing**

Bracing is the process of securing the union of two codominant leaders or stems using high strength steel rods to alleviate stresses at the union and reduce the likelihood of failure. Bracing may also be used to reinforce trees that have a partial failure and are likely to benefit from bracing.

### **Guying**

Guying is the process of anchoring a tree's stem to the ground or another immovable object to reduce the likelihood of root failure. Guying can be temporary or permanent and is most often used for establishing a tree in the landscape.

### **Propping**


Propping is the process of using rigid structures that are built on or into the ground to help support the trunk or branch(s) that are oriented near the ground in a horizontal position to reduce the likelihood of failure from the weight or defect of the tree part being supported.

The following table lists all inventoried trees with structural support system recommendations:

**INVENTORIED TREES WITH STRUCTURAL SUPPORT SYSTEM RECOMMENDATIONS (28 Trees)**

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Tree Care Priority</b>	<b>Cable</b>	<b>Brace Rod</b>	<b>Guy</b>
42	Maple-Red	20	1	New 1	...	...
582	Serviceberry	1	1	...	...	New 2
1149	Maple-Red	18	1	New 2	...	...
1289	Maple-Sugar	29	1	New 1	...	...
11	Zelkova-Japanese	11	2	...	New 2	...
30	Maple-Red	17	2	New 1	...	...
406	Yellowwood	17,13	2	New 1	...	...
428	Lilac-Japanese Tree	2	2	...	...	New 2
500	Horsechestnut-Common	39	2	New 3	...	...
774	Parrotia-Persian	2	2	...	...	New 2
1200	Ginkgo	2	2	...	...	New 2
1294	Maple-Red	16	2	New 1	...	...
1296	Yellowwood	16	2	New 1	New 1	...
1314	Yellowwood	8	2	...	New 1	...
1318	Yellowwood	10	2	...	New 1	...
505	Horsechestnut-Common	33	3	New 3	...	...
507	Horsechestnut-Common	30	3	New 2	...	...
510	Planetree-London	32	3	New 3	...	...
590	Dogwood-Corneliancherry	2	3	...	...	New 1
676	Parrotia-Persian	1	3	...	...	New 2
677	Parrotia-Persian	1	3	...	...	New 2
685	Parrotia-Persian	3	3	...	...	New 2
1290	Yellowwood	4	3	...	New 1	...
1301	Yellowwood	9	3	...	New 1	...
1303	Yellowwood	12	3	...	New 1	...
1310	Yellowwood	8	3	...	New 1	...
1330	Yellowwood	10	3	...	New 1	...
1591	Maple-Red	17	3	New 1	...	...

# INVENTORIED TREES WITH STRUCTURAL SUPPORT SYSTEM RECOMMENDATIONS



## **Lightning Protection Systems**

Lightning strikes kill many people each year and can cause significant damage to objects on the property. Lightning protection systems are designed to provide a preferred path for lightning to the ground in a manner that minimizes tree damage; adjacent tree damage; and also to buildings, property, animals, and people near the tree. Tree species that are naturally more susceptible to lightning strikes, valuable to the landscape, and trees that are within 10 feet of, taller than, or have limbs that are extending over a structure are recommended for lightning protection systems due to the possibility of damage, "sideflashes", and step voltage.

At the time of inventory, no trees were recommended for lightning protection systems. However, as trees continue to grow and site changes occur, we recommend continual consultation with your local Bartlett Arborist Representative to determine if lightning protection systems are warranted in the future.

## Tree Removal

In some cases, the inspector may determine need for removal while assessing the tree. Trees may be recommended for removal during the inventory for several reasons:

- The tree is dead;
- The tree is in poor condition and thought to be beyond rehabilitation;
- The tree is over-mature and will continue to decline in condition;
- The tree has significant structural weaknesses that cannot be addressed;
- The tree is already or will interfere with infrastructure (overhead lines for example);
- The location value for the tree is poor or unacceptable (for example, large maturing tree growing directly under overhead lines); and/or,
- The tree species has been declared an invasive for the given area or region.



**Tree #452 recommended for removal because of poor condition and severe dieback.**

The tree(s) listed in the table below are recommended for removal:

**INVENTORIED TREES RECOMMENDED FOR REMOVAL (42 Trees)**


<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Condition</b>	<b>Tree Care Priority</b>	<b>Defect(s) or Observation(s)</b>
1129	Yellowwood	13	High	Dead	1	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Wound-stem</li> <li>• Cavity-stem</li> </ul>
474	Horsechestnut-Common	26	Moderate	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
506	Horsechestnut-Common	27	Moderate	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
1441*	Planetree-London	28	Moderate	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-root flare</li> <li>• Cavity-stem</li> <li>• Lean</li> <li>• Rib</li> <li>• Seam</li> </ul>
381	Maple-Red	36	Low	Poor	1	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Dead branches &gt;2</li> <li>• Dieback</li> </ul>
446	Pear-Callery	18	Low	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Cavity-root flare</li> </ul>
471	Horsechestnut-Common	30	Low	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
1632	Maple-Sugar	13	Low	Dead	1	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Topping/heading cuts</li> </ul>
9	Maple-Norway	7	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dieback (severe)</li> </ul>
10	Maple-Norway	5	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
201	Oak-Pin	30	...	Poor	1	...
292	Magnolia	2	...	Dead	1	...
302	Magnolia	3	...	Dead	1	...
452	Planetree-London	22	...	Poor	1	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dieback</li> </ul>
820*	Maple-Tatarian	7	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> <li>• Seam</li> <li>• Topping/heading cuts</li> </ul>
859	Mountain Ash-Korean	8	...	Dead	1	...

Tree ID	Common Name	DBH	Overall Risk Rating	Condition	Tree Care Priority	Defect(s) or Observation(s)
883	Maple-Norway	28	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Cavity-branch</li> <li>• Co-dominant leaders</li> <li>• Girdling roots present</li> </ul>
884	Maple-Norway	32	...	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Cavity-branch</li> <li>• Co-dominant stems</li> <li>• Crack-branch</li> <li>• Crack-stem</li> <li>• Seam</li> </ul>
885	Tupelo-Black	2	...	Dead	1	...
886	Maple-Norway	22	...	Poor	1	<ul style="list-style-type: none"> <li>• Rib</li> <li>• Crack-stem</li> <li>• Cavity-Suspected</li> <li>• Wound-root</li> </ul>
890	Maple-Norway	12	...	Poor	1	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Wound-stem</li> <li>• Metal bar in base of tree</li> </ul>
964	Maple-Norway	15	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Rib</li> <li>• Wound-branch</li> <li>• Dieback</li> <li>• Pavement/curbing damage</li> </ul>
978*	Maple-Sugar	36	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-root flare</li> <li>• Dieback</li> <li>• Decay-Stem</li> <li>• Dead branches &gt;2</li> </ul>
981	Snowbell-Japanese	2	...	Dead	1	...
1001*	Maple-Sugar	22	...	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Poor branch structure</li> <li>• Rib</li> <li>• Cavity-Suspected</li> <li>• Wound-root flare</li> </ul>
1004*	Maple-Norway	24	...	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Wound-stem</li> <li>• Wound-root</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Dead branches &gt;2</li> </ul>

Tree ID	Common Name	DBH	Overall Risk Rating	Condition	Tree Care Priority	Defect(s) or Observation(s)
1013	Oak-Pin	28	...	Fair	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> <li>• Decay-Root flare</li> </ul>
1027*	Oak-Pin	23	...	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Fungi/conks</li> <li>• Pavement/curbing damage</li> <li>• Lean</li> <li>• Wound-root</li> </ul>
1192	Maple-Sugar	4	...	Dead	1	...
1217	Oak-Chinkapin	3	...	Dead	1	...
1454*	Sycamore-American	32	...	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Crack-stem</li> <li>• Rib</li> <li>• Sidewalk lifting-major</li> <li>• Cavity-root flare</li> </ul>
1482*	Serviceberry	2	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> </ul>
1483*	Serviceberry	2	...	Poor	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> </ul>
1484*	Serviceberry	2	...	Dead	1	• Wound-stem
1485*	Serviceberry	2	...	Dead	1	• Wound-stem
1737	Oak-Pin	31	...	Poor	1	<ul style="list-style-type: none"> <li>• Cavity-root flare</li> <li>• Wound-root flare</li> <li>• Dead branches &gt;2</li> </ul>
612	Goldenraintree-Paniced	4	...	Poor	2	...
1656	Cherry	9	...	Poor	2	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Decay-Stem</li> <li>• Fungi/conks</li> </ul>
1725	Oak-Pin	27	...	Poor	2	...
1907	Hemlock-Canadian	10	...	Poor	2	...
75	Hawthorn	2	...	Dead	3	...
1893	Cherry	4	...	Poor	3	...

\* Trees that were assigned a poor or unacceptable location value.

## INVENTORIED TREES RECOMMENDED FOR REMOVAL



### **Tree Risk *Advanced Assessments (Level 3)***

As part of the inventory process, the Inventory Team conducts a *basic assessment (Level 2)* from the ground. During this assessment the inspector can determine whether some aspect of tree structure or health indicates that a more comprehensive tree structure evaluation (*Level 3 advanced assessment*) is needed to more thoroughly evaluate tree condition and risk of failure. The image below provides an example of a tree defect that merits a (*Level 3 advanced assessment*).



**A suspected hollow cavity on Tree #1264 necessitates a (*Level 3 advanced assessment*) to more thoroughly assess risk of failure.**

In such cases, we may recommend *(Level 3) advanced assessments* of the roots, stem, or crown. These assessments may include climbing inspections, examination of the root system using a compressed-air tool (that avoids damage to roots and underground utilities), or one or more of the following: resistance drilling; using the resistograph (a precision drilling instrument that provides graphical output); or sonic tomography that produces a visual representation of internal conditions based on how sound moved through the tree. The goal is to use the appropriate method to evaluate impact of wood decay in stems and buttress roots that show potential for failure and to determine presence and condition of the root system.

Once we complete such *(Level 3) advanced assessments*, we can then recommend appropriate measures, such as remediation, maintenance, or removal.

The inventoried trees listed in the table below met the conditions for *(Level 3) advanced assessments*.

**INVENTORIED TREES RECOMMENDED FOR LEVEL 3 ADVANCED ASSESSMENTS (31 Trees)**


<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Advanced Assessment</b>	<b>Defect(s) or Observation(s)</b>
1264	Sycamore-American	32	High	1	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &gt;2</li> <li>• Dieback</li> </ul>
1441	Planetree-London	28	Moderate	1	• Stem	<ul style="list-style-type: none"> <li>• Cavity-root flare</li> <li>• Cavity-stem</li> <li>• Lean</li> <li>• Rib</li> <li>• Seam</li> </ul>
513	Planetree-London	34	Moderate	...	• Stem	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Sidewalk lifting-minor</li> </ul>
1226	Planetree-London	37	Low	1	• Stem	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Cavity-Suspected</li> <li>• Seam</li> <li>• Rib</li> </ul>
1227	Planetree-London	32	Low	1	• Stem	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Cavity-Suspected</li> </ul>
1260	Sycamore-American	32	Low	1	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &gt;2</li> </ul>
1261	Sycamore-American	26	Low	1	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &lt;=2</li> <li>• Dieback (moderate)</li> </ul>
1103	Yellowwood	15	Low	2	• Stem	<ul style="list-style-type: none"> <li>• Crack-branch</li> <li>• Dead branches &lt;=2</li> <li>• Cavity-root flare</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Advanced Assessment</b>	<b>Defect(s) or Observation(s)</b>
1186	Oak-Pin	29	Low	2	• Stem	• Dead branches >2 • Cavity-Suspected
1172	Oak-Pin	31	Low	3	• Stem	• Fungi/conks • Seam • Dead branches <=2
1271	Linden-Littleleaf	22	Low	3	• Stem	• Topping/heading cuts • Dead branches <=2 • Wound-stem • Cavity-Suspected
143	Planetree-London	32	Low	...	• Stem	• Cavity-stem
265	Planetree-London	23	Low	...	• Stem	• Seam • Dieback
286	Planetree-London	26	Low	...	• Stem	• Lean • Topping/heading cuts
304	Planetree-London	41	Low	...	• Stem	• Decay-Stem • Seam
338	Planetree-London	32	Low	...	• Stem	• Pavement/curbing damage • Sidewalk lifting-minor
851	Maple-Sugar	30	Low	...	• Stem	• Wound-stem • Co-dominant leaders • Pavement/curbing damage • Cavity-Suspected
967	Oak-Pin	29	Low	...	• Stem	• Pavement/curbing damage • Sidewalk lifting-minor • Wound-root
973	Oak-Pin	28	Low	...	• Stem	• Pavement/curbing damage • Sidewalk lifting-minor • Wound-root flare • Co-dominant leaders
987	Oak-Pin	26	Low	...	• Stem	• Pavement/curbing damage • Sidewalk lifting-minor • Girdling roots present • Cavity-Suspected
1012	Oak-Pin	26	Low	...	• Stem	• Poor branch structure • Co-dominant leaders • Seam • Rib • Cavity-Suspected

Tree ID	Common Name	DBH	Overall Risk Rating	Tree Care Priority	Advanced Assessment	Defect(s) or Observation(s)
1018	Oak-Pin	37	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1026	Oak-Pin	36	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> <li>• Pavement/curbing damage</li> <li>• Wound-root flare</li> <li>• Cavity-root flare</li> <li>• Wound-stem</li> </ul>
1040	Oak-Pin	29	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> </ul>
1047	Oak-Pin	28	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> <li>• Pavement/curbing damage</li> <li>• Wound-stem</li> <li>• Seam</li> </ul>
1052	Oak-Pin	21	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> </ul>
1182	Oak-Pin	34	Low	...	• Stem • Root	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Sidewalk lifting-minor</li> <li>• Cavity-Suspected</li> </ul>
1262	Sycamore-American	26	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dieback</li> </ul>
1263	Sycamore-American	27	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Fungi/conks</li> <li>• Dieback</li> <li>• Low live crown ratio</li> <li>• Cavity-Suspected</li> <li>• fungi on cut 40/50 ft up</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Overall Risk Rating</b>	<b>Tree Care Priority</b>	<b>Advanced Assessment</b>	<b>Defect(s) or Observation(s)</b>
1443	Planetree-London	39	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Rib</li> <li>• Cavity-Suspected</li> </ul>
1455	Sycamore-American	32	Low	...	• Stem	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-major</li> <li>• Wound-root</li> </ul>

**INVENTORIED TREES RECOMMENDED FOR *LEVEL 3 ADVANCED ASSESSMENTS***



**Advanced Assessments:**    ● Stem    ● Roots, Stem

## DEDICATED OR MEMORIAL TREES



## DEDICATED OR MEMORIAL TREES

The following table displays the inventoried dedicated or memorial trees on the Borough of Sewickley. The following image shows a dedicated tree on the site.

### INVENTORIED DEDICATED OR MEMORIAL TREES (175 Trees)

Tree ID	Common Name
42	Maple-Red
44	Pagodatree-Japanese
45	Hophornbeam-American
49	Pagodatree-Japanese
50	Hawthorn
51	Hawthorn
52	Hawthorn
57	Hophornbeam-American
86	Cherry
109	Hawthorn
117	Hawthorn
125	Hawthorn
129	Hawthorn
132	Hawthorn
164	Zelkova-Japanese
170	Pagodatree-Japanese
171	Pagodatree-Japanese
173	Lilac-Japanese Tree
186	Cherry
206	Maple-Red
240	Magnolia
249	Planetree-London
250	Pear-Callery
252	Linden
253	Linden
254	Pear-Callery
256	Linden-Littleleaf
257	Honeylocust-Thornless Common
258	Pear-Callery
259	Pear-Callery
260	Pear-Callery
262	Pear-Callery
268	Magnolia
269	Magnolia
270	Magnolia
271	Magnolia

Tree ID	Common Name
272	Crabapple
273	Oak-Pin
274	Oak-Scarlet
302	Magnolia
303	Magnolia
310	Planetree-London
311	Linden-Littleleaf
312	Pear-Callery
313	Pear-Callery
314	Linden-Littleleaf
315	Linden-Littleleaf
317	Planetree-London
318	Linden-Littleleaf
320	Maple-Red
322	Linden-Littleleaf
326	Magnolia
371	Honeylocust-Thornless Common
372	Oak-Pin
380	Cherry
384	Maple-Red
400	Oak-Swamp White
407	Lilac-Japanese Tree
409	Lilac-Japanese Tree
454	Cherry
514	Katsuratree
537	Pear-Callery
601	Honeylocust-Thornless Common
607	Crabapple
615	Crabapple
616	Crabapple
692	Linden-American
693	Filbert-Turkish
694	Oak-Pin
695	Oak-Pin
696	Oak-Pin
708	Elm
711	Oak-Pin


<b>Tree ID</b>	<b>Common Name</b>
712	Oak-Pin
744	Pagodatree-Japanese
754	Filbert-Turkish
755	Oak-Pin
756	Filbert-Turkish
757	Filbert-Turkish
758	Filbert-Turkish
759	Filbert-Turkish
760	Filbert-Turkish
761	Planetree-London
768	Planetree-London
778	Maple-Red
780	Maple-Red
781	Pear-Callery
782	Pear-Callery
783	Maple-Red
795	Cherry
799	Lilac-Japanese Tree
924	Elm
926	Cherry
927	Cherry
928	Cherry
929	Yellowwood-American
931	Cherry
934	Cherry
935	Cherry
949	Filbert-Turkish
950	Serviceberry
976	Hophornbeam-American
995	Hornbeam-American
998	Horsechestnut-Common
1101	Lilac-Japanese Tree
1104	Yellowwood
1137	Yellowwood
1144	Yellowwood
1147	Cherry
1155	Pear-Callery
1156	Pear-Callery
1157	Maple-Red
1158	Maple-Red
1159	Maple-Red
1164	Oak-Pin
1193	Cherry
1195	Hophornbeam-American
1196	Cherry

<b>Tree ID</b>	<b>Common Name</b>
1207	Cherry
1214	Pear-Callery
1255	Honeylocust-Thornless Common
1265	Cherry
1266	Cherry
1284	Elm-American
1285	Elm-American
1322	Linden-Littleleaf
1332	Maple-Norway
1411	Ginkgo
1412	Ginkgo
1413	Ginkgo
1421	Ginkgo
1423	Ginkgo
1428	Cherry
1444	Lilac-Japanese Tree
1543	Crabapple
1598	Dogwood-Kousa
1599	Cherry
1601	Cherry
1603	Maple-Paperbark
1771	Spruce-Colorado Blue
1776	Oak-Pin
1779	Beech-European
1784	Oak-Scarlet
1789	Crabapple
1793	Lilac-Japanese Tree
1794	Lilac-Japanese Tree
1795	Lilac-Japanese Tree
1796	Lilac-Japanese Tree
1797	Lilac-Japanese Tree
1798	Lilac-Japanese Tree
1799	Lilac-Japanese Tree
1801	Redbud-Eastern
1804	Crabapple
1810	Maple-Norway
1818	Sweetgum
1819	Dogwood-Kousa
1820	Dogwood-Kousa
1821	Cherry
1822	Hemlock-Canadian
1823	Cherry
1824	Magnolia
1825	Yew
1826	Cypress-Leyland

<b>Tree ID</b>	<b>Common Name</b>
1827	Cypress-Leyland
1828	Cherry
1856	Hawthorn
1893	Cherry
1896	Pear-Callery
1898	Cherry
1902	Snowbell-Fragrant

<b>Tree ID</b>	<b>Common Name</b>
1903	Maackia-Amur
1905	Maple-Red
1912	Parrotia-Persian
1913	Elm
1914	Hackberry

## INVENTORIED DEDICATED OR MEMORIAL TREES



## DEFECTS OR OBSERVATIONS



**DEFECTS OR OBSERVATIONS**

The following table lists inventoried trees for which we noted defects, observations, or other structural issues. The image below provides an example of a stem wound.



**Tree #494 exhibiting a stem wound.**

**INVENTORIED TREES WITH DEFECTS, OBSERVATIONS, OR OTHER STRUCTURAL ISSUES (985 Trees)**

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
2	Maple-Red	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dieback (moderate)</li> </ul>
3	Maple-Red	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
4	Maple-Red	7	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
6	Hawthorn	2	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
8	Elm-American	33	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Overextended branch</li> </ul>
9	Maple-Norway	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dieback (severe)</li> </ul>
10	Maple-Norway	5	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
11	Zelkova-Japanese	11	<ul style="list-style-type: none"> <li>• Included bark</li> </ul>
14	Zelkova-Japanese	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
16	Zelkova-Japanese	11	<ul style="list-style-type: none"> <li>• Seam</li> </ul>
17	Zelkova-Japanese	10	<ul style="list-style-type: none"> <li>• Suppressed</li> </ul>
22	Maple-Sugar	22	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Pavement/curbing damage</li> </ul>
23	Zelkova-Japanese	6	<ul style="list-style-type: none"> <li>• Buried root collar</li> </ul>
27	Maple-Freeman's	13	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
30	Maple-Red	17	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> </ul>
36	Maple-Sugar	9	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>
42	Maple-Red	20	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Pavement/curbing damage</li> </ul>
47	Zelkova-Japanese	16	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
48	Zelkova-Japanese	16	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
55	Hawthorn	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
59	Zelkova-Japanese	12	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
65	Zelkova-Japanese	14	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
70	Zelkova-Japanese	17	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
72	Zelkova-Japanese	16	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
81	Zelkova-Japanese	14	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
82	Zelkova-Japanese	15	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
83	Hawthorn	5	<ul style="list-style-type: none"> <li>• Buried root collar</li> </ul>
85	Maple-Red	2	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
89	Hawthorn	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
92	Zelkova-Japanese	14	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
93	Zelkova-Japanese	15	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
96	Zelkova-Japanese	15	<ul style="list-style-type: none"> <li>• Girdling roots present (moderate)</li> </ul>
99	Zelkova-Japanese	12	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
100	Zelkova-Japanese	15	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
101	Zelkova-Japanese	13	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Pavement/curbing damage</li> </ul>
106	Zelkova-Japanese	13	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
107	Zelkova-Japanese	15	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
111	Zelkova-Japanese	12	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
116	Hawthorn	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
130	Zelkova-Japanese	9	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
131	Zelkova-Japanese	6	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Buried root collar</li> </ul>
133	Zelkova-Japanese	12	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Wound-stem</li> </ul>
136	Zelkova-Japanese	12	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
138	Maple-Sugar	18	<ul style="list-style-type: none"> <li>• Girdling roots present (moderate)</li> <li>• Pavement/curbing damage</li> </ul>
143	Planetree-London	32	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
150	Zelkova-Japanese	14	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
153	Zelkova-Japanese	17	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
154	Ash-Green	9	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Overextended branch</li> </ul>
160	Zelkova-Japanese	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
170	Pagodatree-Japanese	16	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> </ul>
176	Zelkova-Japanese	14	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
185	Cherry	12	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> <li>• Pavement/curbing damage</li> <li>• Crack-branch</li> </ul>
190	Ash-Green	16	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
200	Maple-Silver	22	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
205	Maple-Red	21	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Overextended branch</li> <li>• Girdling roots present (severe)</li> </ul>
206	Maple-Red	12	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Topping/heading cuts</li> </ul>
215	Maple-Red	13	<ul style="list-style-type: none"> <li>• Uneven crown</li> </ul>
216	Cherry	3	<ul style="list-style-type: none"> <li>• Planting material</li> </ul>
217	Magnolia	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
219	Magnolia	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Seam</li> </ul>
223	Planetree-London	35	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
227	Magnolia	6	<ul style="list-style-type: none"> <li>• Seam</li> </ul>
230	Magnolia	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
235	Lilac-Japanese Tree	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Fungi/conks</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
236	Magnolia	9	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dead branches &gt;2</li> </ul>
237	Magnolia	7	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
240	Magnolia	3	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Wound-stem</li> </ul>
241	Cherry	4	<ul style="list-style-type: none"> <li>• Buried root collar</li> </ul>
244	Magnolia	4	<ul style="list-style-type: none"> <li>• Seam</li> </ul>
245	Pear-Callery	23	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
248	Planetree-London	5	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
249	Planetree-London	5	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
265	Planetree-London	23	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Dieback</li> </ul>
266	Planetree-London	33	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Rib</li> </ul>
268	Magnolia	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
269	Magnolia	4	<ul style="list-style-type: none"> <li>• Dieback</li> </ul>
270	Magnolia	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
272	Crabapple	7	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
273	Oak-Pin	33	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Wound-stem</li> </ul>
275	Oak-Pin	18	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
276	Oak-Pin	27	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Dead branches &gt;2</li> <li>• Pavement/curbing damage</li> </ul>
277	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Dead branches &gt;2</li> <li>• Broken branch(s)</li> <li>• Seam</li> </ul>
278	Oak-Pin	24	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
280	Sycamore-American	25	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Lean</li> <li>• Soil heaving</li> </ul>
281	Oak-Scarlet	21	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Pavement/curbing damage</li> <li>• Wound-root</li> <li>• Seam</li> </ul>
283	Planetree-London	36	<ul style="list-style-type: none"> <li>• Rib</li> <li>• Pavement/curbing damage</li> </ul>
284	Magnolia	4	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Wound-stem</li> </ul>
286	Planetree-London	26	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Topping/heading cuts</li> </ul>
287	Magnolia	6	<ul style="list-style-type: none"> <li>• Girdling roots present</li> </ul>
289	Magnolia	2	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
291	Magnolia	5	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
293	Oak-Pin	20	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-major</li> <li>• Topping/heading cuts</li> </ul>
294	Oak-Pin	24	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
295	Oak-Pin	20	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
296	Pear-Callery	12	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
297	Planetree-London	38	<ul style="list-style-type: none"> <li>• Decay-Stem</li> </ul>
298	Maple-Red	9	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Topping/heading cuts</li> <li>• Wound-stem</li> </ul>
299	Oak-Scarlet	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
300	Oak-Pin	24	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
301	Planetree-London	30	<ul style="list-style-type: none"> <li>• Rib</li> <li>• Wound-root</li> </ul>
304	Planetree-London	41	<ul style="list-style-type: none"> <li>• Decay-Stem</li> <li>• Seam</li> </ul>
305	Linden-Littleleaf	11	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
306	Linden-Littleleaf	11	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Topping/heading cuts</li> </ul>
307	Linden-Littleleaf	10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
308	Linden-Littleleaf	8	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Decay-Stem</li> </ul>
317	Planetree-London	2	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
319	Honeylocust-Thornless Common	17	<ul style="list-style-type: none"> <li>• Overextended branch</li> </ul>
320	Maple-Red	9	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Broken branch(s)</li> </ul>
324	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Buried root collar</li> <li>• Girdling roots suspected</li> </ul>
325	Planetree-London	30	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Decay-Root</li> <li>• Growing against object</li> <li>• Overextended branch</li> </ul>
326	Magnolia	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Decay-Stem</li> <li>• Buried root collar</li> </ul>
327	Planetree-London	35	<ul style="list-style-type: none"> <li>• Rib</li> <li>• Overextended branch</li> <li>• Sidewalk lifting-minor</li> </ul>
328	Magnolia	9	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
333	Magnolia	6	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
335	Magnolia	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
336	Magnolia	4	<ul style="list-style-type: none"> <li>• Lean</li> </ul>
337	Magnolia	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
338	Planetree-London	32	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> </ul>
339	Magnolia	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
340	Magnolia	2	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Wound-stem</li> </ul>
349	Planetree-London	33	<ul style="list-style-type: none"> <li>• Rib</li> <li>• Wound-root</li> <li>• Dead branches &gt;2</li> </ul>
350	Planetree-London	33	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Dead branches &gt;2</li> </ul>
351	Magnolia	7	<ul style="list-style-type: none"> <li>• Crack-stem</li> </ul>
363	Maple-Sugar	31	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Cavity-branch</li> <li>• Co-dominant leaders</li> <li>• Uneven crown</li> <li>• Crack-stem</li> <li>• Wound-root flare</li> </ul>
364	Maple-Red	17	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Sidewalk lifting-minor</li> </ul>
365	Maple-Sugar	27	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
367	Maple-Red	17	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
368	Tupelo-Black	21	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Sidewalk lifting-minor</li> </ul>
369	Maple-Red	17	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-root flare</li> <li>• Co-dominant leaders</li> <li>• Poor branch structure</li> <li>• Sidewalk lifting-minor</li> </ul>
372	Oak-Pin	18	<ul style="list-style-type: none"> <li>• Sidewalk lifting-major</li> <li>• Girdling roots present</li> </ul>
373	Oak-Pin	12	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
375	Maple-Norway	13	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Girdling roots present</li> </ul>
377	Maple-Norway	16	<ul style="list-style-type: none"> <li>• Girdling roots present</li> </ul>
378	Maple-Norway	15	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Girdling roots present (moderate)</li> </ul>
379	Maple-Norway	12	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
381	Maple-Red	36	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Dead branches &gt;2</li> <li>• Dieback</li> </ul>
382	Maple-Red	14	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
383	Maple-Red	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
388	Maple-Red	19	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Co-dominant leaders</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
390	Maple-Norway	26	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Overextended branch</li> <li>• Pavement/curbing damage</li> </ul>
392	Hackberry	5	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Wound-branch</li> </ul>
402	Crabapple	9	<ul style="list-style-type: none"> <li>• Girdling roots present</li> </ul>
404	Katsuratree	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
406	Yellowwood	17,13	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Wound-stem</li> </ul>
410	Katsuratree	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
411	Katsuratree	1	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
416	Cherry	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
417	Cherry	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
422	Parrotia-Persian	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
423	Smoketree-Common	3	<ul style="list-style-type: none"> <li>• Crack-stem</li> </ul>
424	Parrotia-Persian	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
428	Lilac-Japanese Tree	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Soil heaving</li> </ul>
429	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
430	Pear-Callery	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Topping/heading cuts</li> </ul>
431	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
432	Pear-Callery	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
433	Pear-Callery	9	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
434	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
435	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
436	Cherry	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
439	Pear-Callery	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
440	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
441	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
442	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
443	Parrotia-Persian	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
444	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Poor branch structure</li> </ul>
446	Pear-Callery	18	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Cavity-root flare</li> </ul>
447	Pear-Callery	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
448	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
449	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
450	Pear-Callery	14	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
451	Pear-Callery	16	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> <li>• Wound-branch</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
452	Planetree-London	22	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dieback</li> </ul>
453	Pear-Callery	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
456	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Poor branch structure</li> </ul>
457	Planetree-London	25	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
458	Pear-Callery	9	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Poor branch structure</li> </ul>
459	Planetree-London	29	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Sidewalk lifting-minor</li> </ul>
460	Pear-Callery	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
461	Planetree-London	32	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Sidewalk lifting-minor</li> </ul>
462	Maple-Red	16	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Girdling roots present</li> </ul>
463	Planetree-London	31	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
465	Pear-Callery	10	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
466	Planetree-London	36	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Broken branch(s)</li> </ul>
467	Planetree-London	28	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
468	Planetree-London	30	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Dead branches &gt;2</li> </ul>
469	Pear-Callery	16	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
470	Horsechestnut-Common	26	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Sidewalk lifting-minor</li> <li>• Wound-root</li> </ul>
471	Horsechestnut-Common	30	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
472	Horsechestnut-Common	28	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dead branches &gt;2</li> </ul>
474	Horsechestnut-Common	26	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
480	Horsechestnut-Common	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
481	Horsechestnut-Common	6	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
483	Horsechestnut-Common	5	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
484	Horsechestnut-Common	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
489	Horsechestnut-Common	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
491	Horsechestnut-Common	4	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
492	Horsechestnut-Common	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
493	Horsechestnut-Common	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
494	Horsechestnut-Common	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
497	Horsechestnut-Common	10	• Co-dominant leaders
499	Horsechestnut-Common	12	• Girdling roots present
500	Horsechestnut-Common	39	• Wound-stem • Sidewalk lifting-minor
501	Horsechestnut-Common	2	• Wound-stem
502	Horsechestnut-Common	38	• Decay-Stem • Dead branches >2
503	Horsechestnut-Common	27	• Girdling roots present
504	Horsechestnut-Common	24	• Dead branches >2
506	Horsechestnut-Common	27	• Cavity-stem • Dead branches >2
508	Katsuratree	12	• Co-dominant leaders
512	Maple-Norway	14	• Broken branch(s) • Dead branches <=2
513	Planetree-London	34	• Fungi/conks • Sidewalk lifting-minor
514	Katsuratree	26	• Co-dominant stems
515	Katsuratree	23	• Dead branches <=2
517	Planetree-London	16	• Dead branches <=2 • Sidewalk lifting-major
518	Planetree-London	15	• Sidewalk lifting-minor
519	Planetree-London	11	• Dead branches <=2
520	Planetree-London	31	• Cavity-branch
521	Planetree-London	30	• Wound-stem • Cavity-branch
522	Planetree-London	31	• Cavity-stem • Cavity-branch
525	Planetree-London	25	• Sidewalk lifting-minor
526	Planetree-London	27	• Dead branches >2
527	Planetree-London	36	• Cavity-stem
530	Pear-Callery	13	• Poor branch structure • Co-dominant leaders
531	Pear-Callery	11	• Poor branch structure
533	Pear-Callery	12	• Poor branch structure • Topping/heading cuts
536	Katsuratree	5	• Wound-stem
537	Pear-Callery	18	• Topping/heading cuts • Flush cuts • Girdling roots present
538	Pear-Callery	14	• Wound-stem
539	Pear-Callery	11	• Poor branch structure
540	Pear-Callery	5	• Poor branch structure
541	Katsuratree	12	• Wound-stem
551	Maple-Red	2	• Broken branch(s)
553	Oak-Shingle	14	• Suppressed

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
569	Cherry	2	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Soil heaving</li> </ul>
570	Smoketree-Common	8	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
577	Sweetgum	16	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
578	Maple-Sugar	33	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Cavity-stem</li> </ul>
580	Yellowwood	10	<ul style="list-style-type: none"> <li>• Co-dominant stems</li> <li>• already a brace rod</li> </ul>
582	Serviceberry	1	<ul style="list-style-type: none"> <li>• Soil heaving</li> </ul>
584	Oak-Pin	19	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
585	Maple-Norway	18	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Sidewalk lifting-minor</li> <li>• Girdling roots present</li> </ul>
587	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Co-dominant stems</li> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
588	Pear-Callery	14	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Co-dominant stems</li> <li>• Poor branch structure</li> </ul>
589	Oak-Pin	19	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
590	Dogwood-Corneliancherry	2	<ul style="list-style-type: none"> <li>• Soil heaving</li> </ul>
595	Honeylocust-Thornless Common	11	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
596	Honeylocust-Thornless Common	12	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
597	Honeylocust-Thornless Common	10	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
601	Honeylocust-Thornless Common	20	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
616	Crabapple	12	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
617	Crabapple	17	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
618	Crabapple	9	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
622	Crabapple	12	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
625	Crabapple	12	<ul style="list-style-type: none"> <li>• Wound-branch</li> </ul>
628	Buckeye/Horsechestnut	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
630	Buckeye/Horsechestnut	5	<ul style="list-style-type: none"> <li>• Crack-branch</li> </ul>
635	Buckeye/Horsechestnut	3	<ul style="list-style-type: none"> <li>• Butt swell</li> </ul>
638	Buckeye/Horsechestnut	6	<ul style="list-style-type: none"> <li>• Crack-branch</li> </ul>
643	Buckeye/Horsechestnut	8	<ul style="list-style-type: none"> <li>• Co-dominant stems</li> </ul>
647	Maple-Red	13	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
650	Maple-Norway	24	<ul style="list-style-type: none"> <li>• Hanger</li> <li>• Dead branches &lt;=2</li> </ul>
652	Maple-Red	7	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
655	Cherry	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
657	Maple-Red	18	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
659	Pear-Callery	12	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
660	Maple-Norway	11	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
663	Cherry	11	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
668	Maple-Norway	29	• Dead branches >2
671	Maple-Red	20	• Sidewalk lifting-minor
676	Parrotia-Persian	1	• Soil heaving
677	Parrotia-Persian	1	• Soil heaving • Lean
679	Elm	7	• Sidewalk lifting-minor
682	Parrotia-Persian	2	• Soil heaving
685	Parrotia-Persian	3	• Soil heaving
693	Filbert-Turkish	4	• Wound-root flare • Topping/heading cuts • Wound-stem
697	Honeylocust-Thornless Common	20	• Dead branches >2
698	Pagodatree-Japanese	20	• Topping/heading cuts
699	Pagodatree-Japanese	24	• Topping/heading cuts • Low live crown ratio • Dieback
703	Elm	8	• Topping/heading cuts
704	Pagodatree-Japanese	25	• Topping/heading cuts • Dead branches >2
705	Elm	10	• Topping/heading cuts • Broken branch(s)
709	Maple-Red	9	• Topping/heading cuts
713	Elm	12	• Girdling roots present • Wound-stem • Wound-root
715	Elm	13	• Co-dominant leaders
717	Pagodatree-Japanese	13	• Fungi/conks • Wound-stem • Wound-root flare
718	Cherry	8	• Crack-stem
723	Pagodatree-Japanese	9	• Wound-stem • Wound-branch
726	Elm	15	• Wound-stem
729	Pagodatree-Japanese	19	• Topping/heading cuts
731	Elm	13	• Wound-root
732	Pagodatree-Japanese	6	• Wound-branch
734	Pagodatree-Japanese	16	• Wound-stem • Suppressed • Dead branches <=2
735	Pagodatree-Japanese	12	• Wound-branch
748	Oak-Pin	14	• Dieback • Dead branches <=2
749	Oak-Pin	10	• Co-dominant leaders
750	Pear-Callery	6	• Dieback

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
751	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Dieback</li> <li>• Dead branches &lt;=2</li> </ul>
752	Oak-Pin	11	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
753	Oak-Pin	13	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Hanger</li> </ul>
755	Oak-Pin	20	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
756	Filbert-Turkish	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
758	Filbert-Turkish	4	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
774	Parrotia-Persian	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Soil heaving</li> </ul>
781	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
782	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
785	Maple-Red	18	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &gt;2</li> </ul>
786	Elm	11	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
787	Elm	10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
791	Cherry	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
793	Yellowwood	7	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
795	Cherry	5	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
797	Yellowwood	10	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
798	Yellowwood	10	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
800	Cherry	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
801	Oak-Pin	21	<ul style="list-style-type: none"> <li>• Uneven crown</li> </ul>
805	Linden	12	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Growing against object</li> </ul>
806	Goldenraintree-Panicled	7	<ul style="list-style-type: none"> <li>• Buried root collar</li> </ul>
807	Rubber Tree-Hardy	14	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Included bark</li> </ul>
810	Sycamore-American	42	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Girdling roots present</li> </ul>
811	Goldenraintree-Panicled	12	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>
812	Goldenraintree-Panicled	6	<ul style="list-style-type: none"> <li>• Uneven crown</li> </ul>
813	Goldenraintree-Panicled	13	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
814	Maple-Norway	14	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Girdling roots present</li> <li>• Buried root collar</li> </ul>
815	Maple-Tatarian	9	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
816	Maple-Tatarian	8	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Seam</li> <li>• Buried root collar</li> </ul>
817	Maple-Tatarian	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
818	Maple-Tatarian	6	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Cavity-stem</li> </ul>
819	Maple-Tatarian	9	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Uneven crown</li> </ul>
820	Maple-Tatarian	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> <li>• Seam</li> <li>• Topping/heading cuts</li> </ul>
821	Hackberry	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
822	Maple-Tatarian	6	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Wound-branch</li> </ul>
823	Maple-Tatarian	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Seam</li> </ul>
824	Maple-Tatarian	5	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
825	Maple-Tatarian	8	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Girdling roots present</li> </ul>
826	Maple-Tatarian	8	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
827	Maple-Tatarian	7	<ul style="list-style-type: none"> <li>• Lean</li> </ul>
828	Maple-Tatarian	7	<ul style="list-style-type: none"> <li>• Seam</li> </ul>
829	Maple-Tatarian	5	<ul style="list-style-type: none"> <li>• Buried root collar</li> <li>• Wound-stem</li> </ul>
831	Elm-Chinese	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
832	Elm-Chinese	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
833	Elm-Chinese	6	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
834	Cherry	3	<ul style="list-style-type: none"> <li>• Buried root collar</li> </ul>
835	Cherry	2	<ul style="list-style-type: none"> <li>• Buried root collar</li> </ul>
837	Mountain Ash-Korean	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
838	Mountain Ash-Korean	10	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Topping/heading cuts</li> </ul>
839	Mountain Ash-Korean	11	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
840	Crabapple	6	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
841	Elm-Chinese	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Wound-root flare</li> <li>• Butt swell</li> </ul>
842	Elm-Chinese	10	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Uneven crown</li> <li>• Topping/heading cuts</li> </ul>
843	Elm-Chinese	8	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Topping/heading cuts</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
844	Maple-Norway	11	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Poor branch structure</li> <li>• Wound-stem</li> </ul>
845	Elm-Chinese	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
847	Crabapple	3	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
848	Dogwood-Corneliancherry	2	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
849	Maple-Hedge	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
850	Maple-Hedge	5	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
851	Maple-Sugar	30	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Co-dominant leaders</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> </ul>
853	Maple-Norway	10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Girdling roots present</li> <li>• Uneven crown</li> </ul>
855	Maple-Hedge	6	<ul style="list-style-type: none"> <li>• Seam</li> </ul>
856	Maple-Norway	14	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Co-dominant leaders</li> <li>• Girdling roots present</li> </ul>
860	Mountain Ash-Korean	10	<ul style="list-style-type: none"> <li>• Lean</li> </ul>
861	Birch-River	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
862	Birch-River	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
863	Linden-Littleleaf	6	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
867	Baldcypress-Common	17	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
868	Baldcypress-Common	19	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
869	Ginkgo	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Poor branch structure</li> <li>• Included bark</li> </ul>
870	Linden-American	6	<ul style="list-style-type: none"> <li>• Butt swell</li> <li>• Poor branch structure</li> </ul>
871	Horsechestnut-Common	2	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
872	Maple-Silver	36	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Co-dominant leaders</li> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> </ul>
874	Linden-American	16	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
875	Linden-American	18	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
876	Baldcypress-Common	18	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
878	Baldcypress-Common	20	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
879	Elm	11	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Sidewalk lifting-minor</li> </ul>
882	Tupelo-Black	3	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
883	Maple-Norway	28	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Cavity-branch</li> <li>• Co-dominant leaders</li> <li>• Girdling roots present</li> </ul>
884	Maple-Norway	32	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Cavity-branch</li> <li>• Co-dominant stems</li> <li>• Crack-branch</li> <li>• Crack-stem</li> <li>• Seam</li> </ul>
886	Maple-Norway	22	<ul style="list-style-type: none"> <li>• Rib</li> <li>• Crack-stem</li> <li>• Cavity-Suspected</li> <li>• Wound-root</li> </ul>
890	Maple-Norway	12	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Wound-stem</li> <li>• Metal bar in base of tree</li> </ul>
891	Crabapple	13	<ul style="list-style-type: none"> <li>• Lean</li> </ul>
894	Maple-Tatarian	9	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Co-dominant leaders</li> </ul>
895	Maple-Norway	21	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> </ul>
896	Crabapple	6	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
897	Maple-Norway	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Buried root collar</li> </ul>
898	Maple-Norway	8	<ul style="list-style-type: none"> <li>• Buried root collar</li> <li>• Topping/heading cuts</li> </ul>
901	Maple-Norway	17	<ul style="list-style-type: none"> <li>• Cavity-root</li> <li>• Wound-stem</li> <li>• Wound-root flare</li> </ul>
902	Filbert-Turkish	6	<ul style="list-style-type: none"> <li>• Seam</li> </ul>
904	Oak-Pin	30	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Fungi/conks</li> <li>• Decay-Root</li> </ul>
906	Horsechestnut-Common	25	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Pavement/curbing damage</li> </ul>
908	Oak-Northern Red	21	<ul style="list-style-type: none"> <li>• Uneven crown</li> </ul>
909	Oak-Pin	22	<ul style="list-style-type: none"> <li>• Overextended branch</li> <li>• Pavement/curbing damage</li> <li>• Lean</li> </ul>
912	Serviceberry	5	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Wound-stem</li> </ul>
914	Oak-Shingle	15	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
919	Oak-Shingle	14	<ul style="list-style-type: none"> <li>• Uneven crown</li> </ul>
921	Oak-Shingle	13	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Uneven crown</li> </ul>
922	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
923	Pear-Callery	15	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
929	Yellowwood-American	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Butt swell</li> </ul>
930	Cherry	7	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Wound-root</li> </ul>
932	Yellowwood-American	5	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
937	Cherry	6	<ul style="list-style-type: none"> <li>• Buried root collar</li> <li>• Growing against object</li> </ul>
940	Cherry	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-branch</li> <li>• Butt swell</li> </ul>
941	Maple-Norway	14	<ul style="list-style-type: none"> <li>• Included bark</li> </ul>
942	Maple-Norway	21	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
945	Oak-Pin	21	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Lean</li> </ul>
952	Oak-Shingle	20	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> </ul>
954	Oak-Shingle	16	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Wound-root flare</li> </ul>
955	Serviceberry	3	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
956	Oak-Pin	26	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Rib</li> <li>• Pavement/curbing damage</li> <li>• Girdling roots present</li> </ul>
957	Maple-Norway	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
960	Serviceberry	6	<ul style="list-style-type: none"> <li>• Butt swell</li> <li>• Girdling roots present</li> <li>• Uneven crown</li> </ul>
962	Maple-Norway	17	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> </ul>
963	Maple-Norway	17	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Co-dominant leaders</li> <li>• Pavement/curbing damage</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
964	Maple-Norway	15	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Rib</li> <li>• Wound-branch</li> <li>• Dieback</li> <li>• Pavement/curbing damage</li> </ul>
966	Oak-Pin	32	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> <li>• Girdling roots present</li> <li>• Sidewalk lifting-minor</li> </ul>
967	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Wound-root</li> </ul>
968	Lilac-Japanese Tree	2	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
969	Lilac-Japanese Tree	2	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
972	Maple-Red	6	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
973	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Wound-root flare</li> <li>• Co-dominant leaders</li> </ul>
974	Oak-Pin	23	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Seam</li> <li>• Pavement/curbing damage</li> <li>• Crack</li> </ul>
975	Oak-Pin	17	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
976	Hophornbeam-American	4	<ul style="list-style-type: none"> <li>• Girdling material</li> </ul>
978	Maple-Sugar	36	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-root flare</li> <li>• Dieback</li> <li>• Decay-Stem</li> <li>• Dead branches &gt;2</li> </ul>
979	Oak-Pin	32	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
980	Oak-Pin	17	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> </ul>
982	Hornbeam-American	4	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>
983	Hornbeam-American	3	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
984	Maple-Norway	20	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Wound-stem</li> <li>• Wound-branch</li> <li>• Uneven crown</li> <li>• Cavity-branch</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
985	Maple-Sugar	24	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Uneven crown</li> </ul>
987	Oak-Pin	26	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Girdling roots present</li> <li>• Cavity-Suspected</li> </ul>
988	Lilac-Japanese Tree	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
989	Silverbell-Carolina	10	<ul style="list-style-type: none"> <li>• Sweep</li> <li>• Co-dominant leaders</li> </ul>
990	Hornbeam-American	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
991	Silverbell-Carolina	7	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
992	Silverbell-Carolina	4	<ul style="list-style-type: none"> <li>• Butt swell</li> </ul>
996	Linden	3	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
997	Oak-Pin	30	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> <li>• Wound-root</li> </ul>
999	Maple-Sugar	21	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Wound-root</li> </ul>
1000	Maple-Red	3	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Poor branch structure</li> </ul>
1001	Maple-Sugar	22	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Poor branch structure</li> <li>• Rib</li> <li>• Cavity-Suspected</li> <li>• Wound-root flare</li> </ul>
1003	Maple-Norway	24	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Rib</li> <li>• Wound-root</li> <li>• Cavity-branch</li> <li>• Dieback</li> <li>• Cavity-Suspected</li> </ul>
1004	Maple-Norway	24	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Wound-stem</li> <li>• Wound-root</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Dead branches &gt;2</li> </ul>
1005	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Poor branch structure</li> <li>• Wound-stem</li> </ul>
1007	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Uneven crown</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
1011	Oak-Pin	36	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> <li>• Sidewalk lifting-major</li> <li>• Wound-stem</li> </ul>
1012	Oak-Pin	26	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> <li>• Seam</li> <li>• Rib</li> <li>• Cavity-Suspected</li> </ul>
1013	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> <li>• Decay-Root flare</li> </ul>
1014	Oak-Pin	25	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Uneven crown</li> </ul>
1015	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1018	Oak-Pin	37	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1020	Oak-Pin	39	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Overextended branch</li> <li>• Cavity-stem</li> <li>• Cavity-branch</li> </ul>
1021	Oak-Pin	27	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Wound-root</li> <li>• Decay-Root</li> <li>• Uneven crown</li> </ul>
1023	Oak-Pin	27	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Sidewalk lifting-minor</li> <li>• Rib</li> <li>• Uneven crown</li> </ul>
1024	Oak-Pin	31	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Co-dominant leaders</li> <li>• Sidewalk lifting-minor</li> <li>• Pavement/curbing damage</li> </ul>
1025	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Wound-root flare</li> <li>• Wound-branch</li> <li>• Broken branch(s)</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
1026	Oak-Pin	36	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> <li>• Pavement/curbing damage</li> <li>• Wound-root flare</li> <li>• Cavity-root flare</li> <li>• Wound-stem</li> </ul>
1027	Oak-Pin	23	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Fungi/conks</li> <li>• Pavement/curbing damage</li> <li>• Lean</li> <li>• Wound-root</li> </ul>
1028	Oak-Pin	25	<ul style="list-style-type: none"> <li>• Cavity-branch</li> <li>• Wound-stem</li> <li>• Wound-root</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> <li>• Sidewalk lifting-minor</li> </ul>
1029	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Overextended branch</li> <li>• Uneven crown</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-major</li> </ul>
1030	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Overextended branch</li> </ul>
1033	Oak-Pin	31	<ul style="list-style-type: none"> <li>• Sidewalk lifting-major</li> <li>• Pavement/curbing damage</li> <li>• Wound-root</li> <li>• Co-dominant leaders</li> </ul>
1034	Oak-Pin	31	<ul style="list-style-type: none"> <li>• Sidewalk lifting-major</li> <li>• Pavement/curbing damage</li> <li>• Wound-root</li> <li>• Seam</li> </ul>
1035	Oak-Pin	34	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Sidewalk lifting-major</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1037	Oak-Pin	35	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Wound-root</li> <li>• Girdling roots present</li> </ul>
1038	Oak-Pin	35	<ul style="list-style-type: none"> <li>• Seam</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-major</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> <li>• Cavity-Suspected</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
1040	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> </ul>
1041	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Wound-root</li> <li>• Uneven crown</li> </ul>
1042	Oak-Northern Red	9	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> </ul>
1044	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Wound-root flare</li> </ul>
1046	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Uneven crown</li> <li>• Girdling roots present</li> </ul>
1047	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Uneven crown</li> <li>• Pavement/curbing damage</li> <li>• Wound-stem</li> <li>• Seam</li> </ul>
1048	Oak-Pin	26	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Wound-stem</li> <li>• Cavity-stem</li> </ul>
1049	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1050	Oak-Pin	24	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Pavement/curbing damage</li> </ul>
1051	Oak-Pin	23	<ul style="list-style-type: none"> <li>• Uneven crown</li> <li>• Butt swell</li> <li>• Wound-root flare</li> </ul>
1052	Oak-Pin	21	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> </ul>
1053	Oak-Pin	21	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Wound-stem</li> <li>• Lean</li> </ul>
1055	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1056	Oak-Northern Red	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1057	Oak-Pin	17	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Cavity-Suspected</li> <li>• Co-dominant leaders</li> <li>• Girdling roots present</li> </ul>
1058	Oak-Pin	21	<ul style="list-style-type: none"> <li>• Uneven crown</li> <li>• Sidewalk lifting-minor</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1059	Oak-Pin	33	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Girdling roots present</li> <li>• Cavity-branch</li> <li>• Included bark</li> </ul>
1062	Oak-Pin	38	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Pavement/curbing damage</li> <li>• Wound-branch</li> <li>• Co-dominant leaders</li> <li>• Dead branches &gt;2</li> </ul>
1063	Oak-Pin	31	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> </ul>
1065	Maple-Red	12	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1068	Maple-Red	9	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1069	Maple-Red	8	<ul style="list-style-type: none"> <li>• Wound-root</li> </ul>
1071	Maple-Red	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1072	Maple-Norway	12	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Poor branch structure</li> </ul>
1073	Maple-Sugar	5	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1075	Maple-Norway	23	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Girdling roots present</li> <li>• Cavity-branch</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1079	Maple-Sugar	4	<ul style="list-style-type: none"> <li>• Butt swell</li> <li>• Wound-stem</li> </ul>
1080	Maple-Sugar	5	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1081	Maple-Norway	20	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Wound-stem</li> <li>• Poor branch structure</li> <li>• Uneven crown</li> </ul>
1082	Maple-Norway	20	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> </ul>
1083	Maple-Norway	18	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Wound-stem</li> <li>• Rib</li> <li>• Co-dominant leaders</li> </ul>
1084	Maple-Norway	23	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Wound-stem</li> <li>• Poor branch structure</li> </ul>
1086	Silverbell-Carolina	2	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1087	Tuliptree	31	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1088	Maple-Sugar	4	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1091	Maple-Sugar	34	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Overextended branch</li> <li>• Included bark</li> <li>• Wound-branch</li> </ul>
1093	Linden-Silver	17	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1094	Mountain Ash-Korean	16	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1095	Linden-Silver	9	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1096	Pear-Callery	8	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Pavement/curbing damage</li> <li>• Poor branch structure</li> <li>• Lean</li> </ul>
1097	Pear-Callery	11	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Pavement/curbing damage</li> <li>• Lean</li> <li>• Poor branch structure</li> </ul>
1098	Elm	8	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1099	Elm	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> <li>• Wound-branch</li> <li>• Broken branch(s)</li> </ul>
1100	Maple-Norway	11	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Poor branch structure</li> <li>• Wound-stem</li> <li>• Wound-branch</li> <li>• Dead branches &gt;2</li> </ul>
1102	Planetree-London	26	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Rib</li> <li>• Dead branches &lt;=2</li> </ul>
1103	Yellowwood	15	<ul style="list-style-type: none"> <li>• Crack-branch</li> <li>• Dead branches &lt;=2</li> <li>• Cavity-root flare</li> </ul>
1104	Yellowwood	17	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Sidewalk lifting-minor</li> </ul>
1110	Parrotia-Persian	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Wound-stem</li> </ul>
1113	Parrotia-Persian	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1114	Parrotia-Persian	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1117	Ash-Green	12	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1118	Ash-Green	12	<ul style="list-style-type: none"> <li>• Butt swell</li> </ul>
1119	Ash-Green	12	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1120	Ash-Green	9	<ul style="list-style-type: none"> <li>• Butt swell</li> </ul>
1121	Ash-Green	12	<ul style="list-style-type: none"> <li>• Butt swell</li> <li>• Dead branches &lt;=2</li> </ul>
1122	Elm	13	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1124	Ash-Green	12	• Butt swell
1125	Ash-Green	13	• Dead branches <=2 • Girdling roots present
1126	Ash-Green	14	• Dead branches <=2 • Girdling roots present
1127	Yellowwood	13	• Dead branches <=2
1128	Maple-Norway	25	• Wound-branch
1129	Yellowwood	13	• Wound-root flare • Wound-stem • Cavity-stem
1132	Yellowwood	4	• Wound-root flare
1133	Yellowwood	6	• Wound-root flare
1134	Yellowwood	6	• Wound-root flare
1137	Yellowwood	12	• Dead branches <=2
1139	Yellowwood	18	• Crack-stem • Dead branches <=2
1140	Planetree-London	32	• Hanger • Dead branches >2
1141	Yellowwood	12	• Dead branches <=2 • Hanger
1142	Maple-Red	17	• Dead branches <=2 • Hanger
1145	Yellowwood	8	• Dead branches <=2
1146	Sweetgum	19	• Dead branches <=2 • Hanger
1149	Maple-Red	18	• Dead branches >2 • Co-dominant stems
1150	Maple-Red	17	• Co-dominant leaders • Dead branches <=2
1151	Maple-Red	10	• Co-dominant leaders
1154	Maple-Red	4	• Topping/heading cuts
1155	Pear-Callery	3	• Poor branch structure • Topping/heading cuts
1156	Pear-Callery	3	• Poor branch structure • Topping/heading cuts
1158	Maple-Red	3	• Topping/heading cuts
1159	Maple-Red	4	• Topping/heading cuts
1160	Oak-Pin	25	• Dead branches <=2 • Sidewalk lifting-minor
1164	Oak-Pin	23	• Sidewalk lifting-minor
1166	Oak-Pin	39	• Overextended branch • Girdling roots present
1169	Oak-Pin	14	• Sidewalk lifting-minor
1170	Oak-Pin	23	• Dead branches <=2

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1172	Oak-Pin	31	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Seam</li> <li>• Dead branches &lt;=2</li> </ul>
1173	Oak-Pin	20	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
1174	Oak-Pin	25	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1175	Oak-Pin	23	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Low live crown ratio</li> </ul>
1181	Lilac-Japanese Tree	5	<ul style="list-style-type: none"> <li>• Butt swell</li> </ul>
1182	Oak-Pin	34	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Sidewalk lifting-minor</li> <li>• Cavity-Suspected</li> </ul>
1183	Lilac-Japanese Tree	3	<ul style="list-style-type: none"> <li>• Soil heaving</li> </ul>
1184	Lilac-Japanese Tree	6	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Wound-stem</li> </ul>
1186	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Cavity-Suspected</li> </ul>
1187	Lilac-Japanese Tree	7	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
1188	Oak-Pin	30	<ul style="list-style-type: none"> <li>• Overextended branch</li> </ul>
1194	Hophornbeam-American	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1196	Cherry	11	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1197	Maple-Sugar	25	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Girdling roots present</li> </ul>
1198	Maple-Sugar	21	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1199	Cherry	6	<ul style="list-style-type: none"> <li>• Co-dominant stems</li> </ul>
1200	Ginkgo	2	<ul style="list-style-type: none"> <li>• Lean</li> </ul>
1201	Serviceberry	6	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Topping/heading cuts</li> </ul>
1202	Serviceberry	9	<ul style="list-style-type: none"> <li>• Overextended branch</li> <li>• Topping/heading cuts</li> </ul>
1203	Serviceberry	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Topping/heading cuts</li> </ul>
1209	Cherry	9	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1214	Pear-Callery	3	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
1220	Maple-Norway	19	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1225	Planetree-London	39	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Rib</li> <li>• Seam</li> <li>• Hanger</li> <li>• Sidewalk lifting-minor</li> </ul>
1226	Planetree-London	37	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Cavity-Suspected</li> <li>• Seam</li> <li>• Rib</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1227	Planetree-London	32	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Cavity-Suspected</li> </ul>
1228	Maple-Sugar	21	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Corrected lean</li> </ul>
1229	Planetree-London	25	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Wound-stem</li> <li>• Cavity-Suspected</li> <li>• Cavity-branch</li> </ul>
1230	Planetree-London	44	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Overextended branch</li> </ul>
1231	Planetree-London	37	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> <li>• Overextended branch</li> </ul>
1232	Planetree-London	31	<ul style="list-style-type: none"> <li>• Lean</li> </ul>
1233	Planetree-London	32	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Hanger</li> <li>• Seam</li> </ul>
1236	Oak-Northern Red	10	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
1239	Maple-Sugar	12	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1240	Maple-Sugar	10	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1246	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>
1247	Maple-Red	13	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Sidewalk lifting-minor</li> </ul>
1248	Oak-Northern Red	12	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
1249	Pear-Callery	15	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Sidewalk lifting-major</li> <li>• Wound-stem</li> </ul>
1251	Honeylocust-Thornless Common	8	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
1252	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
1253	Fringetree-Chinese	4	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Soil heaving</li> </ul>
1254	Mountain Ash-Korean	8	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
1255	Honeylocust-Thornless Common	6	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1257	Fringetree-Chinese	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1259	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
1260	Sycamore-American	32	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &gt;2</li> </ul>
1261	Sycamore-American	26	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &lt;=2</li> <li>• Dieback (moderate)</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
1262	Sycamore-American	26	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dieback</li> </ul>
1263	Sycamore-American	27	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Fungi/conks</li> <li>• Dieback</li> <li>• Low live crown ratio</li> <li>• Cavity-Suspected</li> </ul>
1264	Sycamore-American	32	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &gt;2</li> <li>• Dieback</li> </ul>
1265	Cherry	9	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1266	Cherry	4	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1267	Serviceberry	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1271	Linden-Littleleaf	22	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> <li>• Wound-stem</li> <li>• Cavity-Suspected</li> </ul>
1272	Linden-Littleleaf	18	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Topping/heading cuts</li> </ul>
1273	Linden-Littleleaf	17	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1274	Linden-Littleleaf	20	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Sidewalk lifting-minor</li> </ul>
1275	Linden-Littleleaf	16	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1276	Linden-Littleleaf	17	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Dead branches &lt;=2</li> </ul>
1277	Linden-Littleleaf	16	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
1278	Linden-Littleleaf	21	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Dead branches &gt;2</li> <li>• Sidewalk lifting-major</li> <li>• Cavity-Suspected</li> </ul>
1279	Linden-Littleleaf	17	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1280	Maple-Norway	10	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
1281	Maple-Norway	20	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Wound-stem</li> </ul>
1289	Maple-Sugar	29	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1291	Yellowwood	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Suppressed</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1292	Yellowwood	15	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Crack-branch</li> <li>• Lean</li> <li>• Dead branches &gt;2</li> </ul>
1293	Yellowwood	5	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Suppressed</li> </ul>
1294	Maple-Red	16	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Lean</li> <li>• Co-dominant leaders</li> </ul>
1296	Yellowwood	16	<ul style="list-style-type: none"> <li>• Crack-branch</li> <li>• Crack-branch</li> <li>• Crack-stem</li> </ul>
1298	Yellowwood	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1299	Yellowwood	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1301	Yellowwood	9	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Co-dominant leaders</li> </ul>
1303	Yellowwood	12	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1304	Yellowwood	17	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1305	Yellowwood	16	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1307	Yellowwood	16	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Cavity-branch</li> </ul>
1308	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1310	Yellowwood	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1312	Yellowwood	9	<ul style="list-style-type: none"> <li>• Wound-root flare</li> </ul>
1314	Yellowwood	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1316	Yellowwood	7	<ul style="list-style-type: none"> <li>• Crack-branch</li> </ul>
1318	Yellowwood	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1319	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
1320	Yellowwood	8	<ul style="list-style-type: none"> <li>• Wound-branch</li> </ul>
1322	Linden-Littleleaf	16	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Topping/heading cuts</li> </ul>
1323	Linden-Littleleaf	20	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Topping/heading cuts</li> </ul>
1324	Pear-Callery	10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1326	Yellowwood	13	<ul style="list-style-type: none"> <li>• Crack-branch</li> </ul>
1327	Lilac-Japanese Tree	5	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1329	Yellowwood	9	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Crack-stem</li> <li>• Topping/heading cuts</li> </ul>
1330	Yellowwood	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1331	Maple-Norway	21	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1332	Maple-Norway	9	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1333	Lilac-Japanese Tree	5	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
1336	Lilac-Japanese Tree	6	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1337	Lilac-Japanese Tree	9	• Dead branches <=2
1338	Lilac-Japanese Tree	6	• Wound-stem • Topping/heading cuts
1339	Lilac-Japanese Tree	7	• Dieback • Topping/heading cuts
1340	Lilac-Japanese Tree	6	• Broken branch(s)
1345	Sweetgum	15	• Dead branches <=2
1346	Sweetgum	15	• Dead branches <=2
1347	Linden-Silver	13	• Included bark • Sidewalk lifting-minor • Topping/heading cuts
1348	Linden-Silver	14	• Sidewalk lifting-minor • Topping/heading cuts
1349	Ash-Green	9	• Dead branches <=2
1351	Ash-Green	10	• Dead branches <=2
1353	Hackberry	2	• Wound-branch
1354	Ash-Green	17	• Dead branches <=2
1355	Ash-Green	13	• Broken branch(s) • Sidewalk lifting-major
1356	Ash-Green	14	• Dead branches <=2 • Sidewalk lifting-minor
1357	Ash-Green	11	• Dead branches <=2
1358	Ash-Green	16	• Dead branches <=2
1359	Ash-Green	13	• Dead branches <=2
1362	Ash-Green	13	• Dead branches <=2 • Sidewalk lifting-minor
1363	Ash-Green	15	• Dead branches <=2
1364	Ash-Green	19	• Dead branches <=2
1365	Ash-Green	20	• Dead branches >2
1366	Ash-Green	17	• Dead branches <=2
1367	Ash-Green	14	• Dead branches >2
1368	Ash-Green	14	• Dead branches <=2
1369	Ash-Green	14	• Dead branches <=2
1370	Ash-Green	14	• Wound-stem • Dead branches <=2
1371	Ash-Green	17	• Dead branches <=2
1372	Ash-Green	14	• Broken branch(s) • Dead branches <=2 • Sidewalk lifting-minor
1373	Hackberry	3	• Wound-stem
1375	Ash-Green	18	• Dead branches <=2
1376	Ash-Green	16	• Dead branches <=2
1377	Ash-Green	16	• Dead branches <=2
1378	Ash-Green	16	• Dead branches <=2 • Broken branch(s)

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1380	Ash-Green	16	• Dead branches <=2
1381	Ash-Green	16	• Dead branches <=2
1383	Ash-Green	16	• Dead branches <=2
1384	Maple-Red	4	• Wound-stem • Dieback (severe)
1385	Ash-Green	10	• Co-dominant leaders
1388	Ash-Green	5	• Broken branch(s)
1391	Ash-Green	9	• Co-dominant leaders • Dead branches <=2
1393	Linden-American	4	• Co-dominant leaders
1397	Linden-American	3	• Wound-stem
1401	Maple-Norway	13	• Co-dominant leaders • Broken branch(s) • Poor branch structure
1402	Maple-Norway	14	• Pavement/curbing damage • Poor branch structure • Broken branch(s) • Co-dominant leaders
1403	Maple-Norway	8	• Wound-stem • Co-dominant leaders
1404	Cherry	20	• Overextended branch • Co-dominant leaders • Pavement/curbing damage • Sidewalk lifting-minor • Included bark • Wound-branch
1405	Horsechestnut-Common	3	• Poor branch structure
1406	Maple-Sugar	12	• Poor branch structure • Overextended branch
1407	Katsuratree	21	• Dieback • Dead branches >2 • Wound-branch • Poor branch structure • Co-dominant leaders
1408	Maple-Red	7	• Wound-stem • Wound-root flare • Poor branch structure • Co-dominant leaders
1409	Ginkgo	2	• Wound-stem
1410	Ginkgo	2	• Lean • Wound-stem
1412	Ginkgo	2	• Lean
1417	Ginkgo	10	• Broken branch(s)
1419	Ginkgo	2	• Lean
1425	Ginkgo	3	• Wound-stem

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1427	Katsuratree	21	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Uneven crown</li> <li>• Rib</li> <li>• Wound-stem</li> </ul>
1428	Cherry	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Decay-Stem</li> <li>• Wound-branch</li> </ul>
1429	Katsuratree	12	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Uneven crown</li> <li>• Wound-branch</li> </ul>
1430	Parrotia-Persian	5	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-root flare</li> <li>• Wound-branch</li> </ul>
1431	Pear-Callery	19	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Uneven crown</li> <li>• Poor branch structure</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> </ul>
1432	Pear-Callery	19	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1433	Pear-Callery	19	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Co-dominant leaders</li> <li>• Sidewalk lifting-minor</li> <li>• Included bark</li> </ul>
1434	Sycamore-American	26	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
1435	Sycamore-American	28	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> </ul>
1436	Sycamore-American	39	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Cavity-stem</li> </ul>
1437	Sycamore-American	34	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Broken branch(s)</li> <li>• Dead branches &gt;2</li> </ul>
1438	Sycamore-American	30	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Dead branches &gt;2</li> </ul>
1439	Sycamore-American	26	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1441	Planetree-London	28	<ul style="list-style-type: none"> <li>• Cavity-root flare</li> <li>• Cavity-stem</li> <li>• Lean</li> <li>• Rib</li> <li>• Seam</li> </ul>
1443	Planetree-London	39	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Rib</li> <li>• Cavity-Suspected</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1444	Lilac-Japanese Tree	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1445	Maple-Sugar	7	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Wound-stem</li> <li>• Dead branches &gt;2</li> <li>• Dieback</li> </ul>
1449	Sycamore-American	30	<ul style="list-style-type: none"> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-minor</li> <li>• Overextended branch</li> <li>• Lean</li> <li>• Wound-root flare</li> <li>• Dead branches &gt;2</li> </ul>
1450	Linden-Silver	11	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
1451	Pear-Callery	14	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1452	Sycamore-American	34	<ul style="list-style-type: none"> <li>• Overextended branch</li> <li>• Pavement/curbing damage</li> <li>• Cavity-Suspected</li> <li>• Rib</li> <li>• Seam</li> </ul>
1453	Pear-Callery	9	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1454	Sycamore-American	32	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Crack-stem</li> <li>• Rib</li> <li>• Sidewalk lifting-major</li> <li>• Cavity-root flare</li> </ul>
1455	Sycamore-American	32	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-major</li> <li>• Wound-root</li> </ul>
1456	Pear-Callery	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Wound-branch</li> <li>• Included bark</li> </ul>
1461	Sycamore-American	38	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Sidewalk lifting-minor</li> <li>• Pavement/curbing damage</li> <li>• Co-dominant leaders</li> </ul>
1463	Pear-Callery	10	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Co-dominant leaders</li> <li>• Poor branch structure</li> <li>• Included bark</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
1464	Pear-Callery	9	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1465	Pear-Callery	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Poor branch structure</li> <li>• Topping/heading cuts</li> </ul>
1466	Pear-Callery	11	<ul style="list-style-type: none"> <li>• Sidewalk lifting-major</li> <li>• Topping/heading cuts</li> <li>• Poor branch structure</li> </ul>
1469	Parrotia-Persian	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1470	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1471	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> <li>• Topping/heading cuts</li> </ul>
1472	Pear-Callery	10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1473	Snowbell	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1474	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1475	Serviceberry	5	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1476	Pear-Callery	14	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Co-dominant leaders</li> <li>• Wound-stem</li> <li>• Topping/heading cuts</li> </ul>
1477	Pear-Callery	12	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Included bark</li> </ul>
1478	Pear-Callery	14	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> <li>• Topping/heading cuts</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1479	Serviceberry	3	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Wound-stem</li> <li>• Co-dominant leaders</li> </ul>
1480	Serviceberry	3	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Broken branch(s)</li> </ul>
1481	Serviceberry	2	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Wound-stem</li> </ul>
1482	Serviceberry	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> </ul>
1483	Serviceberry	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> </ul>
1484	Serviceberry	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>

<b>Tree ID</b>	<b>Common Name</b>	<b>DBH</b>	<b>Defect(s) or Observation(s)</b>
1485	Serviceberry	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1486	Maackia-Amur	12	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1487	Maackia-Amur	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1488	Maackia-Amur	6	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Broken branch(s)</li> </ul>
1489	Maackia-Amur	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1490	Elm	6	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1492	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1493	Pear-Callery	13	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1494	Buckeye/Horsechestnut	3	<ul style="list-style-type: none"> <li>• Butt swell</li> </ul>
1495	Buckeye/Horsechestnut	3	<ul style="list-style-type: none"> <li>• Butt swell</li> <li>• Wound-root flare</li> </ul>
1496	Oak-Swamp White	10	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1501	Parrotia-Persian	2	<ul style="list-style-type: none"> <li>• Wound-branch</li> </ul>
1502	Parrotia-Persian	2	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1503	Parrotia-Persian	2	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1504	Parrotia-Persian	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1505	Sycamore-American	30	<ul style="list-style-type: none"> <li>• Cavity-Suspected</li> <li>• Pavement/curbing damage</li> <li>• Topping/heading cuts</li> <li>• Wound-branch</li> </ul>
1506	Parrotia-Persian	2	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Buried root collar</li> </ul>
1507	Pear-Callery	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>
1508	Sycamore-American	31	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Crack</li> <li>• Decay-Stem</li> <li>• Pavement/curbing damage</li> <li>• Sidewalk lifting-major</li> </ul>
1509	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>
1510	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1511	Sycamore-American	32	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Pavement/curbing damage</li> <li>• Rib</li> <li>• Wound-stem</li> <li>• Topping/heading cuts</li> </ul>
1514	Lilac-Japanese Tree	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1515	Lilac-Japanese Tree	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dead branches &gt;2</li> <li>• Co-dominant leaders</li> </ul>
1516	Lilac-Japanese Tree	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Included bark</li> </ul>
1517	Lilac-Japanese Tree	7	<ul style="list-style-type: none"> <li>• Girdling roots present</li> <li>• Co-dominant leaders</li> </ul>
1518	Lilac-Japanese Tree	8	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Wound-root</li> </ul>
1519	Lilac-Japanese Tree	6	<ul style="list-style-type: none"> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1520	Lilac-Japanese Tree	5	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1521	Linden	16	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Girdling roots present</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> <li>• Sidewalk lifting-minor</li> </ul>
1522	Linden	14	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Co-dominant leaders</li> <li>• Girdling roots present</li> </ul>
1523	Linden	9	<ul style="list-style-type: none"> <li>• Wound-root</li> <li>• Wound-root flare</li> <li>• Poor branch structure</li> </ul>
1524	Linden	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1525	Linden	9	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> <li>• Buried root collar</li> </ul>
1526	Linden	13	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Co-dominant leaders</li> <li>• Included bark</li> </ul>
1527	Linden	11	<ul style="list-style-type: none"> <li>• Girdling roots present (severe)</li> <li>• Wound-root</li> <li>• Poor branch structure</li> <li>• Co-dominant leaders</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1528	Linden	17	<ul style="list-style-type: none"> <li>• Girdling roots present (severe)</li> <li>• Wound-stem</li> <li>• Cavity-branch</li> <li>• Included bark</li> <li>• Co-dominant leaders</li> </ul>
1533	Cherry	9	<ul style="list-style-type: none"> <li>• Crack-branch</li> </ul>
1540	Honeylocust-Thornless Common	9	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1542	Honeylocust-Thornless Common	12	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1544	Honeylocust-Thornless Common	15	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1546	Honeylocust-Thornless Common	12	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1548	Crabapple	12	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
1549	Honeylocust-Thornless Common	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1551	Honeylocust-Thornless Common	14	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1552	Crabapple	11	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Broken branch(s)</li> </ul>
1553	Crabapple	12	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1554	Honeylocust-Thornless Common	15	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Topping/heading cuts</li> </ul>
1557	Honeylocust-Thornless Common	13	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1559	Honeylocust-Thornless Common	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1560	Honeylocust-Thornless Common	14	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1562	Honeylocust-Thornless Common	10	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1563	Crabapple	8	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1565	Maple-Red	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1566	Maple-Red	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1567	Maple-Red	12	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1568	Maple-Red	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1569	Maple-Red	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1570	Maple-Red	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1571	Maple-Red	6	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1572	Honeylocust-Thornless Common	15	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1573	Honeylocust-Thornless Common	15	<ul style="list-style-type: none"> <li>• Sidewalk lifting-minor</li> <li>• Dead branches &lt;=2</li> </ul>
1574	Honeylocust-Thornless Common	14	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1575	Honeylocust-Thornless Common	16	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1581	Maple-Sugar	5	<ul style="list-style-type: none"> <li>• Wound-branch</li> </ul>
1583	Maple-Sugar	2	<ul style="list-style-type: none"> <li>• Crack-stem</li> <li>• Dead branches &lt;=2</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1586	Sycamore-American	58	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> <li>• Sidewalk lifting-major</li> <li>• Hanger</li> </ul>
1587	Maple-Sugar	6	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Topping/heading cuts</li> <li>• Topping/heading cuts</li> </ul>
1588	Maple-Sugar	10	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1589	Maple-Red	8	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1590	Sycamore-American	44	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Hanger</li> <li>• Cavity-Suspected</li> </ul>
1591	Maple-Red	17	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Dead branches &lt;=2</li> </ul>
1592	Maple-Red	23	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1602	Dogwood-Flowering	6	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1606	Maple-Red	27	<ul style="list-style-type: none"> <li>• Girdling roots present (severe)</li> <li>• Poor branch structure</li> <li>• Uneven crown</li> </ul>
1607	Maple-Norway	7	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1608	Maple-Red	24	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Girdling roots present</li> </ul>
1609	Maple-Norway	10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1610	Maple-Tatarian	8	<ul style="list-style-type: none"> <li>• Wound-branch</li> <li>• Girdling roots present</li> </ul>
1611	Maple-Tatarian	4	<ul style="list-style-type: none"> <li>• Lean</li> </ul>
1613	Maple-Tatarian	10	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1618	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1619	Maple-Tatarian	5	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Butt swell</li> <li>• Dead branches &lt;=2</li> </ul>
1620	Cherry	13	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1621	Maple-Red	34	<ul style="list-style-type: none"> <li>• Cavity-branch</li> <li>• Girdling roots present</li> </ul>
1622	Maple-Red	34	<ul style="list-style-type: none"> <li>• Cavity-branch</li> <li>• Dead branches &lt;=2</li> </ul>
1623	Maple-Red	18	<ul style="list-style-type: none"> <li>• Poor branch structure</li> <li>• Dead branches &lt;=2</li> <li>• Sidewalk lifting-minor</li> </ul>
1624	Maple-Red	11	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1625	Oak-Pin	32	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Co-dominant leaders</li> </ul>
1626	Oak-Pin	37	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1628	Maple-Sugar	9	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1631	Cherry	14	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Topping/heading cuts</li> </ul>
1632	Maple-Sugar	13	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Topping/heading cuts</li> </ul>
1634	Maple-Tatarian	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1636	Maple-Norway	15	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1637	Cherry	9	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1638	Cherry	12	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1639	Maple-Red	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1640	Maple-Norway	17	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1641	Cherry	10,10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Uneven crown</li> <li>• Fungi/conks</li> </ul>
1642	Maple-Red	14	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Uneven crown</li> </ul>
1643	Maple-Norway	26	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Wound-branch</li> <li>• Dead branches &gt;2</li> <li>• Uneven crown</li> <li>• Sidewalk lifting-major</li> </ul>
1645	Cherry	16	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Dead branches &lt;=2</li> </ul>
1646	Cherry	17	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1647	Cherry	11	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1648	Cherry	10	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1649	Cherry	17	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1650	Cherry	12	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1651	Zelkova-Japanese	17	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1652	Zelkova-Japanese	17	<ul style="list-style-type: none"> <li>• Hanger</li> <li>• Dead branches &lt;=2</li> </ul>
1655	Zelkova-Japanese	16	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1656	Cherry	9	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> <li>• Decay-Stem</li> <li>• Fungi/conks</li> </ul>
1660	Oak-Pin	37	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
1661	Oak-Pin	35	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1662	Oak-Pin	43	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1663	Oak-Pin	38	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
1664	Elm	11	<ul style="list-style-type: none"> <li>• Suppressed</li> <li>• Sidewalk lifting-minor</li> </ul>


Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1665	Oak-Pin	25	• Dead branches >2
1666	Elm	9	• Suppressed
1667	Planetree-London	27	• Suppressed
1668	Oak-Pin	35	• Dead branches >2 • Sidewalk lifting-minor
1669	Oak-Pin	37	• Co-dominant leaders • Dead branches >2
1670	Oak-Pin	37	• Dead branches >2
1674	Oak-Pin	34	• Dead branches >2
1676	Oak-Pin	36	• Dead branches >2
1677	Oak-Pin	34	• Dead branches >2 • Sidewalk lifting-major
1678	Oak-Pin	38	• Cavity-stem • Dead branches >2
1680	Maple-Red	29	• Dead branches <=2 • Hanger • Sidewalk lifting-major
1681	Oak-Pin	37	• Cavity-stem • Dead branches >2
1682	Oak-Pin	49	• Fungi/conks • Decay-Root flare • Dead branches <=2
1684	Maple-Norway	33	• Broken branch(s)
1685	Oak-Pin	39	• Dead branches <=2
1688	Oak-Pin	35	• Cavity-stem • Fungi/conks • Wound-root flare
1689	Oak-Pin	37	• Dead branches <=2
1691	Oak-Pin	38	• Wound-stem • Dead branches <=2
1692	Oak-Pin	30	• Wound-stem • Dead branches <=2
1693	Oak-Pin	31	• Dead branches >2
1694	Oak-Pin	37	• Dead branches >2
1695	Oak-Pin	41	• Hanger • Dead branches <=2
1696	Oak-Pin	40	• Wound-stem • Cavity-stem • Dead branches <=2
1697	Oak-Pin	37	• Sidewalk lifting-major
1698	Oak-Pin	30	• Fungi/conks • Decay-Root
1699	Oak-Pin	34	• Fungi/conks • Decay-Root flare • Dead branches >2

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1700	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Dead branches &lt;=2</li> </ul>
1701	Oak-Pin	31	<ul style="list-style-type: none"> <li>• Cavity-root flare</li> <li>• Fungi/conks</li> </ul>
1702	Oak-Pin	38	<ul style="list-style-type: none"> <li>• Decay-Root flare</li> <li>• Fungi/conks</li> <li>• Dead branches &lt;=2</li> <li>• Sidewalk lifting-major</li> </ul>
1703	Oak-Pin	32	<ul style="list-style-type: none"> <li>• Sidewalk lifting-major</li> </ul>
1704	Oak-Pin	39	<ul style="list-style-type: none"> <li>• Cavity-branch</li> <li>• Sidewalk lifting-minor</li> <li>• Dead branches &lt;=2</li> </ul>
1705	Oak-Pin	41	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1706	Oak-Pin	37	<ul style="list-style-type: none"> <li>• Cavity-stem</li> </ul>
1707	Oak-Pin	30	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1708	Oak-Pin	34	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1710	Oak-Pin	35	<ul style="list-style-type: none"> <li>• Decay-Root flare</li> <li>• Fungi/conks</li> <li>• Dead branches &lt;=2</li> </ul>
1711	Oak-Pin	36	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Dead branches &lt;=2</li> </ul>
1712	Oak-Pin	38	<ul style="list-style-type: none"> <li>• Hanger</li> <li>• Dead branches &gt;2</li> </ul>
1714	Oak-Pin	41	<ul style="list-style-type: none"> <li>• Hanger</li> </ul>
1715	Oak-Pin	32	<ul style="list-style-type: none"> <li>• Decay-Root flare</li> <li>• Fungi/conks</li> </ul>
1716	Oak-Pin	33	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Dead branches &gt;2</li> </ul>
1717	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1719	Oak-Pin	27	<ul style="list-style-type: none"> <li>• Hanger</li> </ul>
1722	Oak-Pin	43	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1723	Oak-Pin	39	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Dead branches &gt;2</li> </ul>
1726	Oak-Pin	41	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1727	Oak-Pin	35	<ul style="list-style-type: none"> <li>• Decay-Root flare</li> <li>• Fungi/conks</li> </ul>
1728	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1729	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1730	Oak-Pin	33	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1731	Oak-Pin	33	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1732	Oak-Pin	32	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Cavity-stem</li> <li>• Dead branches &gt;2</li> </ul>
1733	Oak-Pin	29	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1734	Oak-Pin	37	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> <li>• Dead branches &gt;2</li> </ul>
1735	Oak-Pin	27	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1736	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1737	Oak-Pin	31	<ul style="list-style-type: none"> <li>• Cavity-root flare</li> <li>• Wound-root flare</li> <li>• Dead branches &gt;2</li> </ul>
1739	Oak-Pin	41	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1742	Oak-Pin	32	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1743	Oak-Pin	26	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1755	Elm	13	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
1761	Pine-Japanese Black	15	<ul style="list-style-type: none"> <li>• Corrected lean</li> </ul>
1763	Oak-Pin	28	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> <li>• Dead branches &lt;=2</li> </ul>
1764	Honeylocust-Thornless Common	18	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dead branches &lt;=2</li> <li>• Environmental conditions</li> </ul>
1765	Honeylocust-Thornless Common	15	<ul style="list-style-type: none"> <li>• Girdling roots present (severe)</li> <li>• Dead branches &lt;=2</li> </ul>
1766	Honeylocust-Thornless Common	18	<ul style="list-style-type: none"> <li>• Environmental conditions</li> <li>• Girdling roots present</li> </ul>
1768	Ginkgo	8	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1769	Ginkgo	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Poor branch structure</li> <li>• Dead branches &lt;=2</li> </ul>
1772	Cherry	22	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1775	Oak-Pin	37	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1777	Oak-Pin	25	<ul style="list-style-type: none"> <li>• Fungi/conks</li> <li>• Dead branches &lt;=2</li> </ul>
1778	Oak-Pin	41	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1781	Birch-Paper	8,6,7	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1785	Pine-Japanese Black	13	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1787	Pine-Japanese Black	10	<ul style="list-style-type: none"> <li>• Lean</li> <li>• Broken branch(s)</li> </ul>
1788	Crabapple	14	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Crack-stem</li> </ul>
1793	Lilac-Japanese Tree	8,11	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1794	Lilac-Japanese Tree	9,5,7	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Wound-stem</li> </ul>
1799	Lilac-Japanese Tree	10	<ul style="list-style-type: none"> <li>• Wound-branch</li> </ul>
1802	Linden-Littleleaf	30	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Hanger</li> </ul>
1806	Maple-Norway	16	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>

Tree ID	Common Name	DBH	Defect(s) or Observation(s)
1808	Planetree-London	37	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Dead branches &lt;=2</li> </ul>
1809	Maple-Norway	15	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> <li>• Girdling roots present</li> </ul>
1811	Maple-Norway	22	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> <li>• Girdling roots present</li> </ul>
1815	Hornbeam-American	13	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1816	Hornbeam-American	11	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1817	Beech-European	22	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Topping/heading cuts</li> </ul>
1818	Sweetgum	28	<ul style="list-style-type: none"> <li>• Cavity-stem</li> <li>• Topping/heading cuts</li> </ul>
1819	Dogwood-Kousa	12	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1820	Dogwood-Kousa	16	<ul style="list-style-type: none"> <li>• Wound-branch</li> </ul>
1821	Cherry	4	<ul style="list-style-type: none"> <li>• Butt swell</li> </ul>
1823	Cherry	8	<ul style="list-style-type: none"> <li>• Topping/heading cuts</li> </ul>
1831	Maple-Red	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Fungi/conks</li> <li>• Topping/heading cuts</li> </ul>
1832	Oak-Pin	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1833	Pear-Callery	6	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1834	Maple-Red	6	<ul style="list-style-type: none"> <li>• Broken branch(s)</li> </ul>
1835	Pear-Callery	5	<ul style="list-style-type: none"> <li>• Poor branch structure</li> </ul>
1836	Cherry-Black	11,12	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1837	Horsechestnut-Common (5)	27	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1838	Maple-Red	6	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1839	Planetree-London	35	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1840	Planetree-London	27	<ul style="list-style-type: none"> <li>• Dead branches &gt;2</li> </ul>
1843	Serviceberry	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Lean</li> </ul>
1844	Redbud-Eastern	7	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1845	Redbud-Eastern	9	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1857	Maple-Red	9	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1901	Snowbell-Fragrant	4	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1902	Snowbell-Fragrant	3	<ul style="list-style-type: none"> <li>• Wound-root flare</li> <li>• Wound-stem</li> </ul>
1904	Maple-Red	16	<ul style="list-style-type: none"> <li>• Co-dominant leaders</li> </ul>
1906	Oak-Pin	23	<ul style="list-style-type: none"> <li>• Dead branches &lt;=2</li> </ul>
1910	Parrotia-Persian	6	<ul style="list-style-type: none"> <li>• Wound-stem</li> <li>• Dead branches &lt;=2</li> </ul>
1912	Parrotia-Persian	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>
1916	Parrotia-Persian	7	<ul style="list-style-type: none"> <li>• Wound-stem</li> </ul>

**INVENTORIED TREES WITH DEFECTS, OBSERVATIONS, OR OTHER STRUCTURAL ISSUES**



# ENTIRE INVENTORY



**ENTIRE INVENTORY (1,940 Trees)**

<b>Tree ID</b>	<b>Common Name</b>	<b>Genus</b>	<b>Species</b>	<b>DBH</b>	<b>Age Class</b>	<b>Condition Class</b>	<b>Tree Care Priority</b>	<b>Tree Asset Value</b>
1	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Good	...	\$230.79
2	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Poor	1	\$98.91
3	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Good	2	\$923.16
4	Maple-Red	<i>Acer</i>	<i>rubrum</i>	7	Semi-mature	Good	2	\$706.79
5	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	7	Semi-mature	Good	...	\$555.34
6	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Poor	...	\$20.49
7	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
8	Elm-American	<i>Ulmus</i>	<i>americana</i>	33	Mature	Good	1	\$11,618.12
9	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	7	Semi-mature	Poor	1	\$238.00
10	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	5	Semi-mature	Poor	1	\$121.43
11	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	11	Semi-mature	Good	2	\$1,870.02
12	Hawthorn	<i>Crataegus</i>	sp.	5	Semi-mature	Good	...	\$298.79
13	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	6	Young	Good	...	\$556.37
14	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Semi-mature	Poor	2	\$105.97
15	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	6	Young	Fair	...	\$397.41
16	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	11	Semi-mature	Good	...	\$1,870.02
17	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	10	Semi-mature	Good	...	\$1,545.47
18	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	2	Semi-mature	Good	...	\$61.82
19	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	10	Semi-mature	Good	3	\$1,545.47
20	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
21	Hawthorn	<i>Crataegus</i>	sp.	4	Young	Good	...	\$191.23
22	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	22	Mature	Good	...	\$7,480.07
23	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	6	Young	Good	...	\$556.37
24	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	16	Semi-mature	Good	...	\$3,850.90
25	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	14	Semi-mature	Good	...	\$2,948.34
26	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	18	Semi-mature	Good	...	\$4,873.79
27	Maple-Freeman's	<i>Acer</i>	<i>x freemanii</i>	13	Semi-mature	Good	...	\$2,437.72

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
28	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34
29	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34
30	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Semi-mature	Good	2	\$4,168.64
31	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
32	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
33	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	9	Semi-mature	Good	3	\$1,251.83
34	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
35	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
36	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	9	Semi-mature	Good	...	\$1,251.83
37	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	3	Young	Good	...	\$139.09
38	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
39	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
40	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	4	Young	Good	3	\$164.85
41	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	3	Young	Good	...	\$139.09
42	Maple-Red	<i>Acer</i>	<i>rubrum</i>	20	Mature	Good	1	\$5,769.75
43	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	9	Semi-mature	Good	...	\$968.08
44	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	8	Semi-mature	Good	...	\$764.90
45	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	3	Young	Good	...	\$153.93
46	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	12	Semi-mature	Good	...	\$1,721.03
47	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	16	Mature	Fair	...	\$2,826.00
48	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	16	Mature	Good	...	\$3,956.40
49	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	7	Semi-mature	Good	...	\$585.63
50	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
51	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
52	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
53	Hawthorn	<i>Crataegus</i>	sp.	4	Young	Fair	...	\$136.59
54	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
55	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Poor	...	\$46.10
56	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	2	Young	Good	...	\$68.41
57	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	4	Young	Good	...	\$273.65
58	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	2	Young	Good	...	\$61.82

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
59	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Semi-mature	Good	...	\$2,225.48
60	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Young	Good	2	\$370.91
61	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	13	Semi-mature	Good	...	\$2,611.84
62	Hawthorn	<i>Crataegus</i>	sp.	5	Young	Good	...	\$298.79
63	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Semi-mature	Good	...	\$2,225.48
64	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
65	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
66	Hawthorn	<i>Crataegus</i>	sp.	5	Semi-mature	Good	...	\$298.79
67	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	8	Mature	Good	...	\$989.10
68	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
69	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	13	Mature	Good	...	\$2,611.84
70	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	17	Mature	Good	...	\$4,466.40
71	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
72	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	16	Mature	Good	...	\$3,956.40
73	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
74	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
75	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Dead	3	\$0.00
76	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	4	Young	Good	...	\$181.34
77	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	6	Semi-mature	Good	...	\$556.37
78	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
79	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	11	Semi-mature	Good	...	\$1,870.02
80	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
81	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
82	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	15	Mature	Good	...	\$3,477.30
83	Hawthorn	<i>Crataegus</i>	sp.	5	Semi-mature	Good	...	\$298.79
84	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	8	Semi-mature	Good	...	\$989.10
85	Maple-Red	<i>Acer</i>	<i>rubrum</i>	2	New planting	Good	...	\$57.70
86	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34
87	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
88	Hawthorn	<i>Crataegus</i>	sp.	9	Mature	Good	...	\$968.08
89	Hawthorn	<i>Crataegus</i>	sp.	7	Mature	Good	...	\$585.63

<b>Tree ID</b>	<b>Common Name</b>	<b>Genus</b>	<b>Species</b>	<b>DBH</b>	<b>Age Class</b>	<b>Condition Class</b>	<b>Tree Care Priority</b>	<b>Tree Asset Value</b>
90	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	9	Semi-mature	Fair	...	\$894.16
91	Hawthorn	<i>Crataegus</i>	sp.	8	Mature	Good	...	\$764.90
92	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
93	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	15	Mature	Fair	...	\$2,483.79
94	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	3	Mature	Fair	...	\$99.35
95	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	15	Mature	Good	...	\$3,477.30
96	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	15	Mature	Good	...	\$3,477.30
97	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
98	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	...	\$386.37
99	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Good	...	\$2,225.48
100	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	15	Mature	Good	2	\$3,477.30
101	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	13	Mature	Good	...	\$2,611.84
102	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
103	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	8	Semi-mature	Good	...	\$989.10
104	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
105	Hawthorn	<i>Crataegus</i>	sp.	3	Semi-mature	Good	...	\$107.56
106	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	13	Mature	Good	...	\$2,611.84
107	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	15	Mature	Good	...	\$3,477.30
108	Hawthorn	<i>Crataegus</i>	sp.	7	Mature	Good	...	\$753.91
109	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
110	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Good	...	\$2,225.48
111	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Good	2	\$2,225.48
112	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	18	Mature	Good	1	\$5,007.32
113	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
114	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
115	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
116	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
117	Hawthorn	<i>Crataegus</i>	sp.	4	Young	Good	...	\$191.23
118	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Fair	...	\$1,589.62
119	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Good	...	\$2,225.48
120	Hawthorn	<i>Crataegus</i>	sp.	5	Semi-mature	Good	...	\$298.79

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
121	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
122	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	9	Semi-mature	Good	...	\$1,251.83
123	Hawthorn	<i>Crataegus</i>	sp.	6	Semi-mature	Good	...	\$430.26
124	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	7	Semi-mature	Fair	...	\$540.91
125	Hawthorn	<i>Crataegus</i>	sp.	5	Semi-mature	Good	...	\$298.79
126	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	...	\$386.37
127	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	6	Semi-mature	Good	...	\$556.37
128	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
129	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
130	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	9	Semi-mature	Good	...	\$1,251.83
131	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	6	Semi-mature	Fair	...	\$397.41
132	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
133	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Good	...	\$2,225.48
134	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	2	Young	Good	...	\$61.82
135	Hawthorn	<i>Crataegus</i>	sp.	5	Semi-mature	Good	...	\$298.79
136	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Good	1	\$2,225.48
137	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
138	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	18	Mature	Good	...	\$5,007.32
139	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	13	Mature	Good	...	\$2,611.84
140	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	...	\$386.37
141	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	25	Mature	Good	...	\$9,659.18
142	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	29	Mature	Good	...	\$11,264.41
143	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Good	...	\$13,437.74
144	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	10	Semi-mature	Good	...	\$1,545.47
145	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	7	Semi-mature	Good	...	\$757.28
146	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
147	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
148	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
149	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	16	Semi-mature	Good	2	\$3,956.40
150	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
151	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	12	Mature	Good	...	\$2,225.48

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
152	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	17	Mature	Good	...	\$4,466.40
153	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	17	Mature	Good	1	\$4,466.40
154	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	9	Mature	Good	...	\$884.63
155	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
156	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
157	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Young	Good	...	\$386.37
158	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Young	Good	...	\$386.37
159	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Young	Good	...	\$386.37
160	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
161	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	3	Young	Good	...	\$139.09
162	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	3	Young	Good	...	\$139.09
163	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	3	Young	Good	...	\$139.09
164	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	2	\$386.37
165	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	6	Semi-mature	Good	...	\$430.26
166	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	10	Semi-mature	Good	...	\$1,195.16
167	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	...	\$386.37
168	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
169	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	13	Semi-mature	Good	...	\$2,019.82
170	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	16	Semi-mature	Good	...	\$3,059.62
171	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	9	Semi-mature	Good	...	\$968.08
172	Dogwood-Kousa	<i>Cornus</i>	<i>kousa</i>	2	Young	Good	...	\$72.53
173	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
174	Cherry	<i>Prunus</i>	sp.	3	Young	Poor	...	\$43.71
175	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34
176	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
177	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$65.94
178	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	4	Semi-mature	Good	2	\$164.85
179	Hawthorn	<i>Crataegus</i>	sp.	3	Semi-mature	Good	...	\$107.56
180	Serviceberry	<i>Amelanchier</i>	sp.	4	Young	Good	...	\$263.76
181	Cherry	<i>Prunus</i>	sp.	4	Semi-mature	Good	2	\$181.34
182	Cherry	<i>Prunus</i>	sp.	4	Semi-mature	Good	2	\$181.34

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
183	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	2	\$283.34
184	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Semi-mature	Good	...	\$1,168.37
185	Cherry	<i>Prunus</i>	sp.	12	Mature	Good	...	\$1,632.02
186	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
187	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
188	Cherry	<i>Prunus</i>	sp.	7	Semi-mature	Good	...	\$555.34
189	Cherry	<i>Prunus</i>	sp.	7	Semi-mature	Good	...	\$555.34
190	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Fair	...	\$1,997.04
191	Hawthorn	<i>Crataegus</i>	sp.	4	Semi-mature	Good	...	\$191.23
192	Cherry	<i>Prunus</i>	sp.	6	Semi-mature	Good	...	\$408.00
193	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
194	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	8	Semi-mature	Good	...	\$989.10
195	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	3	Young	Good	...	\$139.09
196	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
197	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$107.56
198	Hawthorn	<i>Crataegus</i>	sp.	4	Young	Good	...	\$191.23
199	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	13	Semi-mature	Good	...	\$2,611.84
200	Maple-Silver	<i>Acer</i>	<i>saccharinum</i>	22	Semi-mature	Fair	...	\$3,205.74
201	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Poor	1	\$6,612.84
202	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
203	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
204	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Semi-mature	Good	...	\$139.09
205	Maple-Red	<i>Acer</i>	<i>rubrum</i>	21	Mature	Good	...	\$6,361.15
206	Maple-Red	<i>Acer</i>	<i>rubrum</i>	12	Semi-mature	Good	...	\$2,077.11
207	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	...	\$386.37
208	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	...	\$386.37
209	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
210	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
211	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Good	...	\$47.81
212	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	4	Young	Good	...	\$247.28
213	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Young	Good	...	\$386.37

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
214	Hawthorn	<i>Crataegus</i>	sp.	2	Young	Fair	...	\$34.15
215	Maple-Red	<i>Acer</i>	<i>rubrum</i>	13	Semi-mature	Good	...	\$2,437.72
216	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
217	Magnolia	<i>Magnolia</i>	sp.	10	Semi-mature	Good	...	\$1,442.44
218	Magnolia	<i>Magnolia</i>	sp.	7	Semi-mature	Good	...	\$706.79
219	Magnolia	<i>Magnolia</i>	sp.	3	Young	Fair	...	\$92.73
220	Magnolia	<i>Magnolia</i>	sp.	2	Young	Good	...	\$57.70
221	Magnolia	<i>Magnolia</i>	sp.	5	Semi-mature	Good	...	\$360.61
222	Magnolia	<i>Magnolia</i>	sp.	4	Semi-mature	Good	...	\$230.79
223	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	35	Mature	Fair	...	\$11,311.52
224	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
225	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$283.34
226	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$283.34
227	Magnolia	<i>Magnolia</i>	sp.	6	Semi-mature	Good	...	\$519.28
228	Magnolia	<i>Magnolia</i>	sp.	2	Young	Good	...	\$57.70
229	Magnolia	<i>Magnolia</i>	sp.	6	Semi-mature	Good	...	\$519.28
230	Magnolia	<i>Magnolia</i>	sp.	2	Young	Fair	...	\$41.21
231	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
232	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
233	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
234	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
235	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Fair	...	\$99.35
236	Magnolia	<i>Magnolia</i>	sp.	9	Semi-mature	Poor	...	\$500.73
237	Magnolia	<i>Magnolia</i>	sp.	7	Semi-mature	Good	...	\$706.79
238	Magnolia	<i>Magnolia</i>	sp.	3	Young	Good	...	\$129.82
239	Magnolia	<i>Magnolia</i>	sp.	3	Young	Good	...	\$129.82
240	Magnolia	<i>Magnolia</i>	sp.	3	Young	Good	...	\$129.82
241	Cherry	<i>Prunus</i>	sp.	4	Semi-mature	Good	...	\$181.34
242	Cherry	<i>Prunus</i>	sp.	4	Semi-mature	Good	...	\$181.34
243	Magnolia	<i>Magnolia</i>	sp.	2	Semi-mature	Fair	...	\$41.21
244	Magnolia	<i>Magnolia</i>	sp.	4	Semi-mature	Good	...	\$230.79

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
245	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	23	Over-mature	Good	...	\$1,090.07
246	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	...	\$74.18
247	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Good	...	\$100.97
248	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	5	Semi-mature	Good	...	\$200.91
249	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	5	Semi-mature	Good	...	\$200.91
250	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	...	\$154.55
251	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Mature	Fair	...	\$500.73
252	Linden	<i>Tilia</i>	sp.	3	Young	Good	...	\$81.23
253	Linden	<i>Tilia</i>	sp.	3	Young	Good	...	\$81.23
254	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Young	Good	...	\$154.55
255	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$32.15
256	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	...	\$81.23
257	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	11	Semi-mature	Good	1	\$1,047.21
258	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	2	\$154.55
259	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	...	\$154.55
260	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	2	Young	Good	...	\$24.73
261	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	2	Young	Good	...	\$36.10
262	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	...	\$154.55
263	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	...	\$81.23
264	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	...	\$81.23
265	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	23	Mature	Fair	...	\$5,061.04
266	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	33	Mature	Good	1	\$14,248.64
267	Magnolia	<i>Magnolia</i>	sp.	2	Mature	Fair	...	\$41.21
268	Magnolia	<i>Magnolia</i>	sp.	1	New planting	Good	...	\$14.42
269	Magnolia	<i>Magnolia</i>	sp.	4	Young	Poor	...	\$98.91
270	Magnolia	<i>Magnolia</i>	sp.	4	Young	Poor	...	\$98.91
271	Magnolia	<i>Magnolia</i>	sp.	2	Young	Fair	...	\$41.21
272	Crabapple	<i>Malus</i>	sp.	7	Semi-mature	Good	...	\$636.11
273	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	33	Mature	Good	1	\$18,238.26
274	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	27	Mature	Good	1	\$10,966.03

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
275	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	18	Semi-mature	Good	...	\$5,554.79
276	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	27	Mature	Good	1	\$12,498.27
277	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$13,441.21
278	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	24	Mature	Good	...	\$9,875.17
279	Magnolia	<i>Magnolia</i>	sp.	6	Semi-mature	Fair	...	\$370.91
280	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	25	Semi-mature	Good	...	\$7,469.77
281	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	21	Semi-mature	Fair	...	\$4,738.41
282	Magnolia	<i>Magnolia</i>	sp.	3	Young	Good	...	\$129.82
283	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	36	Mature	Fair	...	\$11,866.24
284	Magnolia	<i>Magnolia</i>	sp.	4	Young	Fair	...	\$164.85
285	Magnolia	<i>Magnolia</i>	sp.	1	New planting	Good	...	\$14.42
286	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	26	Mature	Fair	...	\$6,467.42
287	Magnolia	<i>Magnolia</i>	sp.	6	Semi-mature	Good	...	\$519.28
288	Magnolia	<i>Magnolia</i>	sp.	2	Young	Good	...	\$57.70
289	Magnolia	<i>Magnolia</i>	sp.	2	Young	Poor	...	\$24.73
290	Magnolia	<i>Magnolia</i>	sp.	2	Young	Good	...	\$57.70
291	Magnolia	<i>Magnolia</i>	sp.	5	Semi-mature	Good	...	\$360.61
292	Magnolia	<i>Magnolia</i>	sp.	2	Young	Dead	1	...
293	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	20	Semi-mature	Fair	...	\$4,898.40
294	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	24	Semi-mature	Fair	...	\$7,053.70
295	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	20	Semi-mature	Fair	...	\$4,898.40
296	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	12	Semi-mature	Poor	...	\$635.85
297	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	38	Mature	Good	...	\$18,131.64
298	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Mature	Poor	...	\$500.73
299	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	13	Semi-mature	Fair	...	\$1,815.85
300	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	24	Semi-mature	Fair	...	\$7,053.70
301	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	30	Mature	Poor	...	\$5,166.28
302	Magnolia	<i>Magnolia</i>	sp.	3	Semi-mature	Dead	1	...
303	Magnolia	<i>Magnolia</i>	sp.	3	Semi-mature	Fair	...	\$92.73
304	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	41	Mature	Fair	...	\$14,517.32
305	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	11	Semi-mature	Poor	...	\$780.06

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
306	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	11	Semi-mature	Poor	...	\$780.06
307	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	10	Semi-mature	Poor	...	\$644.68
308	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	8	Young	Poor	...	\$412.60
309	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
310	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$32.15
311	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	...	\$81.23
312	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	...	\$222.55
313	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	9	Semi-mature	Good	2	\$500.73
314	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Fair	...	\$58.02
315	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	...	\$81.23
316	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	9	Semi-mature	Good	1	\$701.02
317	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Mature	Fair	...	\$22.96
318	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	2	\$81.23
319	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	17	Mature	Good	2	\$2,501.19
320	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Semi-mature	Fair	2	\$500.73
321	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$32.15
322	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	...	\$81.23
323	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	...	\$154.55
324	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Fair	...	\$158.96
325	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	30	Mature	Good	3	\$12,054.66
326	Magnolia	<i>Magnolia</i>	sp.	7	Semi-mature	Good	...	\$706.79
327	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	35	Mature	Good	...	\$15,836.13
328	Magnolia	<i>Magnolia</i>	sp.	9	Semi-mature	Good	...	\$1,168.37
329	Magnolia	<i>Magnolia</i>	sp.	2	Young	Good	...	\$57.70
330	Elm	<i>Ulmus</i>	sp.	3	Young	Good	...	\$129.82
331	Magnolia	<i>Magnolia</i>	sp.	1	New planting	Good	...	\$14.42
332	Elm	<i>Ulmus</i>	sp.	3	Young	Good	...	\$129.82
333	Magnolia	<i>Magnolia</i>	sp.	6	Semi-mature	Good	2	\$519.28
334	Magnolia	<i>Magnolia</i>	sp.	8	Semi-mature	Good	...	\$923.16

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
335	Magnolia	<i>Magnolia</i>	sp.	2	Semi-mature	Good	...	\$57.70
336	Magnolia	<i>Magnolia</i>	sp.	4	Semi-mature	Good	...	\$230.79
337	Magnolia	<i>Magnolia</i>	sp.	2	Semi-mature	Poor	...	\$24.73
338	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Good	...	\$13,437.74
339	Magnolia	<i>Magnolia</i>	sp.	2	Young	Poor	...	\$24.73
340	Magnolia	<i>Magnolia</i>	sp.	2	Young	Poor	...	\$24.73
341	Magnolia	<i>Magnolia</i>	sp.	2	Young	Fair	...	\$41.21
342	Elm	<i>Ulmus</i>	sp.	4	Young	Good	...	\$230.79
343	Magnolia	<i>Magnolia</i>	sp.	6	Semi-mature	Good	...	\$519.28
344	Elm	<i>Ulmus</i>	sp.	3	Young	Good	...	\$129.82
345	Magnolia	<i>Magnolia</i>	sp.	7	Semi-mature	Fair	...	\$504.85
346	Magnolia	<i>Magnolia</i>	sp.	6	Semi-mature	Good	1	\$519.28
347	Maple-Red	<i>Acer</i>	<i>rubrum</i>	2	Young	Good	...	\$57.70
348	Magnolia	<i>Magnolia</i>	sp.	5	Semi-mature	Fair	...	\$257.58
349	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	33	Mature	Good	...	\$14,248.64
350	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	33	Mature	Good	1	\$14,248.64
351	Magnolia	<i>Magnolia</i>	sp.	7	Semi-mature	Good	1	\$706.79
352	Magnolia	<i>Magnolia</i>	sp.	5	Semi-mature	Good	2	\$360.61
353	Elm	<i>Ulmus</i>	sp.	3	Young	Good	...	\$129.82
354	Magnolia	<i>Magnolia</i>	sp.	2	New planting	Fair	...	\$41.21
355	Elm	<i>Ulmus</i>	sp.	2	Young	Good	...	\$57.70
356	Elm	<i>Ulmus</i>	sp.	7	Semi-mature	Good	...	\$706.79
357	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28
358	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28
359	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28
360	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28
361	Elm	<i>Ulmus</i>	sp.	5	Semi-mature	Good	...	\$360.61
362	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28
363	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	31	Mature	Poor	...	\$6,238.39
364	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Mature	Good	...	\$4,168.64
365	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	27	Mature	Fair	1	\$8,047.48

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
366	Elm	<i>Ulmus</i>	sp.	3	Young	Good	...	\$129.82
367	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Mature	Good	...	\$4,168.64
368	Tupelo-Black	<i>Nyssa</i>	<i>sylvatica</i>	21	Mature	Good	1	\$7,269.89
369	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Mature	Good	...	\$4,168.64
370	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	6	Young	Good	...	\$519.28
371	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	5	Young	Good	...	\$360.61
372	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	18	Mature	Good	...	\$4,339.68
373	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	12	Mature	Good	...	\$1,928.74
374	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	2	Young	Good	...	\$72.53
375	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	13	Semi-mature	Good	...	\$1,915.35
376	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	4	Young	Good	...	\$230.79
377	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	16	Semi-mature	Good	...	\$2,901.36
378	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	15	Semi-mature	Fair	1	\$1,821.45
379	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	12	Semi-mature	Fair	...	\$1,165.72
380	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	2	\$283.34
381	Maple-Red	<i>Acer</i>	<i>rubrum</i>	36	Mature	Poor	1	\$7,667.41
382	Maple-Red	<i>Acer</i>	<i>rubrum</i>	14	Semi-mature	Good	...	\$2,827.18
383	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Good	...	\$923.16
384	Maple-Red	<i>Acer</i>	<i>rubrum</i>	6	Semi-mature	Good	...	\$519.28
385	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
386	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	6	Young	Good	...	\$556.37
387	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	7	Young	Good	...	\$757.28
388	Maple-Red	<i>Acer</i>	<i>rubrum</i>	19	Semi-mature	Good	...	\$5,207.20
389	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	6	Semi-mature	Good	...	\$467.35
390	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	26	Mature	Poor	...	\$656.69
391	Dogwood-Corneliancherry	<i>Cornus</i>	<i>mas</i>	2	Young	Good	...	\$39.56
392	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	5	Young	Fair	...	\$139.09
393	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	2	Young	Good	...	\$37.09

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
394	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$34.62
395	Dogwood-Corneliancherry	<i>Cornus</i>	<i>mas</i>	2	Young	Good	...	\$65.94
396	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Good	...	\$65.94
397	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Good	...	\$65.94
398	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	7	Young	Good	...	\$533.12
399	Linden	<i>Tilia</i>	sp.	2	Young	Good	...	\$36.10
400	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	5	Young	Good	...	\$453.34
401	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	2	Young	Good	...	\$60.17
402	Crabapple	<i>Malus</i>	sp.	9	Mature	Good	...	\$1,051.54
403	Crabapple	<i>Malus</i>	sp.	11	Mature	Good	...	\$1,570.81
404	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	2	Young	Good	...	\$60.17
405	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	5	Semi-mature	Good	...	\$309.09
406	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	17,13	Mature	Good	2	\$5,662.60
407	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Semi-mature	Good	...	\$556.37
408	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	18	Semi-mature	Good	...	\$3,538.51
409	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Semi-mature	Good	...	\$556.37
410	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	4	Young	Poor	...	\$103.15
411	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	1	Young	Good	...	\$15.04
412	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	29	Mature	Good	1	\$11,264.41
413	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	2	Young	Good	3	\$57.70
414	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
415	Cherry	<i>Prunus</i>	sp.	4	Young	Good	3	\$181.34
416	Cherry	<i>Prunus</i>	sp.	4	Young	Good	3	\$181.34
417	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34
418	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	3	Young	Good	2	\$153.93
419	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	3	Young	Good	2	\$153.93
420	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	2	\$129.82
421	Cherry	<i>Prunus</i>	sp.	4	Young	Good	2	\$181.34
422	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	2	\$129.82

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
423	Smoketree-Common	<i>Cotinus</i>	<i>coggygria</i>	3	Young	Fair	...	\$92.73
424	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	3	\$129.82
425	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	1	Young	Good	...	\$17.10
426	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
427	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
428	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	2	\$61.82
429	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Good	...	\$504.85
430	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	9	Semi-mature	Good	3	\$834.55
431	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Good	...	\$504.85
432	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	8	Semi-mature	Good	3	\$659.40
433	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	9	Semi-mature	Good	3	\$834.55
434	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	3	\$370.91
435	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	3	\$257.58
436	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
437	Cherry	<i>Prunus</i>	sp.	4	Young	Good	3	\$181.34
438	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	4	Young	Good	...	\$164.85
439	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	8	Semi-mature	Good	3	\$659.40
440	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Good	3	\$504.85
441	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	...	\$257.58
442	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	3	\$257.58
443	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
444	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Young	Good	3	\$257.58
445	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Good	...	\$504.85
446	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	18	Mature	Poor	1	\$1,430.66
447	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	8	Semi-mature	Good	3	\$659.40
448	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	3	\$370.91
449	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Good	3	\$504.85
450	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	14	Mature	Fair	...	\$1,442.44
451	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	16	Mature	Poor	...	\$1,130.40
452	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	22	Mature	Poor	1	\$2,778.31
453	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	8	Semi-mature	Good	3	\$659.40

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
454	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
455	Cherry-Flowering	<i>Prunus</i>	<i>serrulata</i>	4	Young	Good	3	\$181.34
456	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Mature	Fair	...	\$1,243.73
457	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	25	Mature	Poor	...	\$3,587.70
458	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	9	Semi-mature	Fair	1	\$596.11
459	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	29	Mature	Poor	...	\$4,827.60
460	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	8	Semi-mature	Good	3	\$659.40
461	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Poor	...	\$5,759.03
462	Maple-Red	<i>Acer</i>	<i>rubrum</i>	16	Semi-mature	Fair	...	\$2,637.60
463	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	31	Mature	Fair	...	\$9,011.01
464	Cherry-Flowering	<i>Prunus</i>	<i>serrulata</i>	4	Young	Good	...	\$181.34
465	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	10	Semi-mature	Good	3	\$1,030.31
466	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	36	Mature	Fair	1	\$11,866.24
467	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	28	Mature	Fair	...	\$7,500.67
468	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	30	Mature	Fair	2	\$8,610.47
469	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	16	Mature	Good	3	\$2,637.60
470	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	26	Mature	Fair	...	\$6,964.91
471	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	30	Mature	Poor	1	\$5,563.69
472	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	28	Mature	Fair	...	\$8,077.65
473	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	4	Young	Good	...	\$247.28
474	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	26	Mature	Poor	1	\$4,178.95
475	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	4	Young	Good	...	\$247.28
476	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	4	Young	Good	...	\$247.28
477	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
478	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
479	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
480	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	8	Young	Good	...	\$923.16
481	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	6	Young	Good	...	\$519.28
482	Cherry	<i>Prunus</i>	sp.	5	Young	Good	3	\$283.34
483	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	5	Young	Good	...	\$360.61
484	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	9	Young	Good	...	\$1,168.37

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
485	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
486	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
487	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	6	Young	Good	...	\$519.28
488	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	1	Young	Good	...	\$15.45
489	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	6	Young	Good	...	\$519.28
490	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	5	Young	Good	...	\$360.61
491	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	4	Young	Good	...	\$230.79
492	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	7	Young	Good	...	\$706.79
493	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	8	Young	Good	...	\$923.16
494	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	4	Young	Good	...	\$230.79
495	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	7	Young	Good	...	\$706.79
496	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	15	Semi-mature	Good	...	\$3,245.48
497	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	10	Semi-mature	Good	...	\$1,442.44
498	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	12	Semi-mature	Good	...	\$2,077.11
499	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	12	Semi-mature	Good	...	\$2,077.11
500	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	39	Mature	Good	2	\$20,325.78
501	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	2	Young	Good	...	\$57.70
502	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	38	Mature	Good	2	\$19,526.38
503	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	27	Mature	Good	...	\$10,515.37
504	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	24	Mature	Good	3	\$8,308.44
505	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	33	Mature	Good	3	\$15,344.69
506	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	27	Mature	Poor	1	\$4,506.59
507	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	30	Mature	Good	3	\$12,981.94
508	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	12	Semi-mature	Good	...	\$2,166.13
509	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	4	Young	Good	...	\$240.68
510	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Good	3	\$13,437.74
511	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Good	...	\$13,437.74
512	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	14	Mature	Good	1	\$2,221.35
513	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	34	Mature	Fair	...	\$10,748.64
514	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	26	Mature	Good	...	\$10,168.77
515	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	23	Mature	Good	2	\$7,957.52

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
516	Elm	<i>Ulmus</i>	sp.	8	Semi-mature	Good	...	\$923.16
517	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	16	Semi-mature	Good	3	\$3,428.88
518	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	15	Semi-mature	Good	...	\$3,013.66
519	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	11	Semi-mature	Good	3	\$1,620.68
520	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	31	Mature	Good	...	\$12,615.42
521	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	30	Mature	Good	...	\$12,054.66
522	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	31	Mature	Good	...	\$12,615.42
523	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	31	Mature	Good	...	\$12,615.42
524	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
525	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	25	Mature	Good	...	\$8,371.29
526	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	27	Mature	Good	2	\$9,764.27
527	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	36	Mature	Good	...	\$16,612.73
528	Elm	<i>Ulmus</i>	sp.	8	Young	Good	3	\$923.16
529	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
530	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Mature	Good	3	\$1,741.23
531	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	11	Mature	Good	3	\$1,246.68
532	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Mature	Good	3	\$139.09
533	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	12	Mature	Good	...	\$1,483.65
534	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	19	Mature	Good	...	\$3,719.43
535	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	12	Mature	Good	3	\$1,483.65
536	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	5	Young	Good	...	\$376.06
537	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	18	Mature	Fair	...	\$2,384.44
538	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	14	Mature	Good	...	\$2,019.41
539	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	11	Mature	Good	...	\$1,246.68
540	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Young	Good	3	\$257.58
541	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	12	Semi-mature	Good	3	\$2,166.13
542	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Young	Good	...	\$504.85
543	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	3	Young	Good	...	\$135.38
544	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	28	Mature	Good	3	\$12,116.47
545	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	8	Semi-mature	Good	3	\$962.72
546	Maple-Red	<i>Acer</i>	<i>rubrum</i>	2	Young	Good	...	\$57.70

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
547	Maple-Red	<i>Acer</i>	<i>rubrum</i>	2	Young	Good	...	\$57.70
548	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	2	Young	Good	...	\$57.70
549	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	1	Young	Good	...	\$14.42
550	Maple-Red	<i>Acer</i>	<i>rubrum</i>	2	Young	Good	...	\$57.70
551	Maple-Red	<i>Acer</i>	<i>rubrum</i>	2	Young	Good	...	\$57.70
552	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	2	Young	Good	...	\$57.70
553	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	14	Semi-mature	Good	...	\$3,029.12
554	Linden-American	<i>Tilia</i>	<i>americana</i>	2	Young	Good	3	\$60.17
555	Linden-American	<i>Tilia</i>	<i>americana</i>	2	Young	Good	...	\$60.17
556	Linden-American	<i>Tilia</i>	<i>americana</i>	3	Young	Good	...	\$135.38
557	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
558	Sweetgum	<i>Liquidambar</i>	<i>styraciflua</i>	3	Young	Good	...	\$120.55
559	Linden-American	<i>Tilia</i>	<i>americana</i>	3	Young	Good	...	\$135.38
560	Linden-American	<i>Tilia</i>	<i>americana</i>	3	Young	Good	...	\$135.38
561	Linden-American	<i>Tilia</i>	<i>americana</i>	3	Young	Good	...	\$135.38
562	Oak	<i>Quercus</i>	sp.	3	Young	Good	3	\$129.82
563	Oak	<i>Quercus</i>	sp.	3	Young	Good	3	\$138.47
564	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	2	Young	Good	...	\$57.70
565	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	2	Young	Good	...	\$57.70
566	Sweetgum	<i>Liquidambar</i>	<i>styraciflua</i>	3	Young	Good	...	\$120.55
567	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
568	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
569	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
570	Smoketree-Common	<i>Cotinus</i>	<i>coggygria</i>	8	Semi-mature	Good	...	\$923.16
571	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	2	Young	Good	...	\$49.45
572	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	2	Young	Good	...	\$49.45
573	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	2	Young	Good	...	\$49.45
574	Smoketree-Common	<i>Cotinus</i>	<i>coggygria</i>	4	Young	Good	...	\$230.79
575	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	2	Young	Good	...	\$49.45
576	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	2	Young	Good	...	\$49.45
577	Sweetgum	<i>Liquidambar</i>	<i>styraciflua</i>	16	Semi-mature	Good	2	\$3,428.88

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
578	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	33	Mature	Good	...	\$16,440.74
579	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	22	Mature	Good	...	\$7,480.07
580	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	10	Mature	Good	...	\$1,236.38
581	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	22	Mature	Good	...	\$7,480.07
582	Serviceberry	<i>Amelanchier</i>	sp.	1	Young	Good	1	\$16.48
583	Serviceberry	<i>Amelanchier</i>	sp.	1	Young	Good	...	\$16.48
584	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	19	Mature	Good	...	\$4,835.26
585	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	18	Mature	Fair	...	\$2,622.88
586	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	15	Mature	Good	...	\$3,570.03
587	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Mature	Good	3	\$1,741.23
588	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	14	Mature	Fair	2	\$1,442.44
589	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	19	Mature	Good	...	\$4,835.26
590	Dogwood-Corneliancherry	<i>Cornus</i>	<i>mas</i>	2	Young	Good	3	\$65.94
591	Dogwood-Corneliancherry	<i>Cornus</i>	<i>mas</i>	1	Young	Good	...	\$16.48
592	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
593	Dogwood-Corneliancherry	<i>Cornus</i>	<i>mas</i>	2	Young	Good	...	\$65.94
594	Dogwood-Corneliancherry	<i>Cornus</i>	<i>mas</i>	2	Young	Good	...	\$65.94
595	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	11	Semi-mature	Good	3	\$1,745.35
596	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	12	Semi-mature	Good	3	\$2,077.11
597	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	10	Semi-mature	Good	3	\$1,442.44
598	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	11	Semi-mature	Good	3	\$1,745.35
599	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	13	Semi-mature	Good	3	\$2,437.72

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
600	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
601	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	20	Mature	Good	2	\$5,769.75
602	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	16	Mature	Good	...	\$3,323.38
603	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	8	Semi-mature	Poor	...	\$356.08
604	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	11	Mature	Good	...	\$1,570.81
605	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	11	Mature	Good	...	\$1,570.81
606	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	5	Semi-mature	Good	...	\$324.55
607	Crabapple	<i>Malus</i>	sp.	5	Semi-mature	Good	3	\$324.55
608	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	11	Mature	Good	...	\$1,570.81
609	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	11	Mature	Good	...	\$1,570.81
610	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	12	Mature	Good	...	\$1,869.40
611	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	13	Mature	Good	...	\$2,193.95
612	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	4	Semi-mature	Poor	2	\$89.02
613	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	3	Young	Good	...	\$116.84
614	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	9	Mature	Good	...	\$1,051.54
615	Crabapple	<i>Malus</i>	sp.	12	Mature	Good	...	\$1,869.40
616	Crabapple	<i>Malus</i>	sp.	12	Mature	Good	...	\$1,869.40
617	Crabapple	<i>Malus</i>	sp.	17	Mature	Good	3	\$3,751.78
618	Crabapple	<i>Malus</i>	sp.	9	Mature	Good	...	\$1,051.54
619	Crabapple	<i>Malus</i>	sp.	10	Mature	Good	...	\$1,298.19
620	Crabapple	<i>Malus</i>	sp.	11	Mature	Good	...	\$1,570.81
621	Crabapple	<i>Malus</i>	sp.	13	Mature	Good	...	\$2,193.95
622	Crabapple	<i>Malus</i>	sp.	12	Mature	Good	3	\$1,869.40
623	Crabapple	<i>Malus</i>	sp.	9	Mature	Good	...	\$1,051.54
624	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	...	\$830.84
625	Crabapple	<i>Malus</i>	sp.	12	Mature	Good	...	\$1,869.40
626	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	...	\$830.84
627	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
628	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
629	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	4	Young	Good	...	\$230.79

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
630	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	5	Young	Good	...	\$360.61
631	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	6	Young	Good	...	\$519.28
632	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	6	Young	Good	...	\$519.28
633	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	4	Young	Good	...	\$230.79
634	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
635	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
636	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
637	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	8	Semi-mature	Good	...	\$923.16
638	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	6	Semi-mature	Good	...	\$519.28
639	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	6	Semi-mature	Good	...	\$519.28
640	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	7	Semi-mature	Good	...	\$706.79
641	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	5	Young	Good	...	\$360.61
642	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	6	Young	Good	...	\$519.28
643	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	8	Semi-mature	Good	...	\$923.16
644	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	7	Semi-mature	Good	...	\$706.79
645	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	7	Semi-mature	Good	...	\$706.79
646	Maple-Red	<i>Acer</i>	<i>rubrum</i>	15	Mature	Good	...	\$3,245.48
647	Maple-Red	<i>Acer</i>	<i>rubrum</i>	13	Mature	Good	...	\$2,437.72
648	Maple-Red	<i>Acer</i>	<i>rubrum</i>	7	Semi-mature	Good	...	\$706.79
649	Maple-Red	<i>Acer</i>	<i>rubrum</i>	15	Mature	Good	...	\$3,245.48
650	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	24	Mature	Good	1	\$6,528.06
651	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	16	Semi-mature	Good	...	\$3,428.88
652	Maple-Red	<i>Acer</i>	<i>rubrum</i>	7	Semi-mature	Good	...	\$706.79
653	Smoketree-Common	<i>Cotinus</i>	<i>coggygria</i>	4	Young	Good	...	\$230.79
654	Maple-Red	<i>Acer</i>	<i>rubrum</i>	12	Mature	Good	...	\$2,077.11
655	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
656	Oak-Chinkapin	<i>Quercus</i>	<i>muehlenbergii</i>	1	Young	Good	...	\$15.45
657	Maple-Red	<i>Acer</i>	<i>rubrum</i>	18	Mature	Good	...	\$4,673.50
658	Crabapple	<i>Malus</i>	sp.	7	Semi-mature	Good	2	\$636.11
659	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	12	Mature	Good	3	\$1,483.65
660	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	11	Semi-mature	Good	...	\$1,371.35

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
661	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	16	Mature	Good	...	\$2,901.36
662	Oak-Sawtooth	<i>Quercus</i>	<i>acutissima</i>	12	Semi-mature	Good	...	\$2,017.76
663	Cherry	<i>Prunus</i>	sp.	11	Mature	Good	...	\$1,371.35
664	Crabapple	<i>Malus</i>	sp.	4	Semi-mature	Good	...	\$207.71
665	Oak-Sawtooth	<i>Quercus</i>	<i>acutissima</i>	12	Semi-mature	Good	...	\$2,017.76
666	Maple-Red	<i>Acer</i>	<i>rubrum</i>	19	Mature	Good	...	\$5,207.20
667	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Mature	Good	...	\$4,168.64
668	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	29	Mature	Good	2	\$9,531.42
669	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	11	Mature	Good	...	\$1,570.81
670	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	13	Mature	Good	...	\$2,193.95
671	Maple-Red	<i>Acer</i>	<i>rubrum</i>	20	Mature	Good	...	\$5,769.75
672	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	13	Semi-mature	Good	3	\$2,437.72
673	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	11	Semi-mature	Good	3	\$1,745.35
674	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
675	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	6	Young	Fair	...	\$291.43
676	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	1	Young	Good	3	\$14.42
677	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	1	Young	Good	3	\$14.42
678	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	2	Young	Good	...	\$57.70
679	Elm	<i>Ulmus</i>	sp.	7	Young	Good	2	\$706.79
680	Magnolia	<i>Magnolia</i>	sp.	4	Semi-mature	Good	...	\$230.79
681	Magnolia	<i>Magnolia</i>	sp.	5	Semi-mature	Good	...	\$360.61
682	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
683	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
684	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
685	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	3	\$129.82
686	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	...	\$129.82
687	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
688	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
689	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
690	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
691	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
692	Linden-American	<i>Tilia</i>	<i>americana</i>	3	Young	Good	...	\$135.38
693	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	4	Young	Poor	...	\$96.08
694	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	11	Semi-mature	Good	...	\$1,620.68
695	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	8	Semi-mature	Good	...	\$857.22
696	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	9	Semi-mature	Good	...	\$1,084.92
697	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	20	Mature	Good	2	\$5,769.75
698	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	20	Mature	Fair	...	\$3,414.75
699	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	24	Mature	Poor	...	\$2,950.34
700	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	10	Semi-mature	Good	...	\$1,195.16
701	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	9	Semi-mature	Good	...	\$968.08
702	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	11	Semi-mature	Good	...	\$1,446.15
703	Elm	<i>Ulmus</i>	sp.	8	Young	Good	...	\$923.16
704	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	25	Mature	Fair	...	\$5,335.55
705	Elm	<i>Ulmus</i>	sp.	10	Young	Good	3	\$1,442.44
706	Elm	<i>Ulmus</i>	sp.	13	Semi-mature	Good	3	\$2,437.72
707	Elm	<i>Ulmus</i>	sp.	7	Young	Good	3	\$706.79
708	Elm	<i>Ulmus</i>	sp.	10	Young	Good	...	\$1,442.44
709	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Young	Fair	...	\$834.55
710	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	11	Semi-mature	Good	...	\$1,446.15
711	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	14	Semi-mature	Good	...	\$2,625.24
712	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	17	Mature	Good	...	\$3,870.88
713	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
714	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	3	\$2,077.11
715	Elm	<i>Ulmus</i>	sp.	13	Semi-mature	Good	3	\$2,437.72
716	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	10	Semi-mature	Good	...	\$1,195.16
717	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	13	Semi-mature	Fair	...	\$1,442.73
718	Cherry	<i>Prunus</i>	sp.	8	Semi-mature	Good	...	\$725.34
719	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
720	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	11	Semi-mature	Good	...	\$1,371.35
721	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	12	Mature	Good	...	\$1,721.03
722	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	11	Mature	Good	...	\$1,446.15
723	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	9	Semi-mature	Good	...	\$968.08
724	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	22	Mature	Good	...	\$5,784.59
725	Elm	<i>Ulmus</i>	sp.	10	Semi-mature	Good	3	\$1,442.44
726	Elm	<i>Ulmus</i>	sp.	15	Semi-mature	Good	3	\$3,245.48
727	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
728	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	18	Mature	Good	...	\$3,872.33
729	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	19	Mature	Good	...	\$4,314.54
730	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	2	\$2,077.11
731	Elm	<i>Ulmus</i>	sp.	13	Semi-mature	Good	...	\$2,437.72
732	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	6	Semi-mature	Good	...	\$430.26
733	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	24	Mature	Good	...	\$6,884.14
734	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	16	Mature	Poor	...	\$1,311.26
735	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	12	Mature	Good	...	\$1,721.03
736	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	14	Mature	Good	...	\$2,342.52
737	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	2	\$1,745.35
738	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	14	Mature	Good	...	\$2,342.52
739	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
740	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	13	Mature	Good	...	\$2,019.82
741	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	3	\$1,745.35
742	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
743	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	15	Mature	Good	...	\$2,689.12
744	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	10	Mature	Good	...	\$1,195.16
745	Elm	<i>Ulmus</i>	sp.	10	Semi-mature	Good	2	\$1,442.44
746	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	11	Mature	Good	...	\$1,446.15
747	Pagodatree-Japanese	<i>Sophora</i>	<i>japonica</i>	21	Mature	Good	...	\$5,270.67
748	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	14	Semi-mature	Fair	2	\$1,875.17
749	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	10	Semi-mature	Good	2	\$1,339.41
750	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Fair	...	\$264.94

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
751	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Fair	3	\$360.61
752	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	11	Semi-mature	Fair	2	\$1,157.63
753	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	13	Semi-mature	Good	1	\$2,263.60
754	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	3	Young	Fair	...	\$90.08
755	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	20	Mature	Good	1	\$5,357.62
756	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	3	Young	Fair	...	\$90.08
757	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	4	Young	Good	...	\$224.20
758	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	4	Young	Good	...	\$224.20
759	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	4	Young	Good	...	\$224.20
760	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	4	Young	Good	...	\$224.20
761	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
762	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
763	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
764	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
765	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
766	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
767	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
768	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
769	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
770	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
771	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
772	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
773	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
774	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	2	\$57.70
775	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
776	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
777	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	...	\$129.82
778	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Good	...	\$230.79
779	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Good	...	\$230.79
780	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Good	2	\$230.79
781	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Young	Good	...	\$257.58

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
782	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Young	Good	...	\$257.58
783	Maple-Red	<i>Acer</i>	<i>rubrum</i>	3	Young	Good	...	\$129.82
784	Maple-Red	<i>Acer</i>	<i>rubrum</i>	5	Young	Good	...	\$360.61
785	Maple-Red	<i>Acer</i>	<i>rubrum</i>	18	Mature	Fair	1	\$3,338.21
786	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	3	\$1,745.35
787	Elm	<i>Ulmus</i>	sp.	10	Semi-mature	Good	2	\$1,442.44
788	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	9	Semi-mature	Good	...	\$1,001.46
789	Cherry	<i>Prunus</i>	sp.	9	Semi-mature	Good	3	\$918.01
790	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	6	Semi-mature	Good	...	\$445.10
791	Cherry	<i>Prunus</i>	sp.	7	Semi-mature	Good	...	\$555.34
792	Cherry	<i>Prunus</i>	sp.	7	Semi-mature	Good	...	\$555.34
793	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	7	Semi-mature	Good	...	\$605.82
794	Cherry	<i>Prunus</i>	sp.	8	Young	Good	3	\$725.34
795	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$283.34
796	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	6	Semi-mature	Good	...	\$445.10
797	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	10	Semi-mature	Good	3	\$1,236.38
798	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	10	Semi-mature	Good	3	\$1,236.38
799	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
800	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34
801	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	21	Mature	Fair	...	\$4,219.13
802	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	2	Young	Good	...	\$72.53
803	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	6	Young	Good	...	\$652.81
804	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	8	Young	Good	...	\$962.72
805	Linden	<i>Tilia</i>	sp.	12	Semi-mature	Fair	1	\$928.34
806	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	7	Semi-mature	Good	...	\$636.11
807	Rubber Tree-Hardy	<i>Eucommia</i>	<i>ulmoides</i>	14	Semi-mature	Fair	...	\$2,019.41
808	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	4	Young	Good	...	\$230.79
809	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	7	Young	Good	...	\$888.54
810	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	42	Mature	Good	...	\$11,260.35
811	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	12	Semi-mature	Good	2	\$1,869.40
812	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	6	Semi-mature	Good	...	\$467.35

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
813	Goldenraintree-Panicked	<i>Koelreuteria</i>	<i>paniculata</i>	13	Mature	Good	3	\$2,193.95
814	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	14	Semi-mature	Good	...	\$2,221.35
815	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	9	Semi-mature	Fair	...	\$515.04
816	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	8	Semi-mature	Fair	...	\$406.94
817	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	8	Semi-mature	Fair	...	\$395.64
818	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	6	Semi-mature	Fair	...	\$222.55
819	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	9	Semi-mature	Good	...	\$1,168.37
820	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	7	Semi-mature	Poor	1	\$181.75
821	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	3	Young	Fair	...	\$50.07
822	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	6	Semi-mature	Fair	...	\$222.55
823	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	5	Semi-mature	Fair	...	\$257.58
824	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	5	Semi-mature	Fair	...	\$257.58
825	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	8	Semi-mature	Good	...	\$553.90
826	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	8	Semi-mature	Good	...	\$553.90
827	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	7	Semi-mature	Good	...	\$424.08
828	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	7	Semi-mature	Good	...	\$424.08
829	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	5	Semi-mature	Good	...	\$216.37
830	Maple-Tatarian	<i>Acer</i>	<i>tataricum</i>	6	Semi-mature	Fair	...	\$222.55
831	Elm-Chinese	<i>Ulmus</i>	<i>parvifolia</i>	8	Semi-mature	Good	...	\$1,055.04
832	Elm-Chinese	<i>Ulmus</i>	<i>parvifolia</i>	7	Semi-mature	Good	...	\$807.76
833	Elm-Chinese	<i>Ulmus</i>	<i>parvifolia</i>	6	Semi-mature	Good	...	\$593.46
834	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$61.20
835	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$27.20
836	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$61.20
837	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	8	Semi-mature	Good	...	\$435.20
838	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	10	Semi-mature	Good	...	\$680.01
839	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	11	Semi-mature	Good	...	\$822.81
840	Crabapple	<i>Malus</i>	sp.	6	Semi-mature	Good	...	\$280.41
841	Elm-Chinese	<i>Ulmus</i>	<i>parvifolia</i>	8	Semi-mature	Good	...	\$633.02
842	Elm-Chinese	<i>Ulmus</i>	<i>parvifolia</i>	10	Semi-mature	Good	...	\$989.10
843	Elm-Chinese	<i>Ulmus</i>	<i>parvifolia</i>	8	Semi-mature	Good	...	\$633.02

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
844	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	11	Semi-mature	Fair	...	\$587.72
845	Elm-Chinese	<i>Ulmus</i>	<i>parvifolia</i>	7	Semi-mature	Good	...	\$484.66
846	Crabapple	<i>Malus</i>	sp.	5	Semi-mature	Good	...	\$324.55
847	Crabapple	<i>Malus</i>	sp.	3	Semi-mature	Good	...	\$116.84
848	Dogwood-Corneliancherry	<i>Cornus</i>	<i>mas</i>	2	Young	Good	...	\$39.56
849	Maple-Hedge	<i>Acer</i>	<i>campestre</i>	6	Semi-mature	Fair	...	\$254.34
850	Maple-Hedge	<i>Acer</i>	<i>campestre</i>	5	Semi-mature	Fair	...	\$176.62
851	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	30	Mature	Good	...	\$2,781.84
852	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
853	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	10	Semi-mature	Fair	...	\$809.53
854	Dogwood-Kousa	<i>Cornus</i>	<i>kousa</i>	3	Young	Good	...	\$163.20
855	Maple-Hedge	<i>Acer</i>	<i>campestre</i>	6	Semi-mature	Fair	...	\$423.90
856	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	14	Semi-mature	Good	...	\$1,332.81
857	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	15	Semi-mature	Good	...	\$1,947.29
858	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	17	Semi-mature	Good	...	\$2,501.19
859	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	8	Semi-mature	Dead	1	\$0.00
860	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	10	Semi-mature	Good	3	\$1,133.34
861	Birch-River	<i>Betula</i>	<i>nigra</i>	9	Semi-mature	Good	...	\$1,168.37
862	Birch-River	<i>Betula</i>	<i>nigra</i>	9	Semi-mature	Good	...	\$1,168.37
863	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	6	Young	Good	...	\$541.53
864	Birch-River	<i>Betula</i>	<i>nigra</i>	7	Semi-mature	Good	...	\$706.79
865	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	21	Semi-mature	Good	...	\$6,361.15
866	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	17	Semi-mature	Good	...	\$4,168.64
867	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	17	Semi-mature	Good	...	\$4,168.64
868	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	19	Semi-mature	Good	...	\$5,207.20
869	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	8	Semi-mature	Good	...	\$923.16
870	Linden-American	<i>Tilia</i>	<i>americana</i>	6	Young	Good	...	\$541.53
871	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	2	Young	Good	...	\$57.70
872	Maple-Silver	<i>Acer</i>	<i>saccharinum</i>	36	Mature	Fair	...	\$8,215.09
873	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	2	Young	Good	...	\$57.70

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
874	Linden-American	<i>Tilia</i>	<i>americana</i>	16	Semi-mature	Good	3	\$3,850.90
875	Linden-American	<i>Tilia</i>	<i>americana</i>	18	Semi-mature	Good	3	\$4,873.79
876	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	18	Semi-mature	Good	...	\$4,673.50
877	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	19	Semi-mature	Good	...	\$5,207.20
878	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	20	Semi-mature	Good	...	\$5,769.75
879	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
880	Baldcypress-Common	<i>Taxodium</i>	<i>distichum</i>	5	Young	Good	...	\$360.61
881	Elm	<i>Ulmus</i>	sp.	8	Young	Good	...	\$923.16
882	Tupelo-Black	<i>Nyssa</i>	<i>sylvatica</i>	3	Young	Good	...	\$148.37
883	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	28	Mature	Poor	1	\$3,808.03
884	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	32	Mature	Poor	1	\$4,873.03
885	Tupelo-Black	<i>Nyssa</i>	<i>sylvatica</i>	2	New planting	Dead	1	\$0.00
886	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	22	Mature	Poor	1	\$2,350.88
887	Tupelo-Black	<i>Nyssa</i>	<i>sylvatica</i>	3	Young	Good	...	\$148.37
888	Tupelo-Black	<i>Nyssa</i>	<i>sylvatica</i>	4	Young	Good	...	\$263.76
889	Tupelo-Black	<i>Nyssa</i>	<i>sylvatica</i>	3	Young	Good	...	\$148.37
890	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	12	Semi-mature	Poor	1	\$699.43
891	Crabapple	<i>Malus</i>	sp.	13	Mature	Good	3	\$2,193.95
892	Crabapple	<i>Malus</i>	sp.	10	Mature	Good	3	\$1,298.19
893	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	3	\$830.84
894	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	9	Mature	Fair	...	\$858.40
895	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	21	Mature	Fair	...	\$3,570.03
896	Crabapple	<i>Malus</i>	sp.	6	Semi-mature	Good	3	\$467.35
897	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	7	Semi-mature	Fair	...	\$238.00
898	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	8	Semi-mature	Fair	...	\$310.86
899	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$27.20
900	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$27.20
901	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	17	Semi-mature	Poor	...	\$842.24
902	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	6	Semi-mature	Good	...	\$504.44
903	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	5	Semi-mature	Good	...	\$350.31
904	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Good	...	\$7,232.79

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
905	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	3	Young	Good	...	\$126.11
906	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	25	Mature	Good	...	\$9,015.23
907	Serviceberry	<i>Amelanchier</i>	sp.	3	Mature	Good	...	\$89.02
908	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	21	Mature	Good	...	\$6,815.52
909	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	22	Mature	Fair	...	\$3,556.24
910	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	13	Semi-mature	Good	...	\$1,567.11
911	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	2	Young	Good	...	\$56.05
912	Serviceberry	<i>Amelanchier</i>	sp.	5	Young	Good	...	\$247.28
913	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	9	Semi-mature	Good	...	\$681.00
914	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	15	Semi-mature	Good	...	\$3,477.30
915	Oak-Bur	<i>Quercus</i>	<i>macrocarpa</i>	4	Young	Good	...	\$247.28
916	Oak-Bur	<i>Quercus</i>	<i>macrocarpa</i>	4	Young	Good	...	\$247.28
917	Magnolia	<i>Magnolia</i>	sp.	2	Young	Good	...	\$57.70
918	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	7	Young	Good	...	\$686.60
919	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	14	Semi-mature	Good	...	\$3,029.12
920	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	16	Semi-mature	Good	...	\$2,373.84
921	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	13	Semi-mature	Good	...	\$1,567.11
922	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	...	\$222.55
923	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	15	Semi-mature	Good	2	\$1,390.92
924	Elm	<i>Ulmus</i>	sp.	3	Young	Good	...	\$129.82
925	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	2	Young	Good	...	\$42.20
926	Cherry	<i>Prunus</i>	sp.	8	Semi-mature	Good	...	\$435.20
927	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$170.00
928	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$283.34
929	Yellowwood-American	<i>Cladrastis</i>	<i>lutea</i>	2	Young	Good	...	\$77.37
930	Cherry	<i>Prunus</i>	sp.	7	Semi-mature	Good	...	\$555.34
931	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
932	Yellowwood-American	<i>Cladrastis</i>	<i>lutea</i>	5	Young	Good	...	\$290.14
933	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$170.00
934	Cherry	<i>Prunus</i>	sp.	4	Semi-mature	Good	...	\$108.80
935	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$283.34

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
936	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$170.00
937	Cherry	<i>Prunus</i>	sp.	6	Semi-mature	Good	...	\$244.80
938	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
939	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
940	Cherry	<i>Prunus</i>	sp.	6	Semi-mature	Good	...	\$408.00
941	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	14	Semi-mature	Good	...	\$2,221.35
942	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	21	Mature	Good	...	\$4,998.05
943	Serviceberry	<i>Amelanchier</i>	sp.	4	Semi-mature	Good	...	\$263.76
944	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$65.94
945	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	21	Mature	Fair	...	\$4,219.13
946	Serviceberry	<i>Amelanchier</i>	sp.	4	Young	Good	...	\$158.26
947	Serviceberry	<i>Amelanchier</i>	sp.	4	Young	Good	...	\$158.26
948	Magnolia	<i>Magnolia</i>	sp.	2	Young	Good	...	\$34.62
949	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	5	Semi-mature	Good	...	\$210.18
950	Serviceberry	<i>Amelanchier</i>	sp.	4	Semi-mature	Good	...	\$158.26
951	Cherry	<i>Prunus</i>	sp.	7	Semi-mature	Good	...	\$555.34
952	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	20	Semi-mature	Good	...	\$3,709.12
953	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	3	\$222.55
954	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	16	Semi-mature	Good	...	\$2,373.84
955	Serviceberry	<i>Amelanchier</i>	sp.	3	Semi-mature	Good	...	\$89.02
956	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	26	Mature	Good	...	\$5,432.63
957	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	9	Semi-mature	Good	...	\$918.01
958	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	2	Young	Good	...	\$68.41
959	Filbert-Turkish	<i>Corylus</i>	<i>colurna</i>	6	Semi-mature	Good	...	\$504.44
960	Serviceberry	<i>Amelanchier</i>	sp.	6	Semi-mature	Fair	3	\$423.90
961	Oak-Shingle	<i>Quercus</i>	<i>imbricaria</i>	17	Semi-mature	Good	...	\$4,466.40
962	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	17	Mature	Fair	1	\$2,339.55
963	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	17	Mature	Fair	1	\$2,339.55
964	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	15	Semi-mature	Poor	1	\$1,092.87
965	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Good	...	\$39.56
966	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	32	Mature	Fair	...	\$12,285.94

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
967	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$11,264.41
968	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$37.09
969	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$37.09
970	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$37.09
971	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	2	Young	Good	...	\$53.58
972	Maple-Red	<i>Acer</i>	<i>rubrum</i>	6	Semi-mature	Good	...	\$519.28
973	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$10,500.95
974	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Good	...	\$7,085.46
975	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	17	Mature	Good	...	\$3,870.88
976	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	4	Young	Good	3	\$273.65
977	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Good	...	\$230.79
978	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	36	Mature	Poor	1	\$4,929.05
979	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	32	Mature	Good	...	\$8,062.65
980	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	17	Mature	Good	...	\$2,322.53
981	Snowbell-Japanese	<i>Styrax</i>	<i>japonicus</i>	2	Young	Dead	1	\$0.00
982	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	4	Young	Good	...	\$263.76
983	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	3	Young	Good	...	\$89.02
984	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	20	Mature	Fair	...	\$1,942.88
985	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	24	Mature	Fair	1	\$3,815.10
986	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	6	Semi-mature	Good	...	\$356.08
987	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	26	Mature	Good	...	\$9,054.39
988	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
989	Silverbell-Carolina	<i>Halesia</i>	<i>carolina</i>	10	Mature	Good	...	\$1,442.44
990	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$65.94
991	Silverbell-Carolina	<i>Halesia</i>	<i>carolina</i>	7	Young	Good	...	\$424.08
992	Silverbell-Carolina	<i>Halesia</i>	<i>carolina</i>	4	Young	Good	...	\$138.47
993	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$39.56
994	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$39.56
995	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$39.56
996	Linden	<i>Tilia</i>	sp.	3	Young	Good	...	\$135.38
997	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Good	...	\$15,429.96

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
998	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	4	Young	Good	...	\$230.79
999	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	21	Mature	Good	...	\$6,815.52
1000	Maple-Red	<i>Acer</i>	<i>rubrum</i>	3	Young	Good	...	\$129.82
1001	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	22	Mature	Poor	1	\$1,923.45
1002	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	6	Young	Good	...	\$652.81
1003	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	24	Mature	Fair	1	\$2,797.74
1004	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	24	Mature	Poor	1	\$1,678.64
1005	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$14,418.44
1006	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	6	Young	Good	...	\$617.20
1007	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$13,441.21
1008	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	4	Young	Good	...	\$247.28
1009	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	7	Young	Good	...	\$757.28
1010	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	10	Young	Good	...	\$1,545.47
1011	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	36	Mature	Good	...	\$21,264.30
1012	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	26	Mature	Good	...	\$11,589.61
1013	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Fair	1	\$9,600.86
1014	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	25	Mature	Fair	...	\$7,653.75
1015	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$14,418.44
1016	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1017	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1018	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	...	\$22,243.71
1019	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1020	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	39	Mature	Good	...	\$24,158.64
1021	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	27	Mature	Good	...	\$12,498.27
1022	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1023	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	27	Mature	Good	...	\$12,498.27
1024	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Good	...	\$16,147.73
1025	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	2	\$13,441.21
1026	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	36	Mature	Fair	...	\$15,188.78
1027	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Poor	1	\$2,332.13
1028	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	25	Mature	Fair	...	\$4,592.25

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1029	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Fair	...	\$6,179.33
1030	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$8,651.06
1031	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$37.09
1032	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$37.09
1033	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Good	...	\$9,688.64
1034	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Good	...	\$9,688.64
1035	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	34	Mature	Good	...	\$11,556.94
1036	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$37.09
1037	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	...	\$12,162.15
1038	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	...	\$12,162.15
1039	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	6	Young	Good	...	\$556.37
1040	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$11,264.41
1041	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$10,500.94
1042	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	9	Young	Good	...	\$1,251.83
1043	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1044	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$10,500.94
1045	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1046	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$10,500.94
1047	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$10,500.94
1048	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	26	Mature	Good	1	\$9,054.39
1049	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	1	\$10,500.94
1050	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	24	Mature	Good	...	\$7,714.98
1051	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Good	...	\$7,085.46
1052	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	21	Mature	Good	...	\$3,544.07
1053	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	21	Mature	Good	...	\$5,906.78
1054	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1055	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	...	\$10,500.94
1056	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1057	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	17	Mature	Good	...	\$3,870.88
1058	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	21	Mature	Good	...	\$5,906.78
1059	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	33	Mature	Good	1	\$14,248.64

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1060	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$11,264.41
1061	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	5	Young	Good	...	\$386.37
1062	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	38	Mature	Good	1	\$18,131.64
1063	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Good	...	\$12,615.42
1064	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	3	Young	Good	...	\$120.55
1065	Maple-Red	<i>Acer</i>	<i>rubrum</i>	12	Semi-mature	Good	...	\$2,077.11
1066	Maple-Red	<i>Acer</i>	<i>rubrum</i>	12	Semi-mature	Good	...	\$2,077.11
1067	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	3	Young	Good	...	\$120.55
1068	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Semi-mature	Good	...	\$1,168.37
1069	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Good	...	\$923.16
1070	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Good	...	\$923.16
1071	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Semi-mature	Good	...	\$1,168.37
1072	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	12	Semi-mature	Good	...	\$1,632.02
1073	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	5	Young	Good	...	\$386.37
1074	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	5	Young	Good	...	\$386.37
1075	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	23	Mature	Good	...	\$5,995.39
1076	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	4	Young	Good	...	\$181.34
1077	Silverbell-Carolina	<i>Halesia</i>	<i>carolina</i>	2	Young	Good	...	\$57.70
1078	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	3	Young	Good	...	\$139.09
1079	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	4	Young	Good	...	\$247.28
1080	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	5	Young	Good	...	\$386.37
1081	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	20	Mature	Fair	...	\$3,238.12
1082	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	20	Mature	Poor	...	\$1,942.88
1083	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	18	Mature	Fair	...	\$2,622.88
1084	Maple-Norway	<i>Acer</i>	<i>platanooides</i>	23	Mature	Fair	...	\$4,282.42
1085	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	3	Young	Good	...	\$139.09
1086	Silverbell-Carolina	<i>Halesia</i>	<i>carolina</i>	2	Young	Good	...	\$57.70
1087	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	31	Mature	Good	...	\$13,585.83
1088	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	4	Young	Good	...	\$247.28
1089	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	2	Young	Good	...	\$61.82
1090	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	2	Young	Good	...	\$61.82

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1091	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	34	Mature	Good	...	\$17,363.19
1092	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	9	Young	Good	...	\$1,251.83
1093	Linden-Silver	<i>Tilia</i>	<i>tomentosa</i>	17	Mature	Good	3	\$869.46
1094	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	16	Mature	Good	3	\$1,740.82
1095	Linden-Silver	<i>Tilia</i>	<i>tomentosa</i>	9	Semi-mature	Good	3	\$731.07
1096	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	8	Semi-mature	Fair	3	\$282.60
1097	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	11	Semi-mature	Good	3	\$748.01
1098	Elm	<i>Ulmus</i>	sp.	8	Semi-mature	Good	...	\$553.90
1099	Elm	<i>Ulmus</i>	sp.	10	Semi-mature	Good	1	\$865.46
1100	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	11	Semi-mature	Fair	...	\$587.72
1101	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1102	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	26	Mature	Fair	2	\$6,467.42
1103	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	15	Mature	Good	2	\$2,781.84
1104	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	17	Mature	Good	...	\$3,573.12
1105	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	8	Semi-mature	Good	...	\$791.28
1106	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
1107	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	7	Mature	Good	3	\$706.79
1108	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
1109	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
1110	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	7	Mature	Good	...	\$706.79
1111	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	9	Mature	Good	3	\$1,168.37
1112	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Semi-mature	Good	2	\$129.82
1113	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	8	Mature	Good	...	\$923.16
1114	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	8	Mature	Good	...	\$923.16
1115	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	4	Semi-mature	Good	...	\$230.79
1116	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	6	Mature	Good	...	\$519.28
1117	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	12	Mature	Good	2	\$1,572.67
1118	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	12	Mature	Good	...	\$1,572.67
1119	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	12	Mature	Good	2	\$1,572.67
1120	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	9	Mature	Good	...	\$884.63
1121	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	12	Mature	Good	2	\$1,572.67

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1122	Elm	<i>Ulmus</i>	sp.	13	Mature	Good	2	\$2,437.72
1123	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	9	Mature	Good	...	\$884.63
1124	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	12	Mature	Good	...	\$1,572.67
1125	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	13	Mature	Good	2	\$2,711.67
1126	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	14	Mature	Good	2	\$2,140.58
1127	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	13	Mature	Good	2	\$2,089.47
1128	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	25	Mature	Good	...	\$7,967.75
1129	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	13	Mature	Dead	1	...
1130	Cherry	<i>Prunus</i>	sp.	4	Young	Good	...	\$181.34
1131	Cherry	<i>Prunus</i>	sp.	6	Semi-mature	Good	...	\$408.00
1132	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	4	Young	Good	...	\$197.82
1133	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	6	Young	Good	...	\$445.10
1134	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	6	Young	Good	...	\$445.10
1135	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Good	2	\$923.16
1136	Cherry	<i>Prunus</i>	sp.	5	Young	Good	3	\$283.34
1137	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	12	Mature	Good	2	\$1,780.38
1138	Cherry	<i>Prunus</i>	sp.	2	Young	Good	...	\$45.33
1139	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	18	Mature	Good	2	\$4,005.86
1140	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Good	1	\$13,437.74
1141	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	12	Mature	Good	2	\$1,780.38
1142	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Mature	Good	3	\$4,168.64
1143	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	10	Semi-mature	Good	...	\$1,236.38
1144	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	4	Young	Good	...	\$197.82
1145	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	8	Semi-mature	Good	3	\$791.28
1146	Sweetgum	<i>Liquidambar</i>	<i>styraciflua</i>	19	Mature	Good	2	\$4,835.26
1147	Cherry	<i>Prunus</i>	sp.	4	Mature	Good	...	\$181.34
1148	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	7	Semi-mature	Good	...	\$605.82
1149	Maple-Red	<i>Acer</i>	<i>rubrum</i>	18	Mature	Good	1	\$4,673.50
1150	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Mature	Good	1	\$4,168.64
1151	Maple-Red	<i>Acer</i>	<i>rubrum</i>	10	Semi-mature	Good	...	\$1,442.44
1152	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$65.94

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1153	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	2	Young	Good	...	\$65.94
1154	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Fair	...	\$164.85
1155	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	3	Young	Good	...	\$92.73
1156	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	3	Young	Good	...	\$92.73
1157	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Good	3	\$230.79
1158	Maple-Red	<i>Acer</i>	<i>rubrum</i>	3	Young	Good	...	\$129.82
1159	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Good	...	\$230.79
1160	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	25	Mature	Good	3	\$8,371.29
1161	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
1162	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
1163	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	20	Mature	Good	...	\$5,357.62
1164	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Good	...	\$7,085.46
1165	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	8	Mature	Good	...	\$989.10
1166	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	39	Mature	Good	...	\$18,873.94
1167	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1168	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	9	Semi-mature	Good	...	\$1,084.92
1169	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	14	Mature	Good	...	\$2,625.24
1170	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Good	3	\$7,085.46
1171	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	14	Mature	Good	...	\$2,625.24
1172	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Good	3	\$12,615.42
1173	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	20	Mature	Good	...	\$5,357.62
1174	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	25	Mature	Fair	2	\$5,979.49
1175	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Poor	2	\$3,036.63
1176	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Mature	Good	...	\$757.28
1177	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Semi-mature	Good	...	\$139.09
1178	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	4	Semi-mature	Good	...	\$247.28
1179	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	4	Semi-mature	Good	2	\$247.28
1180	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Mature	Good	...	\$556.37
1181	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	5	Mature	Good	...	\$386.37
1182	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	34	Mature	Good	...	\$15,048.10
1183	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1184	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Mature	Good	...	\$556.37
1185	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	8	Mature	Good	2	\$989.10
1186	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	2	\$11,264.41
1187	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Mature	Good	2	\$757.28
1188	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Good	...	\$12,054.66
1189	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1190	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Mature	Good	...	\$757.28
1191	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	13	Semi-mature	Good	2	\$2,263.60
1192	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	4	Young	Dead	1	\$0.00
1193	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$283.34
1194	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	7	Semi-mature	Fair	...	\$598.61
1195	Hophornbeam-American	<i>Ostrya</i>	<i>virginiana</i>	6	Semi-mature	Good	...	\$615.71
1196	Cherry	<i>Prunus</i>	sp.	11	Mature	Good	2	\$1,371.35
1197	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	25	Mature	Good	...	\$9,659.18
1198	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	21	Mature	Good	...	\$6,815.52
1199	Cherry	<i>Prunus</i>	sp.	6	Semi-mature	Good	...	\$408.00
1200	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	2	\$57.70
1201	Serviceberry	<i>Amelanchier</i>	<i>canadensis</i>	6	Semi-mature	Good	...	\$593.46
1202	Serviceberry	<i>Amelanchier</i>	<i>canadensis</i>	9	Mature	Good	...	\$1,335.29
1203	Serviceberry	<i>Amelanchier</i>	<i>canadensis</i>	10	Mature	Good	...	\$1,648.50
1204	Cherry	<i>Prunus</i>	sp.	4	Young	Good	2	\$181.34
1205	Cherry	<i>Prunus</i>	sp.	8	Young	Good	2	\$725.34
1206	Cherry	<i>Prunus</i>	sp.	6	Semi-mature	Good	2	\$408.00
1207	Cherry	<i>Prunus</i>	sp.	3	Semi-mature	Good	3	\$102.00
1208	Cherry	<i>Prunus</i>	sp.	8	Semi-mature	Good	2	\$725.34
1209	Cherry	<i>Prunus</i>	sp.	9	Mature	Good	2	\$918.01
1210	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Good	...	\$283.34
1211	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1212	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1213	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1214	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	3	Young	Good	...	\$92.73

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1215	Oak-Chinkapin	<i>Quercus</i>	<i>muehlenbergii</i>	3	Young	Good	...	\$139.09
1216	Oak-Chinkapin	<i>Quercus</i>	<i>muehlenbergii</i>	2	Young	Good	...	\$61.82
1217	Oak-Chinkapin	<i>Quercus</i>	<i>muehlenbergii</i>	3	Young	Dead	1	\$0.00
1218	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	3	Young	Good	...	\$139.09
1219	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	6	Semi-mature	Good	...	\$556.37
1220	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	19	Mature	Good	2	\$4,091.37
1221	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
1222	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$139.09
1223	Elm	<i>Ulmus</i>	sp.	9	Young	Good	...	\$1,168.37
1224	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	10	Semi-mature	Good	...	\$1,339.41
1225	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	39	Mature	Good	1	\$18,873.94
1226	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	37	Mature	Fair	1	\$12,412.79
1227	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Good	1	\$13,437.74
1228	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	21	Mature	Good	...	\$6,815.52
1229	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	25	Mature	Poor	1	\$3,587.70
1230	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	44	Mature	Good	1	\$22,413.98
1231	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	37	Mature	Good	1	\$17,377.90
1232	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	31	Mature	Good	...	\$12,615.42
1233	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	32	Mature	Good	1	\$13,437.74
1234	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	12	Semi-mature	Good	...	\$2,225.48
1235	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	14	Semi-mature	Good	...	\$3,029.12
1236	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	10	Semi-mature	Good	...	\$1,545.47
1237	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	13	Semi-mature	Good	...	\$2,611.84
1238	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	8	Semi-mature	Good	2	\$989.10
1239	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	12	Semi-mature	Good	3	\$2,225.48
1240	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	10	Semi-mature	Good	3	\$1,545.47
1241	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	5	Young	Good	...	\$386.37
1242	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	6	Young	Good	...	\$556.37
1243	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	10	Semi-mature	Good	2	\$1,504.26
1244	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	2	Young	Good	...	\$72.53
1245	Maple-Red	<i>Acer</i>	<i>rubrum</i>	14	Mature	Good	...	\$2,827.18

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1246	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Mature	Good	...	\$1,741.23
1247	Maple-Red	<i>Acer</i>	<i>rubrum</i>	13	Mature	Good	3	\$2,437.72
1248	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	12	Mature	Good	...	\$2,225.48
1249	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	15	Mature	Good	...	\$2,318.20
1250	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1251	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	8	Semi-mature	Good	...	\$923.16
1252	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Mature	Good	...	\$504.85
1253	Fringetree-Chinese	<i>Chionanthus</i>	<i>retusus</i>	4	Young	Good	...	\$230.79
1254	Mountain Ash-Korean	<i>Sorbus</i>	<i>alnifolia</i>	8	Mature	Good	...	\$725.34
1255	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	6	Semi-mature	Good	...	\$519.28
1256	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	3	\$139.09
1257	Fringetree-Chinese	<i>Chionanthus</i>	<i>retusus</i>	8	Mature	Good	...	\$923.16
1258	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1259	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Mature	Good	3	\$370.91
1260	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	32	Mature	Good	1	\$11,990.60
1261	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	26	Mature	Fair	1	\$5,770.93
1262	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	26	Mature	Fair	...	\$5,770.93
1263	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	27	Mature	Fair	...	\$6,223.38
1264	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	32	Mature	Fair	1	\$8,564.71
1265	Cherry	<i>Prunus</i>	sp.	9	Mature	Good	...	\$918.01
1266	Cherry	<i>Prunus</i>	sp.	4	Young	Good	3	\$181.34
1267	Serviceberry	<i>Amelanchier</i>	sp.	7	Semi-mature	Good	2	\$807.76
1268	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	4	Young	Good	...	\$240.68
1269	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Good	...	\$65.94
1270	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	2	Young	Good	...	\$60.17
1271	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	22	Mature	Good	3	\$7,280.60
1272	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	18	Mature	Good	...	\$4,873.79
1273	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	17	Mature	Good	3	\$4,347.30
1274	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	20	Mature	Good	3	\$6,017.02

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1275	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	16	Mature	Good	3	\$3,850.90
1276	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	17	Mature	Fair	2	\$3,105.21
1277	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	16	Mature	Good	2	\$3,850.90
1278	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	21	Mature	Fair	1	\$4,738.41
1279	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	17	Mature	Poor	2	\$1,863.13
1280	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	10	Mature	Good	2	\$1,133.34
1281	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	20	Mature	Good	2	\$4,533.38
1282	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	2	Young	Good	...	\$60.17
1283	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	11	Semi-mature	Good	...	\$1,820.15
1284	Elm-American	<i>Ulmus</i>	<i>americana</i>	3	Young	Good	...	\$98.29
1285	Elm-American	<i>Ulmus</i>	<i>americana</i>	3	Young	Good	...	\$98.29
1286	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	6	Semi-mature	Good	3	\$541.53
1287	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	6	Semi-mature	Good	...	\$541.53
1288	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	5	Young	Good	3	\$376.06
1289	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	29	Mature	Good	1	\$12,997.39
1290	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	4	Young	Good	3	\$197.82
1291	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	7	Semi-mature	Good	...	\$605.82
1292	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	15	Mature	Fair	1	\$1,987.03
1293	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	5	Young	Good	...	\$309.09
1294	Maple-Red	<i>Acer</i>	<i>rubrum</i>	16	Mature	Fair	2	\$2,637.60
1295	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	17	Mature	Good	...	\$3,573.12
1296	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	16	Mature	Fair	2	\$2,260.80
1297	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	17	Mature	Good	...	\$3,275.36
1298	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	7	Semi-mature	Good	...	\$605.82
1299	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	4	Semi-mature	Fair	...	\$141.30
1300	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	12	Mature	Good	...	\$1,780.38
1301	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	9	Mature	Good	3	\$1,001.46
1302	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	12	Mature	Good	...	\$1,780.38
1303	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	12	Mature	Good	3	\$1,780.38
1304	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	17	Mature	Good	2	\$3,573.12
1305	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	16	Mature	Good	2	\$3,165.12

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1306	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	3	Young	Good	...	\$111.27
1307	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	16	Mature	Fair	...	\$2,260.80
1308	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Mature	Good	...	\$504.85
1309	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	5	Young	Good	...	\$309.09
1310	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	8	Mature	Good	3	\$791.28
1311	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	11	Mature	Good	...	\$1,496.01
1312	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	9	Mature	Fair	...	\$715.33
1313	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	6	Semi-mature	Good	...	\$445.10
1314	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	8	Mature	Good	2	\$791.28
1315	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1316	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	7	Mature	Good	...	\$605.82
1317	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	5	Semi-mature	Good	...	\$309.09
1318	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	10	Mature	Good	2	\$1,236.38
1319	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Mature	Good	...	\$504.85
1320	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	8	Mature	Good	...	\$791.28
1321	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	5	Semi-mature	Good	...	\$309.09
1322	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	16	Mature	Poor	...	\$1,650.38
1323	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	20	Mature	Poor	...	\$2,578.72
1324	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	10	Mature	Good	...	\$1,030.31
1325	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1326	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	13	Mature	Good	...	\$2,089.47
1327	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	5	Mature	Good	...	\$386.37
1328	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	5	Mature	Good	...	\$386.37
1329	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	9	Mature	Good	3	\$1,001.46
1330	Yellowwood	<i>Cladrastis</i>	<i>kentukea</i>	10	Mature	Good	3	\$1,236.38
1331	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	21	Mature	Fair	1	\$3,570.03
1332	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	9	Semi-mature	Good	...	\$918.01
1333	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	5	Mature	Good	...	\$386.37
1334	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	4	Semi-mature	Good	...	\$247.28
1335	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Mature	Good	...	\$757.28
1336	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Mature	Good	3	\$556.37

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1337	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	9	Mature	Good	3	\$1,251.83
1338	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Mature	Good	...	\$556.37
1339	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Mature	Good	...	\$757.28
1340	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Mature	Good	3	\$556.37
1341	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Mature	Good	...	\$757.28
1342	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Mature	Good	...	\$556.37
1343	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1344	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	4	Semi-mature	Good	...	\$247.28
1345	Sweetgum	<i>Liquidambar</i>	<i>styraciflua</i>	15	Mature	Good	3	\$3,013.66
1346	Sweetgum	<i>Liquidambar</i>	<i>styraciflua</i>	15	Mature	Good	3	\$3,013.66
1347	Linden-Silver	<i>Tilia</i>	<i>tomentosa</i>	13	Mature	Good	...	\$2,542.19
1348	Linden-Silver	<i>Tilia</i>	<i>tomentosa</i>	14	Mature	Good	...	\$2,948.34
1349	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	9	Semi-mature	Good	3	\$884.63
1350	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	6	Semi-mature	Good	...	\$393.17
1351	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	10	Semi-mature	Good	3	\$1,092.13
1352	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	2	Young	Good	...	\$51.93
1353	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	2	Young	Good	...	\$51.93
1354	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	17	Mature	Good	2	\$3,156.26
1355	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	13	Mature	Good	...	\$1,845.70
1356	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	14	Mature	Good	2	\$2,140.58
1357	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	11	Mature	Good	3	\$1,321.48
1358	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Good	2	\$2,795.86
1359	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	13	Mature	Good	3	\$1,845.70
1360	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	13	Mature	Good	...	\$1,845.70
1361	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	10	Mature	Good	...	\$1,092.13
1362	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	13	Mature	Good	2	\$1,845.70
1363	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	15	Mature	Good	3	\$2,457.30
1364	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	19	Mature	Good	2	\$3,942.59
1365	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	20	Mature	Good	2	\$4,368.52
1366	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	17	Mature	Good	2	\$3,156.26
1367	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	14	Mature	Poor	1	\$917.39

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1368	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	14	Mature	Good	3	\$2,140.58
1369	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	14	Mature	Good	2	\$2,140.58
1370	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	14	Mature	Good	2	\$2,140.58
1371	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	17	Mature	Good	2	\$3,156.26
1372	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	14	Mature	Good	2	\$2,140.58
1373	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	3	Young	Good	...	\$116.84
1374	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	3	Young	Good	...	\$116.84
1375	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	18	Mature	Good	2	\$3,538.51
1376	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Good	3	\$2,795.86
1377	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Good	2	\$2,795.86
1378	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Good	2	\$2,795.86
1379	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	3	Young	Good	...	\$116.84
1380	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Good	3	\$2,795.86
1381	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Good	2	\$2,795.86
1382	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	4	Young	Good	...	\$174.74
1383	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	16	Mature	Good	3	\$2,795.86
1384	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Poor	2	\$98.91
1385	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	10	Semi-mature	Good	...	\$1,092.13
1386	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	6	Semi-mature	Good	...	\$393.17
1387	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	7	Semi-mature	Good	3	\$535.14
1388	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	5	Semi-mature	Good	2	\$273.03
1389	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	6	Semi-mature	Good	2	\$393.17
1390	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	7	Semi-mature	Good	2	\$535.14
1391	Ash-Green	<i>Fraxinus</i>	<i>pennsylvanica</i>	9	Semi-mature	Good	3	\$884.63
1392	Linden-American	<i>Tilia</i>	<i>americana</i>	3	Young	Good	...	\$135.38
1393	Linden-American	<i>Tilia</i>	<i>americana</i>	4	Young	Good	3	\$240.68
1394	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	4	Young	Good	2	\$240.68
1395	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	5	Young	Good	2	\$376.06
1396	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	5	Young	Good	2	\$376.06
1397	Linden-American	<i>Tilia</i>	<i>americana</i>	3	Young	Good	...	\$135.38
1398	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1399	Elm	<i>Ulmus</i>	sp.	8	Semi-mature	Good	...	\$923.16
1400	Elm	<i>Ulmus</i>	sp.	7	Semi-mature	Good	...	\$706.79
1401	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	13	Semi-mature	Fair	1	\$820.86
1402	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	14	Semi-mature	Fair	1	\$1,586.68
1403	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	8	Semi-mature	Poor	...	\$310.86
1404	Cherry	<i>Prunus</i>	sp.	20	Over-mature	Good	1	\$4,533.38
1405	Horsechestnut-Common	<i>Aesculus</i>	<i>hippocastanum</i>	3	Young	Good	...	\$129.82
1406	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	12	Semi-mature	Good	3	\$2,225.48
1407	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	21	Mature	Fair	...	\$4,738.41
1408	Maple-Red	<i>Acer</i>	<i>rubrum</i>	7	Semi-mature	Fair	...	\$504.85
1409	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1410	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1411	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1412	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1413	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1414	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1415	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	3	Young	Good	...	\$77.89
1416	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	3	Young	Good	...	\$77.89
1417	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	10	Semi-mature	Fair	...	\$618.19
1418	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	10	Semi-mature	Fair	...	\$618.19
1419	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1420	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1421	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1422	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$34.62
1423	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	3	Young	Good	...	\$77.89
1424	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	3	Young	Good	...	\$77.89
1425	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	3	Young	Good	...	\$77.89
1426	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	2	Young	Good	...	\$57.70
1427	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	21	Mature	Fair	...	\$4,738.41
1428	Cherry	<i>Prunus</i>	sp.	6	Semi-mature	Fair	...	\$291.43
1429	Katsuratree	<i>Cercidiphyllum</i>	<i>japonicum</i>	12	Semi-mature	Good	...	\$2,166.13

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1430	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	5	Semi-mature	Good	...	\$216.37
1431	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	19	Mature	Fair	...	\$1,594.04
1432	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	19	Mature	Fair	...	\$1,594.04
1433	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	19	Mature	Fair	...	\$1,594.04
1434	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	26	Mature	Good	...	\$4,847.58
1435	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	28	Mature	Good	...	\$9,370.07
1436	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	39	Mature	Good	...	\$16,841.36
1437	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	34	Mature	Good	1	\$13,427.54
1438	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	30	Mature	Good	1	\$10,756.46
1439	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	26	Mature	Good	1	\$8,079.30
1440	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	3	Young	Good	...	\$139.09
1441	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	28	Mature	Poor	1	\$2,700.24
1442	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	3	Young	Good	...	\$120.55
1443	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	39	Mature	Fair	...	\$8,088.83
1444	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	10	Semi-mature	Good	...	\$1,545.47
1445	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	7	Young	Poor	1	\$324.55
1446	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$61.82
1447	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Fair	...	\$44.16
1448	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Fair	...	\$44.16
1449	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	30	Mature	Fair	1	\$4,609.91
1450	Linden-Silver	<i>Tilia</i>	<i>tomentosa</i>	11	Semi-mature	Good	1	\$1,092.09
1451	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	14	Mature	Good	...	\$1,211.65
1452	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	34	Mature	Fair	...	\$5,754.66
1453	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	9	Semi-mature	Good	3	\$500.73
1454	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	32	Mature	Poor	1	\$3,083.30
1455	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	32	Mature	Fair	...	\$5,138.83
1456	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	8	Semi-mature	Good	...	\$395.64
1457	Elm-American	<i>Ulmus</i>	<i>americana</i>	3	Young	Good	...	\$98.29
1458	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	1	Young	Good	...	\$9.27
1459	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	1	Young	Good	...	\$9.27
1460	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$37.09

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1461	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	38	Mature	Good	...	\$9,707.40
1462	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	2	Young	Good	...	\$37.09
1463	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	10	Semi-mature	Good	3	\$618.19
1464	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	9	Semi-mature	Good	...	\$500.73
1465	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	10	Semi-mature	Good	...	\$618.19
1466	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	11	Semi-mature	Good	...	\$748.01
1467	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$83.46
1468	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	3	Young	Good	...	\$83.46
1469	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	4	Young	Good	...	\$138.47
1470	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Mature	Good	...	\$1,044.74
1471	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Mature	Good	...	\$1,044.74
1472	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	10	Mature	Good	...	\$618.19
1473	Snowbell	<i>Styrax</i>	sp.	2	Young	Good	...	\$39.56
1474	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Mature	Good	...	\$1,741.23
1475	Serviceberry	<i>Amelanchier</i>	sp.	5	Semi-mature	Good	...	\$412.12
1476	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	14	Semi-mature	Good	...	\$2,019.41
1477	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	12	Semi-mature	Fair	...	\$1,059.75
1478	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	14	Semi-mature	Fair	...	\$1,442.44
1479	Serviceberry	<i>Amelanchier</i>	sp.	3	Young	Good	...	\$148.37
1480	Serviceberry	<i>Amelanchier</i>	sp.	3	Young	Fair	1	\$63.59
1481	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Poor	...	\$16.96
1482	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Poor	1	\$16.96
1483	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Poor	1	\$16.96
1484	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Dead	1	...
1485	Serviceberry	<i>Amelanchier</i>	sp.	2	Young	Dead	1	...
1486	Maackia-Amur	<i>Maackia</i>	<i>amurensis</i>	12	Semi-mature	Good	3	\$2,077.11
1487	Maackia-Amur	<i>Maackia</i>	<i>amurensis</i>	10	Semi-mature	Good	3	\$1,442.44
1488	Maackia-Amur	<i>Maackia</i>	<i>amurensis</i>	6	Semi-mature	Good	3	\$519.28
1489	Maackia-Amur	<i>Maackia</i>	<i>amurensis</i>	9	Semi-mature	Good	3	\$1,168.37
1490	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28
1491	Elm	<i>Ulmus</i>	sp.	5	Semi-mature	Good	...	\$360.61

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1492	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Semi-mature	Good	...	\$1,741.23
1493	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	13	Semi-mature	Good	...	\$1,741.23
1494	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
1495	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
1496	Oak-Swamp White	<i>Quercus</i>	<i>bicolor</i>	10	Semi-mature	Good	...	\$1,813.35
1497	Buckeye/Horsechestnut	<i>Aesculus</i>	sp.	3	Young	Good	...	\$129.82
1498	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	4	Young	Good	...	\$230.79
1499	Coffeetree-Kentucky	<i>Gymnocladus</i>	<i>dioicus</i>	2	Young	Good	...	\$70.34
1500	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	4	Young	Good	...	\$230.79
1501	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
1502	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
1503	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
1504	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	4	Young	Good	...	\$230.79
1505	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	30	Mature	Fair	...	\$7,683.19
1506	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	2	Young	Good	...	\$57.70
1507	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	7	Semi-mature	Good	...	\$504.85
1508	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	31	Mature	Poor	...	\$6,476.84
1509	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	...	\$370.91
1510	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	...	\$370.91
1511	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	32	Mature	Good	...	\$11,990.60
1512	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	...	\$129.82
1513	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	3	Young	Good	...	\$129.82
1514	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Semi-mature	Good	...	\$556.37
1515	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Semi-mature	Fair	...	\$540.91
1516	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Semi-mature	Fair	...	\$397.41
1517	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7	Semi-mature	Good	...	\$757.28
1518	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	8	Semi-mature	Good	...	\$989.10
1519	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Semi-mature	Good	...	\$556.37
1520	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	5	Semi-mature	Good	...	\$386.37
1521	Linden	<i>Tilia</i>	sp.	16	Semi-mature	Good	...	\$3,850.90
1522	Linden	<i>Tilia</i>	sp.	14	Semi-mature	Good	...	\$2,948.34

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1523	Linden	<i>Tilia</i>	sp.	9	Semi-mature	Good	...	\$1,218.45
1524	Linden	<i>Tilia</i>	sp.	4	Young	Good	...	\$240.68
1525	Linden	<i>Tilia</i>	sp.	9	Semi-mature	Good	...	\$1,218.45
1526	Linden	<i>Tilia</i>	sp.	13	Semi-mature	Good	...	\$2,542.19
1527	Linden	<i>Tilia</i>	sp.	11	Semi-mature	Fair	...	\$1,300.11
1528	Linden	<i>Tilia</i>	sp.	17	Semi-mature	Fair	...	\$3,105.21
1529	Elm	<i>Ulmus</i>	sp.	8	Semi-mature	Good	3	\$923.16
1530	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	9	Semi-mature	Good	...	\$1,084.92
1531	Catalpa-Northern	<i>Catalpa</i>	<i>speciosa</i>	7,9	Semi-mature	Good	...	\$1,205.47
1532	Cherry	<i>Prunus</i>	sp.	8	Mature	Good	...	\$725.34
1533	Cherry	<i>Prunus</i>	sp.	9	Mature	Good	2	\$918.01
1534	Fringetree-Chinese	<i>Chionanthus</i>	<i>retusus</i>	3	Young	Good	...	\$129.82
1535	Fringetree-Chinese	<i>Chionanthus</i>	<i>retusus</i>	3	Young	Good	2	\$129.82
1536	Serviceberry	<i>Amelanchier</i>	sp.	5	Semi-mature	Good	...	\$412.12
1537	Serviceberry	<i>Amelanchier</i>	sp.	5	Semi-mature	Good	...	\$412.12
1538	Crabapple	<i>Malus</i>	sp.	5	Semi-mature	Good	2	\$324.55
1539	Crabapple	<i>Malus</i>	sp.	7	Mature	Good	2	\$636.11
1540	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	9	Semi-mature	Good	2	\$1,168.37
1541	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	2	\$830.84
1542	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	12	Mature	Good	3	\$2,077.11
1543	Crabapple	<i>Malus</i>	sp.	7	Mature	Fair	...	\$454.37
1544	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	15	Mature	Fair	2	\$2,318.20
1545	Crabapple	<i>Malus</i>	sp.	7	Mature	Good	2	\$636.11
1546	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	12	Mature	Fair	2	\$1,483.65
1547	Crabapple	<i>Malus</i>	sp.	10	Mature	Good	...	\$1,298.19
1548	Crabapple	<i>Malus</i>	sp.	12	Mature	Good	2	\$1,869.40

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1549	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	13	Mature	Fair	2	\$1,741.23
1550	Crabapple	<i>Malus</i>	sp.	10	Mature	Good	2	\$1,298.19
1551	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	14	Mature	Fair	2	\$2,019.41
1552	Crabapple	<i>Malus</i>	sp.	11	Mature	Good	2	\$1,570.81
1553	Crabapple	<i>Malus</i>	sp.	12	Mature	Good	3	\$1,869.40
1554	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	15	Mature	Fair	2	\$2,318.20
1555	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	...	\$830.84
1556	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	2	\$830.84
1557	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	13	Mature	Good	2	\$2,437.72
1558	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	2	\$830.84
1559	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	8	Semi-mature	Good	2	\$923.16
1560	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	14	Mature	Good	2	\$2,827.18
1561	Crabapple	<i>Malus</i>	sp.	5	Semi-mature	Good	...	\$324.55
1562	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	10	Semi-mature	Good	3	\$1,442.44
1563	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	3	\$830.84
1564	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	...	\$830.84
1565	Maple-Red	<i>Acer</i>	<i>rubrum</i>	7	Semi-mature	Good	...	\$706.79
1566	Maple-Red	<i>Acer</i>	<i>rubrum</i>	13	Mature	Fair	3	\$1,741.23
1567	Maple-Red	<i>Acer</i>	<i>rubrum</i>	12	Mature	Good	...	\$2,077.11
1568	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Fair	...	\$659.40
1569	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Good	...	\$923.16
1570	Maple-Red	<i>Acer</i>	<i>rubrum</i>	7	Semi-mature	Fair	...	\$504.85
1571	Maple-Red	<i>Acer</i>	<i>rubrum</i>	6	Semi-mature	Good	...	\$519.28

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1572	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	15	Mature	Fair	2	\$2,318.20
1573	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	15	Mature	Fair	2	\$2,318.20
1574	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	14	Mature	Fair	...	\$2,019.41
1575	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	16	Mature	Fair	2	\$2,637.60
1576	Maple-Red	<i>Acer</i>	<i>rubrum</i>	14	Mature	Good	...	\$2,827.18
1577	Maple-Red	<i>Acer</i>	<i>rubrum</i>	15	Mature	Good	...	\$3,245.48
1578	Maple-Red	<i>Acer</i>	<i>rubrum</i>	16	Mature	Good	...	\$3,692.64
1579	Maple-Red	<i>Acer</i>	<i>rubrum</i>	15	Mature	Good	...	\$3,245.48
1580	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	7	Semi-mature	Good	...	\$757.28
1581	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	5	Young	Good	...	\$386.37
1582	Maple-Red	<i>Acer</i>	<i>rubrum</i>	28	Mature	Good	...	\$11,308.71
1583	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	2	Young	Poor	3	\$26.49
1584	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	7	Semi-mature	Good	...	\$757.28
1585	Maple-Three Flower	<i>Acer</i>	<i>triflorum</i>	5	Young	Good	...	\$360.61
1586	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	58	Mature	Good	1	\$36,903.60
1587	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	6	Semi-mature	Fair	2	\$397.41
1588	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	10	Semi-mature	Poor	...	\$662.34
1589	Maple-Red	<i>Acer</i>	<i>rubrum</i>	8	Semi-mature	Good	...	\$923.16
1590	Sycamore-American	<i>Platanus</i>	<i>occidentalis</i>	44	Mature	Good	1	\$20,000.17
1591	Maple-Red	<i>Acer</i>	<i>rubrum</i>	17	Mature	Good	3	\$4,168.64
1592	Maple-Red	<i>Acer</i>	<i>rubrum</i>	23	Mature	Good	3	\$7,630.49
1593	Dogwood-Kousa	<i>Cornus</i>	<i>kousa</i>	5	Semi-mature	Good	...	\$453.34
1594	Maple-Hedge	<i>Acer</i>	<i>campestre</i>	7	Semi-mature	Good	...	\$807.76
1595	Dogwood-Kousa	<i>Cornus</i>	<i>kousa</i>	4	Young	Good	...	\$290.14
1596	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	6	Semi-mature	Good	...	\$408.00
1597	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	8	Semi-mature	Good	...	\$725.34
1598	Dogwood-Kousa	<i>Cornus</i>	<i>kousa</i>	3	Young	Good	...	\$163.20

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1599	Cherry	<i>Prunus</i>	sp.	3	Young	Good	3	\$102.00
1600	Cherry	<i>Prunus</i>	sp.	6	Mature	Good	...	\$408.00
1601	Cherry	<i>Prunus</i>	sp.	8	Mature	Good	...	\$725.34
1602	Dogwood-Flowering	<i>Cornus</i>	<i>florida</i>	6	Mature	Good	...	\$445.10
1603	Maple-Paperbark	<i>Acer</i>	<i>griseum</i>	3	Young	Good	...	\$148.37
1604	Maple-Hedge	<i>Acer</i>	<i>campestre</i>	4	Young	Good	...	\$263.76
1605	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	4	Semi-mature	Good	...	\$237.38
1606	Maple-Red	<i>Acer</i>	<i>rubrum</i>	27	Mature	Good	...	\$10,515.37
1607	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	7	Semi-mature	Good	...	\$555.34
1608	Maple-Red	<i>Acer</i>	<i>rubrum</i>	24	Mature	Good	...	\$8,308.44
1609	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	10	Semi-mature	Good	3	\$1,133.34
1610	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	8	Semi-mature	Good	...	\$949.54
1611	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	4	Young	Fair	3	\$169.56
1612	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	11	Mature	Good	...	\$1,371.35
1613	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	10	Mature	Good	3	\$1,483.65
1614	Maple-Red	<i>Acer</i>	<i>rubrum</i>	3	Young	Good	...	\$129.82
1615	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	12	Mature	Good	3	\$1,632.02
1616	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	13	Mature	Good	...	\$1,915.35
1617	Maple-Three Flower	<i>Acer</i>	<i>triflorum</i>	5	Semi-mature	Good	...	\$360.61
1618	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Semi-mature	Good	3	\$257.58
1619	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	5	Semi-mature	Poor	2	\$158.96
1620	Cherry	<i>Prunus</i>	sp.	13	Mature	Good	3	\$1,915.35
1621	Maple-Red	<i>Acer</i>	<i>rubrum</i>	34	Mature	Good	...	\$16,205.65
1622	Maple-Red	<i>Acer</i>	<i>rubrum</i>	34	Mature	Good	3	\$16,205.65
1623	Maple-Red	<i>Acer</i>	<i>rubrum</i>	18	Mature	Good	2	\$4,673.50
1624	Maple-Red	<i>Acer</i>	<i>rubrum</i>	11	Mature	Good	...	\$1,745.35
1625	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	32	Mature	Good	...	\$13,437.74
1626	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	2	\$17,377.90
1627	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	14	Mature	Good	...	\$2,221.35
1628	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	9	Semi-mature	Fair	3	\$894.16
1629	Cherry	<i>Prunus</i>	sp.	3	Young	Good	3	\$102.00

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1630	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	10	Mature	Good	2	\$1,483.65
1631	Cherry	<i>Prunus</i>	sp.	14	Mature	Fair	2	\$1,586.68
1632	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	13	Mature	Dead	1	...
1633	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	2	Young	Good	...	\$57.70
1634	Maple-Tatarian	<i>Acer</i>	<i>tactaricum</i>	7	Semi-mature	Fair	2	\$519.28
1635	Maple-Miyabei	<i>Acer</i>	<i>miyabei</i>	3	Young	Good	...	\$129.82
1636	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	15	Mature	Good	...	\$2,550.02
1637	Cherry	<i>Prunus</i>	sp.	9	Mature	Good	2	\$918.01
1638	Cherry	<i>Prunus</i>	sp.	12	Mature	Good	2	\$1,632.02
1639	Maple-Red	<i>Acer</i>	<i>rubrum</i>	13	Mature	Fair	2	\$1,741.23
1640	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	17	Mature	Fair	...	\$2,339.55
1641	Cherry	<i>Prunus</i>	sp.	10,10	Mature	Poor	...	\$971.44
1642	Maple-Red	<i>Acer</i>	<i>rubrum</i>	14	Mature	Fair	...	\$2,019.41
1643	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	26	Mature	Poor	1	\$3,283.46
1644	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	...	\$830.84
1645	Cherry	<i>Prunus</i>	sp.	16	Mature	Good	3	\$2,901.36
1646	Cherry	<i>Prunus</i>	sp.	17	Mature	Good	2	\$3,275.36
1647	Cherry	<i>Prunus</i>	sp.	11	Mature	Good	2	\$1,371.35
1648	Cherry	<i>Prunus</i>	sp.	10	Mature	Good	2	\$1,133.34
1649	Cherry	<i>Prunus</i>	sp.	17	Mature	Good	2	\$3,275.36
1650	Cherry	<i>Prunus</i>	sp.	12	Mature	Good	...	\$1,632.02
1651	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	17	Mature	Good	3	\$4,466.40
1652	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	17	Mature	Good	2	\$4,466.40
1653	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	15	Mature	Good	...	\$3,477.30
1654	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	14	Mature	Good	...	\$3,029.12
1655	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	16	Mature	Good	2	\$3,956.40
1656	Cherry	<i>Prunus</i>	sp.	9	Mature	Poor	2	\$393.43
1657	Maple-Sugar	<i>Acer</i>	<i>saccharum</i>	6	Semi-mature	Good	2	\$556.37
1658	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1659	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1660	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	1	\$17,377.90

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1661	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	2	\$15,836.13
1662	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	43	Mature	Good	3	\$21,728.84
1663	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	38	Mature	Good	...	\$18,131.64
1664	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
1665	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	25	Mature	Good	3	\$8,371.29
1666	Elm	<i>Ulmus</i>	sp.	9	Semi-mature	Good	...	\$1,168.37
1667	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	27	Mature	Good	...	\$9,764.27
1668	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	3	\$15,836.13
1669	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	1	\$17,377.90
1670	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	2	\$17,377.90
1671	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	5	Young	Good	...	\$334.85
1672	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	6	Young	Good	3	\$482.19
1673	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	2	Young	Good	...	\$61.82
1674	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	34	Mature	Good	3	\$15,048.10
1675	Oak-Northern Red	<i>Quercus</i>	<i>rubra</i>	3	Young	Good	...	\$139.09
1676	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	36	Mature	Good	1	\$16,612.73
1677	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	34	Mature	Good	1	\$15,048.10
1678	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	38	Mature	Good	1	\$18,131.64
1679	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	...	\$17,377.90
1680	Maple-Red	<i>Acer</i>	<i>rubrum</i>	29	Mature	Good	3	\$12,130.90
1681	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	3	\$17,377.90
1682	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	49	Mature	Good	3	\$25,668.23
1683	Maple-Red	<i>Acer</i>	<i>rubrum</i>	12	Mature	Good	...	\$2,077.11
1684	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	33	Mature	Good	3	\$12,056.54
1685	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	39	Mature	Good	3	\$18,873.94
1686	Elm	<i>Ulmus</i>	sp.	15	Mature	Good	...	\$3,245.48
1687	Elm	<i>Ulmus</i>	sp.	16	Mature	Good	...	\$3,692.64
1688	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	...	\$15,836.13
1689	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	3	\$17,377.90
1690	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	3	Young	Good	...	\$120.55
1691	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	38	Mature	Good	3	\$18,131.64

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1692	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Good	3	\$12,054.66
1693	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Good	2	\$12,615.42
1694	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	2	\$17,377.90
1695	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	41	Mature	Good	3	\$20,324.25
1696	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	40	Mature	Good	3	\$19,604.81
1697	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	...	\$17,377.90
1698	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Good	...	\$12,054.66
1699	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	34	Mature	Good	1	\$15,048.10
1700	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	3	\$11,264.41
1701	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Good	...	\$12,615.42
1702	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	38	Mature	Good	3	\$18,131.64
1703	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	32	Mature	Good	...	\$13,437.74
1704	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	39	Mature	Good	3	\$18,873.94
1705	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	41	Mature	Good	3	\$20,324.25
1706	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	...	\$17,377.90
1707	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Good	3	\$12,054.66
1708	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	34	Mature	Good	3	\$15,048.10
1709	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	...	\$17,377.90
1710	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	3	\$15,836.13
1711	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	36	Mature	Good	3	\$16,612.73
1712	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	38	Mature	Good	2	\$18,131.64
1713	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	25	Mature	Good	...	\$8,371.29
1714	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	41	Mature	Good	1	\$20,324.25
1715	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	32	Mature	Good	...	\$13,437.74
1716	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	33	Mature	Good	2	\$14,248.64
1717	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	1	\$10,500.95
1718	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	14	Mature	Good	...	\$2,221.35
1719	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	27	Mature	Good	...	\$9,764.27
1720	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$11,264.41
1721	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
1722	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	43	Mature	Good	1	\$21,728.84

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1723	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	39	Mature	Good	2	\$18,873.94
1724	Elm	<i>Ulmus</i>	sp.	12	Mature	Good	...	\$2,077.11
1725	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	27,27	Mature	Poor	2	\$8,369.38
1726	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	41	Mature	Good	3	\$20,324.25
1727	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	...	\$15,836.13
1728	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Fair	3	\$8,046.00
1729	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	3	\$11,264.41
1730	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	33	Mature	Good	1	\$14,248.64
1731	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	33	Mature	Good	2	\$14,248.64
1732	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	32	Mature	Poor	1	\$5,759.03
1733	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Fair	1	\$8,046.00
1734	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	1	\$17,377.90
1735	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	27	Mature	Good	3	\$9,764.27
1736	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	2	\$10,500.95
1737	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	31	Mature	Poor	1	\$5,406.61
1738	Redwood-Dawn	<i>Metasequoia</i>	<i>glyptostroboides</i>	17	Semi-mature	Good	...	\$4,942.82
1739	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	41	Mature	Good	3	\$20,324.25
1740	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	40	Mature	Good	...	\$19,604.81
1741	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	40	Mature	Good	...	\$19,604.81
1742	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	32	Mature	Good	3	\$13,437.74
1743	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	26	Mature	Fair	3	\$6,467.42
1744	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	29	Mature	Good	...	\$11,264.41
1745	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
1746	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
1747	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
1748	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
1749	Elm	<i>Ulmus</i>	sp.	13	Semi-mature	Good	...	\$2,437.72
1750	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
1751	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
1752	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
1753	Elm	<i>Ulmus</i>	sp.	10	Semi-mature	Good	...	\$1,442.44

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1754	Elm	<i>Ulmus</i>	sp.	12,12	Semi-mature	Good	...	\$4,154.22
1755	Elm	<i>Ulmus</i>	sp.	13	Semi-mature	Good	3	\$2,437.72
1756	Elm	<i>Ulmus</i>	sp.	13	Semi-mature	Good	...	\$2,437.72
1757	Elm	<i>Ulmus</i>	sp.	13	Semi-mature	Good	...	\$2,437.72
1758	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
1759	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
1760	Elm	<i>Ulmus</i>	sp.	12	Semi-mature	Good	...	\$2,077.11
1761	Pine-Japanese Black	<i>Pinus</i>	<i>thunbergii</i>	15	Mature	Good	...	\$3,477.30
1762	Spruce-Norway	<i>Picea</i>	<i>abies</i>	6	Semi-mature	Good	...	\$408.00
1763	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	28	Mature	Good	2	\$10,500.95
1764	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	18	Mature	Good	3	\$2,804.10
1765	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	15	Mature	Good	2	\$1,947.29
1766	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	18	Mature	Good	...	\$2,804.10
1767	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	19	Mature	Good	...	\$3,124.32
1768	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	8	Semi-mature	Good	...	\$553.90
1769	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	6	Semi-mature	Fair	2	\$222.55
1770	Ginkgo	<i>Ginkgo</i>	<i>biloba</i>	9	Semi-mature	Good	...	\$701.02
1771	Spruce-Colorado Blue	<i>Picea</i>	<i>pungens</i>	6	Semi-mature	Good	...	\$571.21
1772	Cherry	<i>Prunus</i>	sp.	22	Mature	Good	3	\$10,425.55
1773	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	35	Mature	Good	...	\$22,170.59
1774	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Good	3	\$9,919.64
1775	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	37	Mature	Good	3	\$24,329.06
1776	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	30	Mature	Good	...	\$16,876.52
1777	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	25	Mature	Good	3	\$11,719.80
1778	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	41	Mature	Good	1	\$28,453.95
1779	Beech-European	<i>Fagus</i>	<i>sylvatica</i>	12	Mature	Good	...	\$3,988.05
1780	Birch-Paper	<i>Betula</i>	<i>papyrifera</i>	8,8,7	Mature	Good	...	\$2,553.11

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1781	Birch-Paper	<i>Betula</i>	<i>papyrifera</i>	8,6,7	Mature	Good	3	\$3,008.92
1782	Birch-Paper	<i>Betula</i>	<i>papyrifera</i>	10,9	Mature	Good	...	\$3,655.14
1783	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	7	Young	Good	...	\$1,402.28
1784	Oak-Scarlet	<i>Quercus</i>	<i>coccinea</i>	7	Young	Good	...	\$1,402.28
1785	Pine-Japanese Black	<i>Pinus</i>	<i>thunbergiana</i>	13	Mature	Good	...	\$3,169.04
1786	Pine-Japanese Black	<i>Pinus</i>	<i>thunbergiana</i>	9	Mature	Good	3	\$1,518.89
1787	Pine-Japanese Black	<i>Pinus</i>	<i>thunbergiana</i>	10	Mature	Good	3	\$1,875.17
1788	Crabapple	<i>Malus</i>	sp.	14	Mature	Poor	...	\$1,526.68
1789	Crabapple	<i>Malus</i>	sp.	13	Mature	Good	...	\$3,071.53
1790	Crabapple	<i>Malus</i>	sp.	16	Mature	Good	...	\$4,652.73
1791	Crabapple	<i>Malus</i>	sp.	21	Mature	Good	...	\$8,015.05
1792	Spruce-Colorado Blue	<i>Picea</i>	<i>pungens</i>	11	Mature	Good	...	\$1,919.88
1793	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	8,11	Mature	Good	3	\$4,002.76
1794	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	9,5,7	Mature	Good	...	\$3,353.67
1795	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	6	Mature	Good	...	\$778.92
1796	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	7,5,4,9	Mature	Good	...	\$3,699.85
1797	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	8,7	Mature	Good	...	\$2,444.93
1798	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	9	Mature	Good	...	\$1,752.56
1799	Lilac-Japanese Tree	<i>Syringa</i>	<i>reticulata</i>	10	Mature	Good	...	\$2,163.66
1800	Elm	<i>Ulmus</i>	sp.	6	Young	Good	...	\$519.28
1801	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	10	Mature	Good	...	\$2,105.96
1802	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	30	Mature	Good	3	\$18,953.63
1803	Linden-Silver	<i>Tilia</i>	<i>tomentosa</i>	8	Semi-mature	Good	...	\$962.72
1804	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	...	\$1,163.18
1805	Elm	<i>Ulmus</i>	sp.	12	Mature	Good	...	\$2,077.11
1806	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	16	Mature	Good	...	\$2,901.36
1807	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	13	Mature	Good	...	\$1,915.35
1808	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	37	Mature	Good	3	\$24,329.06
1809	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	15	Mature	Good	2	\$2,550.02
1810	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	4	Young	Good	...	\$253.87
1811	Maple-Norway	<i>Acer</i>	<i>platanoides</i>	22	Mature	Good	...	\$7,679.54

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1812	Magnolia	<i>Magnolia</i>	sp.	1,1	Young	Good	...	\$28.85
1813	Magnolia	<i>Magnolia</i>	sp.	2,1,1	Young	Good	...	\$86.55
1814	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	12	Mature	Good	...	\$2,373.84
1815	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	13	Mature	Good	3	\$2,785.97
1816	Hornbeam-American	<i>Carpinus</i>	<i>caroliniana</i>	11	Mature	Fair	3	\$1,424.78
1817	Beech-European	<i>Fagus</i>	<i>sylvatica</i>	22	Mature	Good	...	\$7,978.74
1818	Sweetgum	<i>Liquidambar</i>	<i>styraciflua</i>	28	Mature	Good	...	\$10,500.95
1819	Dogwood-Kousa	<i>Cornus</i>	<i>kousa</i>	12	Mature	Good	...	\$3,655.71
1820	Dogwood-Kousa	<i>Cornus</i>	<i>kousa</i>	16	Mature	Good	...	\$6,499.05
1821	Cherry	<i>Prunus</i>	sp.	4	Semi-mature	Fair	...	\$129.53
1822	Hemlock-Canadian	<i>Tsuga</i>	<i>canadensis</i>	10	Mature	Good	...	\$1,236.38
1823	Cherry	<i>Prunus</i>	sp.	8	Mature	Fair	...	\$518.10
1824	Magnolia	<i>Magnolia</i>	sp.	6,4,4,4,1	Mature	Good	...	\$1,226.07
1825	Yew	<i>Taxus</i>	sp.	15	Mature	Good	...	\$3,245.48
1826	Cypress-Leyland	<sup>x</sup> <i>Cupressocyparis</i>	<i>leylandii</i>	10	Mature	Good	3	\$1,236.38
1827	Cypress-Leyland	<sup>x</sup> <i>Cupressocyparis</i>	<i>leylandii</i>	9	Mature	Good	...	\$1,001.46
1828	Cherry	<i>Prunus</i>	sp.	10	Mature	Good	...	\$1,133.34
1829	Elm	<i>Ulmus</i>	sp.	6	Semi-mature	Good	...	\$519.28
1830	Elm	<i>Ulmus</i>	sp.	5	Young	Good	3	\$360.61
1831	Maple-Red	<i>Acer</i>	<i>rubrum</i>	4	Young	Fair	...	\$164.85
1832	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	4	Young	Fair	...	\$214.31
1833	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	6	Semi-mature	Good	...	\$519.28
1834	Maple-Red	<i>Acer</i>	<i>rubrum</i>	6	Semi-mature	Good	...	\$726.99
1835	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	5	Young	Good	...	\$360.61
1836	Cherry-Black	<i>Prunus</i>	<i>serotina</i>	11,12	Mature	Poor	...	\$1,802.02
1837	Horsechestnut-Common (5)	<i>Aesculus</i>	<i>hippocastanum</i>	27	Mature	Fair	...	\$7,510.98
1838	Maple-Red	<i>Acer</i>	<i>rubrum</i>	6	Semi-mature	Good	...	\$726.99
1839	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	35	Mature	Good	...	\$15,836.13

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1840	Planetree-London	<i>Platanus</i>	<i>x acerifolia</i>	27	Mature	Good	...	\$9,764.27
1841	Serviceberry	<i>Amelanchier</i>	sp.	6	Young	Good	...	\$830.84
1842	Serviceberry	<i>Amelanchier</i>	sp.	5	Young	Good	3	\$576.98
1843	Serviceberry	<i>Amelanchier</i>	sp.	4	Young	Good	...	\$369.26
1844	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	7	Young	Good	3	\$1,031.92
1845	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	9	Semi-mature	Good	3	\$1,705.83
1846	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	12	Semi-mature	Good	...	\$2,907.95
1847	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	12	Semi-mature	Good	...	\$2,907.95
1848	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	11	Semi-mature	Good	...	\$2,443.49
1849	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	4	Young	Good	...	\$323.11
1850	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	12	Semi-mature	Good	...	\$2,907.95
1851	Tuliptree	<i>Liriodendron</i>	<i>tulipifera</i>	10	Semi-mature	Good	...	\$2,019.41
1852	Serviceberry	<i>Amelanchier</i>	sp.	5	Young	Good	...	\$576.98
1853	Serviceberry	<i>Amelanchier</i>	sp.	4	Young	Good	...	\$369.26
1854	Serviceberry	<i>Amelanchier</i>	sp.	4	Young	Good	...	\$369.26
1855	Serviceberry	<i>Amelanchier</i>	sp.	3	Young	Good	...	\$207.71
1856	Hawthorn	<i>Crataegus</i>	sp.	3	Young	Good	...	\$150.59
1857	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Semi-mature	Good	...	\$1,635.72
1858	Pine-Eastern White	<i>Pinus</i>	<i>strobus</i>	11	Semi-mature	Good	...	\$1,371.35
1859	Pine-Eastern White	<i>Pinus</i>	<i>strobus</i>	8,11	Semi-mature	Good	...	\$2,096.69
1860	Hemlock-Canadian	<i>Tsuga</i>	<i>canadensis</i>	4	Young	Good	...	\$197.82
1861	Hemlock-Canadian	<i>Tsuga</i>	<i>canadensis</i>	4	Young	Good	...	\$197.82
1862	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	13	Mature	Good	...	\$2,437.72
1863	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	12	Mature	Good	...	\$2,077.11
1864	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	9	Mature	Good	...	\$1,705.83
1865	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	9	Mature	Good	...	\$1,705.83
1866	Redbud-Eastern	<i>Cercis</i>	<i>canadensis</i>	7	Mature	Good	...	\$1,031.92
1867	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	8	Semi-mature	Good	...	\$923.16

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1868	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	6	Young	Good	...	\$519.28
1869	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	6	Young	Good	...	\$519.28
1870	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	7	Semi-mature	Good	...	\$706.79
1871	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	7	Semi-mature	Good	...	\$706.79
1872	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	8	Semi-mature	Good	...	\$923.16
1873	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	9	Semi-mature	Good	...	\$1,168.37
1874	Honeylocust-Thornless Common	<i>Gleditsia</i>	<i>triacanthos</i> var. <i>inermis</i>	9	Semi-mature	Good	...	\$1,168.37
1875	Oak-White	<i>Quercus</i>	<i>alba</i>	20	Mature	Good	...	\$7,253.40
1876	Elm	<i>Ulmus</i>	sp.	4	Young	Good	...	\$230.79
1877	Linden-American	<i>Tilia</i>	<i>americana</i>	4	Young	Good	...	\$240.68
1878	Linden-American	<i>Tilia</i>	<i>americana</i>	5	Young	Good	...	\$376.06
1879	Linden-American	<i>Tilia</i>	<i>americana</i>	5	Young	Good	...	\$376.06
1880	Hornbeam-European (18)	<i>Carpinus</i>	<i>betulus</i>	3	Young	Good	...	\$2,670.57
1881	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	8	Semi-mature	Good	...	\$989.10
1882	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	7	Semi-mature	Good	...	\$757.28
1883	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	7	Semi-mature	Good	...	\$757.28
1884	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	8	Semi-mature	Good	...	\$989.10
1885	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	7	Semi-mature	Good	...	\$757.28
1886	Maple-Red	<i>Acer</i>	<i>rubrum</i>	13	Mature	Good	3	\$2,437.72
1887	Maple-Red	<i>Acer</i>	<i>rubrum</i>	16	Mature	Good	3	\$3,692.64
1888	Zelkova-Japanese	<i>Zelkova</i>	<i>serrata</i>	5	Semi-mature	Good	...	\$386.37
1889	Linden-Littleleaf	<i>Tilia</i>	<i>cordata</i>	3	Young	Good	...	\$135.38
1890	Elm	<i>Ulmus</i>	sp.	10	Semi-mature	Good	...	\$1,442.44

Tree ID	Common Name	Genus	Species	DBH	Age Class	Condition Class	Tree Care Priority	Tree Asset Value
1891	Cherry	<i>Prunus</i>	sp.	5	Semi-mature	Fair	...	\$202.38
1892	Cherry	<i>Prunus</i>	sp.	8	Mature	Good	2	\$725.34
1893	Cherry	<i>Prunus</i>	sp.	4	Young	Poor	3	\$77.72
1894	Cherry	<i>Prunus</i>	sp.	9	Mature	Good	...	\$918.01
1895	Cherry	<i>Prunus</i>	sp.	8	Mature	Good	...	\$725.34
1896	Pear-Callery	<i>Pyrus</i>	<i>calleryana</i>	12,15	Mature	Good	2	\$3,801.85
1897	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1898	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1899	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1900	Cherry	<i>Prunus</i>	sp.	3	Young	Good	...	\$102.00
1901	Snowbell-Fragrant	<i>Styrax</i>	<i>obassia</i>	4	Young	Good	...	\$230.79
1902	Snowbell-Fragrant	<i>Styrax</i>	<i>obassia</i>	3	Young	Poor	...	\$55.64
1903	Maackia-Amur	<i>Maackia</i>	<i>amurensis</i>	9	Semi-mature	Good	...	\$1,168.37
1904	Maple-Red	<i>Acer</i>	<i>rubrum</i>	16	Semi-mature	Good	...	\$3,692.64
1905	Maple-Red	<i>Acer</i>	<i>rubrum</i>	9	Semi-mature	Good	...	\$1,168.37
1906	Oak-Pin	<i>Quercus</i>	<i>palustris</i>	23	Mature	Good	3	\$7,085.46
1907	Hemlock-Canadian	<i>Tsuga</i>	<i>canadensis</i>	10,6	Semi-mature	Poor	2	\$720.63
1908	Crabapple	<i>Malus</i>	sp.	8	Mature	Good	...	\$830.84
1909	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
1910	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	6	Semi-mature	Fair	3	\$370.91
1911	Elm	<i>Ulmus</i>	sp.	11	Semi-mature	Good	...	\$1,745.35
1912	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	7	Mature	Good	2	\$706.79
1913	Elm	<i>Ulmus</i>	sp.	4	Young	Good	...	\$323.11
1914	Hackberry	<i>Celtis</i>	<i>occidentalis</i>	6	Semi-mature	Good	...	\$654.29
1915	Tupelo-Black	<i>Nyssa</i>	<i>sylvatica</i>	3	Young	Good	...	\$207.71
1916	Parrotia-Persian	<i>Parrotia</i>	<i>persica</i>	7	Mature	Good	...	\$706.79
1917	Coffeetree-Kentucky	<i>Gymnocladus</i>	<i>dioicus</i>	4	Young	Good	...	\$336.95
1918	Goldenraintree-Panicled	<i>Koelreuteria</i>	<i>paniculata</i>	12	Mature	Good	...	\$2,617.16
1919	Beech-European	<i>Fagus</i>	<i>sylvatica</i>	2	Young	Good	...	\$92.32

**APPENDIX**



## **BIBLIOGRAPHY**

Council of Tree and Landscape Appraisers (CTLA). 2000. *Guide for Plant Appraisal*, 9th Edition. International Society of Arboriculture, Champaign, IL. 143 pp.

## **ADDITIONAL RESOURCES**

Bartlett publishes a variety of tree-resource documents, including technical reports, plant health care recommendations, and service brochures. The following technical reports may be pertinent to your inventory. To access these documents and view the complete Bartlett Resource Library online, please follow this URL:

<https://www.bartlett.com/resourcelist.cfm>

**Girdling Roots**

**Maintenance Pruning Program**

**Monitor IPM Program**

**Mulch Application Guidelines**

**Tree Risk Assessments**

**Tree Structure Evaluation**

## GLOSSARY OF TERMS

**air pollution removal:** removal of pollutants from the air by plants through natural processes

**arborist:** 1. An individual engaged in the profession of arboriculture who, through experience, education and related training, possesses the competence to provide for, or supervise the management of, trees and other woody ornamentals. [ANSI A300 (Part 1, 2, 4, 5, 6)] 2. An individual engaged in the profession of arboriculture. [ANSI Z133.1-2000 Safety Requirements for Arboricultural Operations]

**bracing:** The installation of lag-thread screw or threaded-steel rods in limbs, leaders, or trunks to provide supplemental support. [ANSI A300 (Part 3)-2000 Support Systems]

**branch:** An outgrowing shoot, stem or twig that grows from the main stem or trunk. [ANSI Z60.1-2004 Nursery Stock]

**buttress roots:** Lateral surface roots that aid in stabilizing the tree.

**cable:** 1) Zinc coated strand per ASTM A-475 for dead-end grip applications. 2) Wire rope or strand for general applications. 3) Synthetic-fiber rope or synthetic-fiber webbing for general applications. [ANSI A300 (Part 3)-2000 Support Systems]

**cabbling:** The installation of a steel wire rope, steel strand, or synthetic-fiber system within a tree between limbs or leaders to limit movement and provide supplemental support. [ANSI A300 (Part 3)-2000 Support Systems]

**canopy:** collective branches and foliage of a tree or group of trees' crowns

**carbon sequestration:** removal of carbon from the air by plants through natural processes

**carbon storage:** storage of carbon removed from the air in plant tissues

**cation exchange capacity(CEC):** The ability of soil to absorb nutrients.

**cavity:** An open wound characterized by the presence of decay and resulting in a hollow.

**cleaning:** Selective pruning to remove one or more of the following parts: dead, diseased, and/ or broken branches (5.6.1). [ANSI A300 (Part 1)-2001 Pruning]

**co-dominant branches:** Equal in size and importance, usually associated with either the trunks, stems, or scaffold limbs.

**conk:** fruiting body or nonfruiting body of a fungus. Often associated with decay. critical root zone(CRZ): area of soil around a tree trunk where roots are located that provide

stability and uptake of water and minerals required for tree survival.

**crown:** 1. The leaves and branches of a tree measured from the lowest branch on the trunk to the top of the tree. [ANSI A300 (Part 1)-2001 Pruning] [ANSI A300 (Part 6)-2005 Transplanting] 2. The portion of a tree comprising the branches. [ANSI Z60.1-2004 Nursery Stock]

**D.B.H. [diameter at breast height]:** Measurement of trunk diameter taken at 4.5 feet (1.4 m) off the ground. [ANSI A300 (Part 6)- 2005 Transplanting]

**decay:** The degradation of woody tissue caused by microorganisms. [ANSI A300 (Part 1)-2001 Pruning]

**Geographic Information System (GIS):** is any system for capturing, storing, analyzing and managing data and associated attributes which are spatially referenced to earth.

**girdling root:** A root that may impede proper development of other roots, trunk flare, and/or trunk. [ANSI A300 (Part 6)-2005 Transplanting]

**Global Positioning System (GPS):** A constellation of at least 24 Medium Earth Orbit satellites that transmit precise microwave signals, the system enables a GPS receiver to determine its location, speed, direction, and time.

**Global Positioning System receiver (GPSr):** A receiver that receives its input from GPS satellites to determine location, speed, direction, and time.

**heading:** cutting a shoot back to a bud or cutting branches back to buds, stubs, or lateral branches not large enough to assume apical dominance. Cutting an older branch or stem back to meet a structural objective

**integrated pest management (IPM):** A pest control strategy that uses an array of complementary methods: mechanical devices, physical devices, genetic, biological, legal, cultural management, and chemical management. These methods are done in three stages of prevention, Observation, and finally Intervention. It is an ecological approach that has its main goal is to significantly reduce or eliminate the use of pesticides.

**lateral branch:** A shoot or stem growing from a parent branch or stem. [ANSI A300 (Part 1)- 2001 Pruning]

**leader:** A dominant or co-dominant, upright stem. [ANSI A300 (Part 1)-2001 Pruning]

**lean:** Departure from vertical of the stem, beginning at or near the base of the trunk.

**limb:** A large, prominent branch. [ANSI A300 (Part 1)-2001 Pruning] lion's tailing: The removal of an excessive number of inner, lateral branches from parent branches. Lion's tailing is not an acceptable pruning practice (5.5.7). [ANSI A300 (Part 1)- 2001 Pruning]

**macronutrient:** Nutrient required in relatively large amounts by plants, such as nitrogen (N), phosphorus (P), potassium (K), and sulfur (S). [ANSI A300 (Part 2)-2004 Fertilization]

**micronutrient:** Nutrient required in relatively small amounts by plants, such as iron (Fe), manganese (Mn), zinc (Zn), copper (Cu), and boron (B). [ANSI A300 (Part 2)-2004 Fertilization]

**noise attenuation:** reducing sound levels via materials, structures, plants, etc.

**nutrient:** Element or compound required for growth, reproduction or development of a plant. [ANSI A300 (Part 2)-2004 Fertilization]

**organic matter:** material derived from the growth (and death) of living organisms. The organic components of soil.

**parent branch or stem:** A tree trunk, limb, or prominent branch from which shoots or stems grow. [ANSI A300 (Part 1)-2001 Pruning]

**pH:** unit of measurement that describes the alkalinity or acidity of a solution. Measured on a scale of 0 to 14. Greater than 7 is alkaline, less than 7 is acid, and 7 is neutral (pure water).

**pruning:** The selective removal of plant parts to meet specific goals and objectives. [ANSI A300 (Part 1)-2001 Pruning]

**qualified arborist:** An individual who, by possession of a recognized degree, certification, or professional standing, or through related training and on-the-job experience, is familiar with the equipment and hazards involved in arboricultural operations and who has demonstrated ability in the performance of the special techniques involved. [ANSI Z133.1-2000 Safety Requirements for Arboricultural Operations]

**raising:** Selective pruning to provide vertical clearance (5.6.3). [ANSI A300 (Part 1)-2001 Pruning]

**reduction:** Selective pruning to decrease height and/or spread (5.6.4). [ANSI A300 (Part 1)-2001 Pruning]

**risk assessment:** process of evaluating what unexpected things could happen, how likely it is, and what the likely outcomes are. In tree management, the systematic process to determine the level of risk posed by a tree, tree part, or group of trees.

**root collar:** 1. The transition zone between the trunk and the root system. [ANSI A300 (Part 6)-2005 Transplanting] 2. See COLLAR. [ANSI Z60.1-2004 Nursery Stock]

**root flare or trunk flare:** The area at the base of the plant's stem or trunk where the stem

or trunk broadens to form roots; the area of transition between the root system and the stem or trunk. [ANSI Z60.1-2004 Nursery Stock] [ANSI A300 (Part 6)-2005 Transplanting]

**root zone:** The volume of soil containing the roots of a plant. [ANSI A300 (Part 5)-2005

**secondary nutrient:** Nutrient required in moderate amounts by plants, such as calcium (Ca) and magnesium (Mg). [ANSI A300 (Part 2)-2004 Fertilization]

**seam:** Vertical line that appears where two edges of wound wood or callus ridge meet.

**soil amendment:** Any material added to soil to alter its composition and structure, such as sand, fertilizer, or organic matter. [ANSI A300 (Part 6)-2005 Transplanting]

**soil pH:** A measure of the acidity or alkalinity of the soil.

**stormwater runoff:** water (generally from rain or snow melt) that flows over the ground after storm events.

**structural support system:** hardware installed in tree, may be; cables, braces, or guys, to provide supplemental support.

**sweep:** Departure from vertical of the stem, beginning above the base of the trunk.

**thinning:** Selective pruning to reduce density of live branches (5.6.2). [ANSI A300 (Part 1)-2001 Pruning]

**tree risk assessment:** Closer inspection of visibly damaged, dead, defected, diseased, leaning or dying tree to determine management needs.

**topping:** The reduction of a tree's size using heading cuts that shorten limbs or branches back to a predetermined crown limit. Topping is not acceptable pruning practice. (5.5.7). [ANSI A300 (Part 1)-2001 Pruning]

**tree inventory:** A comprehensive list of individual trees providing descriptive information on all or a portion of the project area. [ANSI A300 (Part 5)-2005 Management during site planning, site development, and construction]

**tree protection zone:** A space above and belowground within which trees are to be retained and protected. [ANSI A300 (Part 5)-2005 Management during site planning, site development, and construction]

**trunk:** That portion of a stem or stems of a tree before branching occurs. [ANSI Z60.1-2004 Nursery Stock]

**vigor :** Overall health. Capacity to grow and resist stress. [ISA Municipal Specialist Certification Study Guide 2008]

**wound:** An opening that is created when the bark of a living branch or stem is penetrated, cut, or removed. [ANSI A300 (Part 1)-2001 Pruning]